

Table of contents

- [American DJ Led Messenger](#) (15.00 EUR/day + VAT 20%)
- [Eurolite MS3 Polar laser \(adv. version\)](#) (20.00 EUR/day + VAT 20%)
- [Martin DC2 Fire](#) (5.00 EUR/day + VAT 20%)
- [Martin DC3 Oil](#) (10.00 EUR/day + VAT 20%)
- [SGM COLOUR DYNAMIC 100 adv. \(Sand Effect\)](#) (16.00 EUR/day + VAT 20%)
- [Lava effect](#) (5.00 EUR/day + VAT 20%)
- [Bubble generator Chauvet Bubble King + remote control FC5](#) (35.00 EUR/day + VAT 20%)
- [Snow mashine ADJ Snow Flurry](#) (23.00 EUR/day + VAT 20%)
- [K&M Light T-Stand 200 cm](#) (4.00 EUR/day + VAT 20%)
- [K&M Light T-Stand 280 cm](#) (5.00 EUR/day + VAT 20%)
- [Eurolite Blinder 4 x PAR 36](#) (12.00 EUR/day + VAT 20%)
- [Fog liquid](#) (0.00 EUR/day + VAT 20%)
- [Light weight Mirror Ball 50cm + motor + hook](#) (25.00 EUR/day + VAT 20%)
- [Mirror ball 30cm + mootor + hook](#) (18.00 EUR/day + VAT 20%)
- [Socapex 19 pin](#) (2.55 EUR/day + VAT 20%)
- [CEE Cable](#) (1.90 EUR/day + VAT 20%)
- [Single Truss clamp](#) (2.00 EUR/day + VAT 20%)
- [Double Truss clamp](#) (2.00 EUR/day + VAT 20%)
- [Hook 2 50 kg](#) (1.00 EUR/day + VAT 20%)
- [Hook 1 35 kg](#) (1.00 EUR/day + VAT 20%)
- [CM Lodestar 20m 1T](#) (29.00 EUR/day + VAT 20%)
- [Manual Block and Tackle 5m 1000kg](#) (16.00 EUR/day + VAT 20%)
- [Par 20](#) (3.00 EUR/day + VAT 20%)
- [GS Industry Projector](#) (3.50 EUR/day + VAT 20%)
- [Kupo Profile 19° 750W](#) (12.00 EUR/day + VAT 20%)
- [Kupo Profile 26° 750W](#) (12.00 EUR/day + VAT 20%)
- [Kupo Ciclorama 1000W](#) (8.00 EUR/day + VAT 20%)
- [Litecraft PAR 64](#) (4.50 EUR/day + VAT 20%)
- [Litecraft PAR 56](#) (3.50 EUR/day + VAT 20%)
- [Wireless DMX](#) (20.00 EUR/day + VAT 20%)
- [Showtec DJ Switch 6](#) (5.00 EUR/day + VAT 20%)
- [Showtec DJ Switch 10](#) (7.00 EUR/day + VAT 20%)
- [Hedtec Radio Switch pack](#) (8.00 EUR/day + VAT 20%)
- [Martin RS 485 5ch DMX Splitter](#) (20.00 EUR/day + VAT 20%)
- [Martin MC1](#) (3.50 EUR/day + VAT 20%)
- [Elation Scene Setter](#) (13.00 EUR/day + VAT 20%)
- [Appolo AB-159B 1200 W](#) (40.00 EUR/day + VAT 20%)
- [VMB TE 034 Lift Stand](#) (10.00 EUR/day + VAT 20%)
- [Eurolite Lift Stand 340 cm](#) (7.00 EUR/day + VAT 20%)
- [Stand changer](#) (1.00 EUR/day + VAT 20%)
- [T-bar](#) (2.00 EUR/day + VAT 20%)
- [Martin DJ Bag 2](#) (2.00 EUR/day + VAT 20%)
- [Martin DJ Bag 1](#) (2.00 EUR/day + VAT 20%)
- [Snow liquid](#) (0.00 EUR/day + VAT 20%)
- [Bubble liquid](#) (0.00 EUR/day + VAT 20%)
- [Eurolite DPX-610 DMX](#) (20.00 EUR/day + VAT 20%)
- [AMERICAN DJ Gobo Projector LED](#) (15.00 EUR/day + VAT 20%)

- [ADJ Controller UC3](#) (4.00 EUR/day + VAT 20%)
- [Projektor Phillips Tempo 3 400w](#) (14.00 EUR/day + VAT 20%)
- [ADJ H2O DMX Pro + ADJ UC3 kontrolller](#) (20.00 EUR/day + VAT 20%)
- [Power Distribjutor 32A - 16A](#) (23.00 EUR/day + VAT 20%)
- [American DJ FREQ Matrix QUAD + UC3 konroller](#) (25.00 EUR/day + VAT 20%)
- [Dynamic Cloud lighting](#) (6.00 EUR/day + VAT 20%)
- [Eurolite NB-150 ICE Flor Fog Machine](#) (40.00 EUR/day + VAT 20%)
- [American DJ laser Micro Image](#) (25.00 EUR/day + VAT 20%)
- [American DJ Eco UV Bar Plus](#) (10.00 EUR/day + VAT 20%)
- [Chauvet Swarm 5 FX](#) (25.00 EUR/day + VAT 20%)
- [ADJ Ikon LED Gobo Projektor](#) (22.00 EUR/day + VAT 20%)
- [Equinox RGB 1.5m DMX Multicoloured Flame Effect](#) (25.00 EUR/day + VAT 20%)
- [ADJ UC3 RC System](#) (5.00 EUR/day + VAT 20%)
- [ADJ MEGA BAR RGBA + RFC wireless remote](#) (10.00 EUR/day + VAT 20%)
- [Moving Head ADJ Vortex 1200](#) (25.00 EUR/day + VAT 20%)
- [Mini Laser RGB](#) (15.00 EUR/day + VAT 20%)
- [Chauvet DJ Scorpion Script Laser](#) (25.00 EUR/day + VAT 20%)
- [ADJ Inno Roll HP 80W LED Scanner + UC 3 kontrolller](#) (15.00 EUR/day + VAT 20%)
- [LED CRYSTALL BALL adv. + Remote control](#) (8.00 EUR/day + VAT 20%)
- [Strobo ADJ SP-1500 MKII + Strobo Master 1](#) (13.00 EUR/day + VAT 20%)
- [Motion Orb™](#) (35.00 EUR/day + VAT 20%)
- [DMX controller WiFLY RGBW8C + WiFLY Transceiver](#) (18.00 EUR/day + VAT 20%)
- [ADJ Fog Fury Jett](#) (25.00 EUR/day + VAT 20%)
- [ADJ Ikon Profile](#) (15.00 EUR/day + VAT 20%)
- [ADJ Light Bridge One](#) (35.00 EUR/day + VAT 20%)
- [ADJ Pocket Spot Twins + UC IR wireless remote](#) (25.00 EUR/day + VAT 20%)
- [Moving head Chauvet Intimidator WAVE IRC + IRC remote](#) (25.00 EUR/day + VAT 20%)
- [RGB text and pattern Laser Laserworld EL-500RGB KeyTEX](#) (35.00 EUR/day + VAT 20%)
- [American DJ Warlock](#) (20.00 EUR/day + VAT 20%)
- [ADJ Starburst pro](#) (12.00 EUR/day + VAT 20%)
- [American DJ 5P Hex](#) (8.00 EUR/day + VAT 20%)
- [American DJ 12P Hex](#) (10.00 EUR/day + VAT 20%)
- [Chauvet Freedom Stick \(Pack: 4psc + remote\)](#) (50.00 EUR/day + VAT 20%)
- [Sunlight Pack](#) (125.00 EUR/day + VAT 20%)
- [Chauvet Obey 70 Dmx](#) (15.00 EUR/day + VAT 20%)
- [American DJ Hexcon](#) (15.00 EUR/day + VAT 20%)
- [Equinox 60W Kaleido](#) (16.00 EUR/day + VAT 20%)
- [American DJ Light Brige One \(2 stands + truss 3m\)](#) (35.00 EUR/day + VAT 20%)
- [ADJ Light Brige One Section \(1.5 m\)](#) (10.00 EUR/day + VAT 20%)
- [Chauvet Funfetti + remote control](#) (40.00 EUR/day + VAT 20%)
- [Dimmer ADJ UNI PACK 2 2.3kW](#) (8.00 EUR/day + VAT 20%)
- [Sunlight Moving Pack](#) (135.00 EUR/day + VAT 20%)
- [ADJ Magna tube + Led par 12p hex \(pack\)](#) (15.00 EUR/day + VAT 20%)
- [ADJ Magna tube](#) (8.00 EUR/day + VAT 20%)
- [ADJ H2O DMX IR \(80W\) + remote UC IR](#) (20.00 EUR/day + VAT 20%)
- [Cables 220v chuco](#) (1.00 EUR/day + VAT 20%)
- [All types XLR, RCA, Jack, mini JACK CABLES and adapters](#) (1.00 EUR/day + VAT 20%)
- [Fog machine ADJ FOG FURY JETT PRO 1.5kW + remote control](#) (30.00 EUR/day + VAT 20%)
- [Laser LASERWORLD PRO 1600 RGB ext. + remote control](#) (40.00 EUR/day + VAT 20%)
- [String ADJ Color Strand LED + remote control](#) (30.00 EUR/day + VAT 20%)
- [ADJ Led BAR UV Plus DMX + remote control](#) (12.00 EUR/day + VAT 20%)
- [RGB Spider Laser Moving head 1720mW](#) (40.00 EUR/day + VAT 20%)
- [Wireless Led Flood Light Projektor 30w \(outdoor\)](#) (10.00 EUR/day + VAT 20%)
- [ADJ Kaos](#) (25.00 EUR/day + VAT 20%)
- [ADJ Entour Cyclone](#) (20.00 EUR/day + VAT 20%)
- [Chauvet Hurricane Bubble Haze](#) (45.00 EUR/day + VAT 20%)
- [Wireless Led par ADJ Element Hex IP](#) (13.00 EUR/day + VAT 20%)

- [Stand with Square Base](#) (10.00 EUR/day + VAT 20%)
- [Moving head Varytec Hero Spot Wash 140 2in1 RGBW+W](#) (20.00 EUR/day + VAT 20%)
- [DJ Led Table](#) (100.00 EUR/day + VAT 20%)
- [DMX interface ADJ My DMX 3.0](#) (20.00 EUR/day + VAT 20%)
- [Hazer Stariville AFH-600 DMX + DMX controller](#) (25.00 EUR/day + VAT 20%)
- [Mini Fogger HQ power 400w + controller](#) (18.00 EUR/day + VAT 20%)
- [Eurolite Half Mirror Ball 50cm \(Built In Motor\)](#) (18.00 EUR/day + VAT 20%)
- [Avolites T2 USB Interface](#) (30.00 EUR/day + VAT 20%)
- [8ch. DMX mini controller Beamz](#) (5.00 EUR/day + VAT 20%)
- [Chauvet Rotosphere Q3 Led Mirror Ball](#) (12.00 EUR/day + VAT 20%)
- [Chauvet D-FI HUB](#) (15.00 EUR/day + VAT 20%)
- [ADJ WiFLY NE1 DMX controller](#) (15.00 EUR/day + VAT 20%)
- [Haze liquid](#) (0.00 EUR/day + VAT 20%)
- [Mirror ball motor with weight 3 kg](#) (8.00 EUR/day + VAT 20%)
- [Laser G-Tech 120RGY](#) (28.00 EUR/day + VAT 20%)
- [Deco trussing Duratruss 35mm \(Modules, corners, plates\)](#) (4.00 EUR/day + VAT 20%)
- [Chauvet Obeey 4 DMX](#) (12.00 EUR/day + VAT 20%)
- [Martin Detonator](#) (8.00 EUR/day + VAT 20%)
- [Single Tube truss \(Different sizes\)](#) (5.00 EUR/day + VAT 20%)
- [Trussing Litec 50mm \(Modules, corners, plates\)](#) (4.00 EUR/day + VAT 20%)
- [Admiral Freedom Profile and Hanger 50mm](#) (5.00 EUR/day + VAT 20%)
- [Gravity SA BTRAY 1 plate for 35 mm tripods](#) (5.00 EUR/day + VAT 20%)
- [Gold Mirror Ball 30cm + motor + hook](#) (22.00 EUR/day + VAT 20%)
- [Double Keyboard stand Athletic KB-2EX + KB-D1/D2](#) (8.00 EUR/day + VAT 20%)

[American DJ Led Messenger](#)

Rent price:
15.00 EUR/day
+ VAT 20%

The American DJ LED Messenger is a dual-functional LED moonflower lighting effect that's also capable of scrolling text. There are 192 RGB LEDs capable of creating a multitude of color washes and 10 built-in text phrases scroll across walls, dance floors, stages, ceilings, etc

Features:

- LED Moonflower with 192 sharp Red, Green & Blue colours(5mm LEDs: 72 Red, 48 Green & 72 Blue)
- Output similar to a 400W Halogen lamp
- Produces a wide coverage of LED patterns and text letters that can be projected on a ceiling, dance floor or wall
- 10 built-in phrases (Happy Birthday, Happy Holidays, Merry Christmas, Congratulations, Happy Thanksgiving, Happy Halloween, Happy St. Patricks Day, Happy New Year, Happy Hanukkah, Last Call)
- 5 Programmable phrases (Up to 30 characters per phrase total)
- Operational by its own built-in light show (Sound active) or DMX-512; 3 DMX Channels
- Extreme long lifetime of the LEDs (100,000 hr. rating)
- Linkable via 3-pin XLR DMX In/Output
- LED DMX display with 4-button LED menu
- AC IEC outlet on rear to daisy chain power
- PS2 type keyboard input on rear of unit to input characters and letters
- Light source adjustable manually from outside
- Includes mounting brackets
- Low Power consumption: 55W
- Multi-voltage: 120~240V, 50/60Hz



- Programmable wireless remote and IR sensor included - used to edit/add LED text

Rental package includes: remote control, PS2 keyboard, ps2 cable 10m, infra red receiver, bag

Dimensions: 320 x 230 x 230 mm


Weight: 6.8 kgs

[Eurolite MS3 Polar laser \(adv. version\)](#)

Rent price:
20.00 EUR/day + VAT 20%

This effect laser is a projector, which combines laser and LED technology. By means of a special grating a room-filling effect is achieved, which is very similar to the mystical polar lights.

- 6 stand alone modes of operation: Laser rotating speed/direction, laser strobe speed, LED rotating speed/direction, LED intensity
- Laser safety by key switch for locking startup
- High power 5 W blue LED, 455 nm
- Laser classification: 3B
- Wavelength: 650/532 nm
- Laser-modules: Red 300 mW, green 100 mW
- Wide dispersion angle, double burst grating
- Mounting bracket for wall and ceiling mounting
- Switch-mode power supply for automatic power supply adaption between 100 and 240 volts without power selector
- Laser with the classification 3B
- Read user manual before use. Laser installation, alignment and operation only by qualified and trained personell!
- Never open the housing!
- Power supply: 100-240 V AC, 50/60 Hz ~
- Power consumption: 35 W
- Dimensions (LxWxH): 260 x 200 x 180 mm
- Weight: 1.7 kg



Dimensions: 260 x 200 x180 mm

Weight: 1,7 kg

[Martin DC2 Fire](#)

Rent price:
5.00 EUR/day + VAT 20%

The Mania DC2 is a decoration tool which projects sensational images of flickering flames - turning up the heat at any show, club or party.

- 100 W halogen lamp
- Manual focus

- 53° spread angle
- Rotating pattern glass for flame decoration effects
- All major safety approvals CE, ETL and CETL
- Rigorously tested for total reliability
- Variable focus, variable effect rotation speed, rotating direction control
- Continuous operation - no cool down time needed




Rent price:
10.00 EUR/day
 + VAT 20%

[Martin DC3 Oil](#)

The Mania DC3 is a decoration tool which projects sensational oil wheel images and creates psychedelic decoration effects at any show, club or party.

- 250 W halogen lamp
- 3 different colored oil wheels available
- Gobo slot for special framing or gobo effects
- Manual focus
- 25° or 32° spread angle (optional 43°)
- Rotating oil wheel decoration effect
- All major safety approvals CE, ETL and CETL
- Rigorously tested for total reliability
- Variable focus, variable effect rotation speed, rotating direction control with or without remote ctrl.
- Continuous operation - no cool down time needed



Rent price:
16.00 EUR/day
 + VAT 20%




[SGM COLOUR DYNAMIC 100 adv. \(Sand Effect\)](#)

Color Dynamic 100 (effect of "sand") is a light effect projector that using dichroic filters creates the effect of "moving sand." Simple controls, high-quality optics and unusual effects in combination with the small size of the unit, will give a holiday atmosphere at any party!

On the back of the unit are placed two of the regulator:



- Variable speed / direction of rotation of the figure (right - left)
- Variable speed / direction of rotation within the image (outside / inside)




Lava effect

«Telstar» - the lava lamp model is dedicated to the era of space exploration. Design of the lava lamp is made in the form of the classical rocket.

- Height: 50 cm
- Material: base and top cap - brushed metal, the bulb - high-strength glass lens effect.

Rent price:
5.00 EUR/day + VAT 20%





Bubble generator Chauvet Bubble King + remote control FC5

BUBBLE KING, bubble generator. The machine can be rightly called the king of such devices. It is very effective. Produces a massive amount of bubbles in a very short time promuzhutok covers a large space. 3 double feeding carousel, power button, removable water tank.

Specifications:

- Power supply: 220 B, 50 Hz
- Wireless: FC-5
- DMX converter: DMX-3F
- Three double wheels for bubbles
- Manual override
- Easy filling system working fluid
- Weight: 5.9 kg
- Dimensions: 483 mm x 381 mm x 305 mm

Dimensions: 483 mm x 381 mm x 305 mm

Weight: 5.9 kg

Snow mashine ADJ Snow Flurry

Snow generator, producing real snow flakes that are released at 6 m. System includes remote control and a liter canister of special snow concentrate liquid.

- High output Snow Machine with timer remote
- Timer remote allows control of: duration of output, interval between output blasts, and constant output
- Choose from two settings on the timer:
- The Continuing time can be controlled from 1 - 10 seconds
- The Interval time can be controlled from 10 seconds to 5 minutes

Rent price:
35.00 EUR/day
+ VAT 20%



Rent price:
23.00 EUR/day
+ VAT 20%



- Volume selection switch - choose between low or high snow output
- Intelligent Pump Protection (IPP) - Pump automatically shuts off when snow fluid gets too low; prevents pump from running dry and being ruined
- Includes hanging bracket
- Use immediately - No warm-up time required!
- 1-quart removable snow fluid container
- Output: 60~90ml/min
- Tank Capacity: 1.5 Liter
- Fluid Consumption Rate: 16~11 Min. / Liter (100% output) 14 Min. / Liter Average
- Dimensions (LxWxH): 15.25" x 7" x 6.25" / 387x179x159mm
- Weight: 11 lbs. / 5 kgs.



Dimensions: 15.25" x 7" x 6.25" / 387x179x159 mm

Weight: 5 kg

[K&M Light T-Stand 200 cm](#)

Light T-Stand 200 cm with cross bar.

- Maksimum height with fixation: 200 sm
- Material: Aluminum
- Maksimum load of 35 kg

Rent price:
4.00 EUR/day
+ VAT 20%



[K&M Light T-Stand 280 cm](#)

Light T-Stand 280 cm with cross bar.

- Maksimum height with fixation: 280 cm
- Material: Aluminum
- Maksimum load of 50 kg

Rent price:
5.00 EUR/day
+ VAT 20%



[Eurolite Blinder 4 x PAR 36](#)

Blinder: 4 x PAR 36
Power supply: 2 x 5 A
Power consumption: 2600 W

Rent price:
12.00 EUR/day
+ VAT 20%



Fog liquid

Rent price:
0.00 EUR/day
+ VAT 20%

Rent price 1L: 7 eur + (VAT 20%)

Rent price 5L: 23 eur + (VAT 20%)

- Without smell
- Didn't need to clear equipment after use



Light weight Mirror Ball 50cm + motor + hook

Rent price:
25.00 EUR/day
+ VAT 20%

Light weight mirror ball 50 cm

Specifications:

- 50cm diameter
- Weight: 2.90 kg

Low-noise motor for mirror balls specifications:

- Power lead with moulded plug
- Strong housing
- Rotation per minute: 3 (rpm)
- Max. weight load: 3 kg
- Cable: 60 cm
- Power supply: 230Vac, 50Hz, 4W

Dimensions: 58 x 110mm Ø

Weight: 270g

Mirror ball 30cm + motor + hook

Rent price:
18.00 EUR/day
+ VAT 20%

Mirror ball 30cm specifications:

- 30cm diameter
- Weight: 2.35 kg

Low-noise motor for mirror balls specifications:

- Power lead with moulded plug
- Strong housing
- Rotation per minute: 3 (rpm)
- Max. weight load: 3 kg



- Cable : 60 cm
- Power supply: 230Vac, 50Hz, 4W

Dimensions: 58 x 110mm Ø

Weight: 270g

Socapex 19 pin

5m 19 x 1,5mm² - 2.55 Euro (+20% KM)
 10m 19 x 1,5mm² - 3.20 Euro (+20% KM)
 20m 19 x 1,5mm² - 3.85 Euro (+20% KM)

Rent price:
2.55 EUR/day
 + VAT 20%



CEE Cable

16A, 5x2,5mm² 10m - 1.90 Euro +20% KM
 16A, 5x2,5mm² 20m - 3.85 Euro +20% KM
 32A, 5x4mm² 10m - 3.85 Euro +20% KM
 32A, 5x4mm² 20m - 7.67 Euro +20% KM
 63A, 5x16mm² 10m - 5.75 Euro +20% KM
 63A, 5x16mm² 20m - 11.50 Euro +20% KM

Rent price:
1.90 EUR/day
 + VAT 20%



Single Truss clamp

Rent price:
2.00 EUR/day
 + VAT 20%



Double Truss clamp

Max load: 500 kg

Diameter: 30 mm

Rent price:
2.00 EUR/day
 + VAT 20%



Hook 2 50 kg

Rent price:
1.00 EUR/day
+ VAT 20%

Truss hook for light equipment rigging

Diameter: 50 mm
Max load: 50 kg



Hook 1 35 kg

Rent price:
1.00 EUR/day
+ VAT 20%

Hook for light equipment rigging

Max load: 35 kg



CM Lodestar 20m 1T

Rent price:
29.00 EUR/day
+ VAT 20%



Manual Block and Tackle 5m 1000kg

Rent price:
16.00 EUR/day
+ VAT 20%



Par 20

Rent price:
3.00 EUR/day
+ VAT 20%

Par 20 Long. Polished

Technical Info:

- Par: 20
- Lampsocket: E-27
- Max. capacity: 50W
- Power Supply: 230V
- Connector: Schuko
- Cable: 30cm.
- Filterframe: Included



Dimensions: 180x110x142mm (LxWxH)

Weight: 0,34 kg

[GS Industry Projector](#)

Rent price:
3.50 EUR/day
+ VAT 20%

Outdoor and indoor projector with stand

Power: 500W
Stand: 2m max



[Kupo Profile 19° 750W](#)

Rent price:
12.00 EUR/day
+ VAT 20%

Black aluminium-steel case. Can be adjusted in any position.

Specifications:

- High reflective mirror
- 4 lens-changers
- Lamp: HPL 750W
- Socle: G 9,5
- Focus adjustment
- Angle 19°



Dimensions: 580x310x520 mm

Weight: 4,8 kg

[Kupo Profile 26° 750W](#)

Rent price:
12.00 EUR/day
+ VAT 20%

Black aluminium-steel case. Can be adjusted in any position.

Specifications:

- High reflective mirror
- 4 lens-changers
- Lamp: HPL 750W

- Socle: G 9,5
- Focus adjustment
- Angle 26°

Dimensions: 580x310x520 mm

Weight: 4,8 kg

[Kupo Ciclorama 1000W](#)

High reflection mirror.

Ideally suitable for decorative light

Wide angle of light

Lamp: 1000W

Aluminium case, color – black.

Dimensions: 25,2x19,5x24,2 cm

Weight: 3,3 kg

[Litecraft PAR 64](#)

PAR 64 Projector (chrome)

Lamp 1000 W WFL(wide dispersion)

Various filters

[Litecraft PAR 56](#)

PAR 56 Projector (chrome)

Lamp 300 W WFL(wide dispersion)

Various filters

[Wireless DMX](#)



Rent price:
8.00 EUR/day
+ VAT 20%



Rent price:
4.50 EUR/day
+ VAT 20%



Rent price:
3.50 EUR/day
+ VAT 20%



Rent price:
20.00 EUR/day
+ VAT 20%



Showtec DJ Switch 6

Rent price:
5.00 EUR/day + VAT 20%

- 6 sockets
- Power LED indication
- Channel rate: 5 A
- Each channel protected with automatic fuse
- Each channel has on/off buttons



Showtec DJ Switch 10

Rent price:
7.00 EUR/day
+ VAT 20%

- 10 sockets
- Power LED indication
- Each channel rate: 5 A
- Each channel protected with automatic fuse
- Each channel on/off buttons
- Each channel on/off flash buttons



Hedtec Radio Switch pack

Rent price:
8.00 EUR/day
+ VAT 20%

Radio socket set: 6 sockets and 2 controllers.

Specifications:

- Can control from 1 control panel up to 12 sockets
- 1 Socket power 1 kW
- Frequency 433.92 MHz
- Remote distance 30 m



Martin RS 485 5ch DMX Splitter

Rent price:
20.00 EUR/day
+ VAT 20%

4 Optically isolated and amplified DMX outputs.

- Amplification allows the link to be extended over the maximum length specified by the DMX-512 standard.



- Several splitter amplifiers may be used on the same link if additional branches are required.
- Each branch of the link may be treated as an independent link with up to 32 fixtures each
- Robust construction for trouble-free use

Dimensions: 293 x 108 x 49 mm

Weight: 1.4 kg

Martin MC1

Rent price:
3.50 EUR/day
+ VAT 20%

Easy, "plug and play" remote controller.

- Slow, medium and fast show control
- Full synchronization of movement, colors and gobos
- Precise triggering to the beat in the music
- Manual blackout and strobe function for a more dynamic light show
- Manual instantly "Freeze" of all fixtures
- Invert movement and color position on fixtures for more variation



Elation Scene Setter

Rent price:
13.00 EUR/day
+ VAT 20%

Features:

24 channel conventional dimming console

Two scene operation (A/B faders)

4200 programmable scenes- password protected

48 programmable chases (stacks)- password protected

- Solo & Pile On chase operation
- Blind & Dark functions
- 24 individual channel faders
- 24 bump buttons
- Tap Sync button for chase speed / fade override
- Independent speed & fade control
- Full-On button for 100% momentary output to all 24 channels
- Bright LCD display
- Audio input and built in microphone for music sync operation
- Audio level fader DMX Polarity switch (2-, 3+, / 2+, 3-)
- Midi In, Out & Thru connectors



Specifications:

Power: 120V / 12V DC, 500mA. (Included) *Also available in 220V

Dimensions: 10.5"L x 19"W x 3"H

Weight: 11 lbs

[Appollo AB-159B 1200 W](#)

Rent price:
40.00 EUR/day
+ VAT 20%

Built-in control panel.

- Lamp HMI 1200
- DMX 512; 4 channels
- Optimal distance 30-50m
- Colors: 7 colors + white, rainbow effect
- Strobe: 1-10 Hz/c
- Mechanical dimmer: 0 -100%
- Light diameter adjustment 10%-100%
- Color temp: 5600K normal, 6500K max, 3200K low



[VMB TE 034 Lift Stand](#)

Rent price:
10.00 EUR/day
+ VAT 20%

- Max load: 100 kg
- Maximum height: 3,8 m
- Weight: 17,5 kg
- Base dimension: 1,56m x 1,56m
- Height: 1,26m



[Eurolite Lift Stand 340 cm](#)

Rent price:
7.00 EUR/day
+ VAT 20%

- Maximum height: 340 cm
- Material: Steel
- Max load 70 kg



[Stand changer](#)

Rent price:
1.00 EUR/day
+ VAT 20%

Stand changer.

Intended for fastening of light devices and crossbeams/span.



[T-bar](#)

Rent price:

**2.00 EUR/day
+ VAT 20%**



Various choice of steel cross-beams.

[Martin DJ Bag 2](#)

**Rent price:
2.00 EUR/day
+ VAT 20%**

DJ Series bag for square form equipment such as Martin: Ego (all series); Mania DC1, Mania DC 2, Raptor, Adventurer and other equipment.



[Martin DJ Bag 1](#)

**Rent price:
2.00 EUR/day
+ VAT 20%**

DJ series bag for oblong form equipment such as Martin: T-rex; Acrobat, Robozap, Mania SCX 500 and other equipment.



[Snow liquid](#)

**Rent price:
0.00 EUR/day
+ VAT 20%**

Universal snow generator liquid.

Rent price 1L: 7 eur + (VAT 20%)

Rent price 5L: 26 eur + (VAT 20%)

- Water based
- Less sediment
- Colourless, Without smell



[Bubble liquid](#)

**Rent price:
0.00 EUR/day
+ VAT 20%**

Rent price 1L: 7 eur + (VAT 20%)

Rent price 5L: 25 eur + (VAT 20%)

- Water based
- Less sediment



- Colourless, Without smell

Eurolite DPX-610 DMX

Rent price:
20.00 EUR/day
+ VAT 20%

Digital 6-channel dimming pack.

- Universal dimming pack for professional use
- Can be operated 1-phase or 3-phase 6 x 10 A
- DMX-control or analogue control possible
- The DMX-starting address can be adjusted on the device
- Synchronisation of several DPX-610 S possible via DMX
- Adjusting the lamp pre-heat
- All modes are displayed via LEDs and the display
- With automatic circuit breaker per channel
- Channel-outputs on the rearpanel via safety sockets



Specifications:

- Power supply: 230-380 V AC, 50 Hz ~
- Max. power output: 13800 W
- Max. current: 60 A
- Number of control-channels: 6
- Max. output/channel: 2300 W
- Max. current/channel: 10 A
- Integrated programs: 12
- Output sockets: Safety sockets
- Circuit breaker: 6 x B 10 A
- 19" mounting dimensions with 2 u
- Minimum mounting depth: 500 mm

Dimensions: 410 x 482 x 95 mm

Weight: 8 kg

AMERICAN DJ Gobo Projector LED

Rent price:
15.00 EUR/day + VAT 20%

A great low cost option for those mobile djs and clubs needing a gobo projector for special events.

The 10W LED source gives this unit a long life light source (30,000 hrs) with the added benefits of low power draw and low heat.

In our firm, now it is possible to make your own Customer gobo with logo or another wanted picture, after our specialist analyze the picture.



Gobo making and replacing is 23 eur+VAT.

Gobo Projector LED Features:

- Bright white 10W LED indoor Gobo Projector
- FX Switch on rear panel for static or slow rotation of gobo
- Includes 4 replaceable gobo patterns (3 metal; 1 glass)
- Gobo size: 26.8mm; Viewable size: 24mm
- 4 color gels are included (Red, Green, Blue & Yellow)
- Run all night - No Duty Cycle
- Easy Gobo replacement access
- Manual focus
- Ideal for Mobile DJs, Clubs, Bars, Retail Stores and Promotional Events
- Great for projection lighting where fog can't be used
- Project on ceilings, walls and floors
- Very low heat output
- Beam Angle: 13 degrees
- Long Life LED: 30,000 hrs
- Lux @ 3M: 540 Lux
- Compact light weight design
- Includes hanging bracket and safety hook
- Switchable voltage: AC120V/60Hz or 230V/50Hz (IEC type plug)
- Power consumption: 12W max



Dimensions: (LxWxH): 218x200x108mm

Weight: 7 lbs. / 3 kg.

[ADJ Controller UC3](#)

An easy to use handheld controller, the UC3 from American DJ is specifically designed to be compatible with many of their lighting effects and allows basic control for the user.

Features:

- Compact Easy-to-use Handheld Controller
- Compatible with Many American DJ Lighting Effects
- Various Functions (Fast/Slow, Audio/Manual etc...)
- Features such as Strobe, Gobo/Colour Changing etc...
- Functions vary with different fixtures
- Cable length: Approx. 9.75 m
- Connection: 1/4 Stereo plug

Dimensions: 90 x 60 x 20 mm

Weight: 0.45 kg



Rent price:
4.00 EUR/day
+ VAT 20%

[Projektor Phillips Tempo 3 400w](#)

Rent price:
14.00 EUR/day

+ VAT 20%

Tempo is a range of compact, sturdy, general-purpose floodlights particularly suited to small- to medium-scale area or surface lighting. A high-grade symmetrical or asymmetrical reflector projects a highly efficient light beam. A universal mounting bracket allows ceiling, wall or surface mounting with a wide range of adjustment for both down- and uplighting. Tempo's all-weather construction is designed for simple cleaning and speedy servicing. Accessories include a bracket for mounting on 60-76 mm poles, a visor and a louvre.



Features:

Spotlight Tempo 3 RVP351 HPI-TP 400W KS
Philips metal halide, asymmetrical
Wattage: 400W
Lamp: MGL
Degree of protection IP65

Dimensions: 430mm*440mm*137mm

Weight: 8.8

[ADJ H2O DMX Pro + ADJ UC3 kontroller](#)


The American DJ H2O DMX Pro is a multi-colored simulated water flowing effect with DMX-512 control and a bright, 50W LED source. The unit produces almost no heat, requires very little power (69W max) and can be used all night long. The LED is rated at 30,000 hours of use. This popular effect now offers professional features such as: full DMX control of the glass wheel, color wheel and dimming, 4-Button DMX Display, and the ability also operate in 2 different modes (DMX and Master/Slave) or from the easy-to-use UC3 controller. The unit comes equipped with two interchangeable lenses (34 and 52-degree) depending on how wide of a beam is required for your event. Users can daisychain up to 5 units together not only through the XLR DMX links, but through the IEC In/Out power links as well. There's no end to applications for the H2O DMX Pro. Water flowing effects can add a unique visual dimension to nightclubs, bars, restaurants, shows, music performances, and even displays and special events. The H2O DMX Pro can be used with or without the use of fog.

Features:

- Bright 50W LED source simulated water flowing effect
- Designed to project on walls, ceilings or floors with or without fog
- Great for mood or background lighting
- 3 DMX Channels (Dimming, Glass Wheel, Colors)
- 2 operation modes: DMX & Master Slave
- Digital DMX Display with 4-button menu for easy navigation
- Equipped with 2 glass effect wheels and 1 independent dichroic color wheel
- 6 dichroic colors: Orange, Green, Blue, Yellow, Purple and White
- High-tech plastic molded ends protect unit during transport and day-to-day use



Rent price:
20.00 EUR/day
+ VAT 20%



H2O LED COLORS

- 0-100% Dimming (via DMX)
- Manual focusing lens
- Beam angle: 34 or 52 degrees (Includes 2 replaceable lenses to change beam angle)
- Includes hanging bracket
- Run all night
- Units stays cool – no duty cycle
- IEC In & Out to Daisychain Power (Connect up to 5 H2O DMX PRO)
- 1/4" input for UC3 remote control
- Fan cooled
- Safety hook on rear panel
- Power consumption: 69W
- LUX @ 3M: 1800 (34-degree lens), 1100 (52-degree lens)
- Long life 50W LED Source (30,000 hr. rating)
- Multi-voltage operation: AC 120-240V 50/60Hz (IEC Plug)
- Dimensions (LxWxH): 292x236x121mm
- Weight: 4 kg.



Dimensions: 292x236x121mm

Weight: 4 kg

[Power Distribjutor 32A - 16A](#)

Rent price:
23.00 EUR/day + VAT 20%

3-faasiline power distribjutor:

- 3 gruppi
- 3 amperemeetrit (igale faasile]
- 32A sisendi pistik 3F
- 2*16A sisendit pistik 3F
- 2*16A väljundit pesa 3F
- 2 Chuko sisendi pistik
- 3 chuko väljundut pesa



[American DJ FREQ Matrix QUAD + UC3 konroller](#)

Rent price:
**25.00 EUR/day
+ VAT 20%**

Add more creativity to your light show with ADJ's FREQ MATRIX QUAD - a revolutionary 16-Zone RGBW LED Strobe Matrix. This 2-FX-IN-1 fixture features a traditional 4-IN-1 RGBW LED strobe + 16-Zone matrix chase effect. The matrix zone chase effect gives lighting designers the ability to create exciting and dynamic energy-driven lighting shows. Offers full DMX control with 4 DMX channel modes, dimming, strobe speed and chase speed. The FREQ MATRIX QUAD uses sixteen 8-Watt bright RGBW LEDs and consumes a maximum of 152-watts of power.



Specifications:

- 2-FX-IN-1: Traditional RGBW LED Strobe/Blinder + 16-Zone chase effect
- 16x 8-Watt 4-in-1 RGBW LEDs (30,000 hr. rated)
- 4-Button DMX LED Display
- 3 Operational modes: DMX controller, Master/Slave & Sound Active
- 4 DMX Channel modes (2, 5,18 or 64 Ch.)
- 0-100% electronic dimming via DMX control
- Includes exciting sound activate built-in matrix programs
- LED pulse & strobe effect
- Strobe up to 1200 times per minute
- Extremely Long Life (Rated at approximately 30,000 hrs)
- Beam Angle: 120 degree
- Runs extremely cool! - NO Duty Cycles! – Run all night!
- Includes hanging bracket
- Safety loop on rear panel
- Very low power consumption - connect more units in a single circuit
- IEC AC IN/OUT on rear to daisy chain power (up to 2 Freq Matrix Quad's @ 120V and 4 Freq Matrix Quad's @ 230V)
- Compatible with American DJ UC3 Series easy-to-use controllers (sold Separately)
- Power Consumption: 152W maximum
- Multi-voltage Operation: AC 100 - 240V, 50/60Hz



Dimensions: (LxWxH): 12.5" x 6.5" x 13.25"/ 310 x 163 x 334mm

Weight: 15 lbs. / 6.6 kg.

[Dynamic Cloud lighting](#)

The products are widely applied in bars, KTV, family party, hotel and other entertainment. Dynamic Cloud Lighting Led effect light for dj club home party etc.

Description:

- Input/Output-Voltage: 110-240V 50~60Hz
- Light Source: LED 3w RGB
- Package Size: 22.0 * 13.0 * 10.0 (cm)
- Gross Weight/Package: 0.6 (kg)

Rent price:
6.00 EUR/day + VAT 20%





Specification:

- Input/Output-Voltage:110-240V(110V)
- Light Source: LED 3watt RGB
- Unit Dimension: 85*156MM
- N.W: 269G
- G.W: 466G

Dimensions: 85*156MM

Weight: 0.6 (KG)



[Eurolite NB-150 ICE Flor Fog Machine](#)

Rent price:
40.00 EUR/day
+ VAT 20 %

Eurolite NB-150 ICE Low Fog Machine - Universal floor fogger. Stand-alone smoke machine with fluid tank, The fog is cooled down by ice cubes and is then converted to ground fog (Ice cubes not included in rent, they has to be ordered separately). No need for special fluid, DMX controlling via any standard DMX512 controller, With Volume/Timer remote control.



Features:

- Stand-alone smoke machine with fluid tank
- The fog is cooled down by ice cubes and is then converted to ground fog
- Operation with standard smoke fluid and ice cubes
- Volume/timer remote control (5m cord)
- DMX controlling via any standard DMX512 controller
- Power supply: 230 V AC, 50 Hz ~
- Power consumption: 1500 W
- DMX control channels: 2
- DMX512 connection: 3-pin XLR
- Smoke-output: approx. 5 m
- Warm-up time: approx. 10 min.
- Tank capacity: 2 L



Dimensions: 680 x 415 x 350 mm

Weight: 21 kg

[American DJ laser Micro Image](#)

Rent price:
25.00 EUR/day
+ VAT 20%

Bring Pure Lighting Excitement to any party with the ADJ Micro Image RGB. This laser produces 25 exciting red, green and blue geometric laser patterns from its 15 built-in programs. Like the other ADJ Micro Lasers, the Micro Image RGB has a compact case with a scissor yoke and includes a RF wireless remote control. The Micro Image RGB is easy to use. Just plug it in and let it run through the laser's built-in programs in Auto or Sound Active mode. Change programs, colors and black out with the included RF wireless remote control. This Micro laser is ideal for mobile entertainers, bands, nightclubs and bars or any party goes. This laser is safe and complies with FDA Standards.

Specifications

- Unique mini laser that projects red, green and blue “web type” patterns
- 25 Laser patterns can be projected over a dance floor, ceiling or wall
- 15 Dynamic built-in programs
- Compact case design
- 2 operational modes: Auto Mode (built-in programs), or Sound Active Mode
- Built-in programs can be changed with a push of a button on the unit or from the RF wireless remote
- Dual bracket yoke allows fixture to be hung or set on the ground
- Complies with FDA standards
- Sound Active - Adjustable speed knob on rear (slow to fast)
- Adjustable microphone sensitivity knob on rear
- Fan cooled
- Red Laser: 80mW (650nm) Red laser
- Green Laser: 30mW (532nm) Green laser
- Blue Laser: 60mW (445nm) Blue laser
- Includes UL Listed multi-voltage power supply: AC 100V~240V, 50/60Hz
- Includes RF Wireless Remote Control [Auto/Sound Control; Black Out; Pattern Change (R, R+G, G, G+B, B, R+B, R+G+B and Random); Show (15 dynamic laser shows)]
- Power Consumption: 15W
- Complies with FDA standards



Dimensions: (LxWxH): 179 x 125 x 62mm

Weight: 1.5 kg

[American DJ Eco UV Bar Plus](#)

Rent price:
10.00 EUR/day
+ VAT 20%

New improved version of the ADJ ECO UV LED Bar with new generation 18 x 3W high power UV LEDs with ON/OFF switch.



American DJ LED Advantages:

- LEDs won't fade in time
- Long life (Rated at 100,000 hrs.)
- Low power consumption
- Very low heat output
- Run all night long



Specifications:

- Bright, high output Ultraviolet Bar with 18x 3-Watt UV LEDs
- Great for performance stages, theatrical productions and special effects installations
- requires almost no maintenance
- long life LED, low heat output, low power consumption & no moving parts
- On/Off switch on rear panel
- Beam angle: 120-degree
- includes mounting brackets for wall/ceiling mount or to set on the floor for wall washing
- Power Draw: 60W
- AC Power: 100V – 240V AC, 47/63Hz

Dimensions: (LxWxH): 1000x60x110.5 mm

Weight: 2.2 kg

[Chauvet Swarm 5 FX](#)

Rent price:
25.00 EUR/day
+ VAT 20%

Swarm™ 5 FX is a 3-in-1 LED effect light that combines red and green lasers, white strobe effects and RGBAW rotating derby effects into one fixture. Match the look of any event by creating customized looks and effects with separate color and program control. Increase control options using built-in automated and sound-activated programs or master/slave and DMX mode. Create a synchronized light show and save time running cables and extension cords by power linking multiple units.



Features:

- 3-in-1 LED light that includes a RGBAW rotating derby, red/green laser and white strobe effect
- Laser projects thousands of red and green laser beams
- Operation allows for separate color and program control
- Increase control options using automated and sound-activated programs, or master/slave and DMX mode
- Save time running cables and extension cords by power-linking multiple units



- DMX Channels: 9
- DMX Connectors: 3-pin XLR
- Light Source (Swarm™): 5 LEDs (1 red, 1 green, 1 blue, 1 amber, 1 white) 3 W (300 mA), 50,000 hours life expectancy
- Light Source (strobe): 8 LEDs (white) 1 W (300 mA), 50,000 hours life expectancy
- Light Source (laser): 2 lasers: 1 green laser diode (532 nm/50 mW), 1 red laser diode (650 nm/100 mW)
- Strobe Rate: 0 to 20 Hz
- Beam Angle (strobe): 17°
- Field Angle (strobe): 35°
- Coverage Angle (laser): 100°
- Coverage Angle (Swarm™): 65°
- Illuminance (strobe): 823 lux @ 2 m
- Power Linking: 15 units @ 120 V; 26 units @ 230 V
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Power and Current: 62 W, 0.5 A @ 120 V, 60 Hz
- Power and Current: 66 W, 0.3 A @ 230 V, 50 Hz



Dimensions: 225 x 298 x 310 mm

Weight: 4.5 kg

[ADJ Ikon LED Gobo Projector](#)

Rent price:
22.00 EUR/day
+ VAT 20%

The Ikon LED is a high output single Gobo Projector powered by a bright 60W (7500K) white LED. This fixture used high quality optics for crisp, clear projection. User can adjust the LED brightness and Gobo rotation on the rear of fixture or by the included wireless RF remote control.

The Ikon LED includes 4 metal Gobos. Users may also insert custom Gobos in the fixture. This projector also comes with three interchangeable lenses that produce different beam angles (25, 32 or 43 degrees) making it versatile for a wide variety of applications. Gobo making and replacing is 20 eur + VAT.

Specifications:


- Bright white 60W LED indoor Gobo Projector
- High quality optics - Clear powerful output
- Adjustable dimmer and rotate knob on rear panel
- Includes 4 replaceable metal Gobo patterns
- Gobo size: 54mm; Viewable size: 33mm
- Run all night – No Duty Cycle
- Easy Gobo replacement access
- Manual focus
- Ideal for Mobile DJs, Clubs, Bars, Retail Stores and Promotional Events
- Very low heat output
- Beam Angle: 25, 32 or 43 degrees (Includes 3 different lenses)
- Long life LED (Rated at approximately 50,000 hrs.)



- IEC AC outlet on side to daisy chain power (up to 4 Ikon LED's @ 120V and 7 Ikon LED's @ 230V)
- Color Temperature: 7500K
- Includes yoke to mount on a wall or hang from trussing
- Includes RF Wireless Remote
- Multi-voltage: 100-240V, 50/60Hz
- Power consumption: 83.6W max

Dimensions: (LxWxH): 236 x 227 x 215mm

Weight: 3.6 kg



Rent price:
25.00 EUR/day
+ VAT 20%

[Equinox RGB 1.5m DMX Multicoloured Flame Effect](#)

The Equinox 1.5m LED DMX flame takes this dramatic effect to a whole new level, featuring red, green and blue 10mm LEDs, you can now choose any colour. Ideal for incorporation with other mood enhancing lighting, the whole room can change to suit the occasion. Ideal for Weddings, Christmas and special events.

Features:


- DMX channels: 6
- 177 x 10mm Ultra Bright LEDs
- Sound active, auto, DMX and master/slave modes
- 3-pin in/out sockets
- RGB colour mixing
- Built-in colour change programmes

Specifications:

- Power supply: 240V
- Power consumption: 130W

Dimensions: 512 x 240 x 330mm

Weight: 9.7Kgs





ADJ UC3 RC System

Rent price:
5.00 EUR/day
+ VAT 20%

The UC3 RC System is an easy-to-use wireless controller for various American DJ fixtures compatible with the UC3 Series of controllers. Control Black Out, Function Selection and Mode Selection of up to 5 different channels. The system consists of a 15-button wireless remote plus a wireless receiver with

Stereo connection, and will operate from a wireless distance up to 300 ft. / 100M. This system allows performers more freedom and creativity to take their light show to the next level.

System Includes:

- 1x UC3 RC Wireless Remote Control
- 1x UC3 RC Wireless Receiver

Specifications:

- The UC3 RC System provides easy-to-use control of various American DJ lighting fixtures compatible with the UC3 Series of controllers.
- Control Black Out, Function and Mode of up to 5 channels of lighting fixtures:
- Mode Selection: Different run modes, ie. fast/slow, audio/manual/ auto etc.,
- correspond to different functions
- Function Selection: Implements a wide variety of effects, like strobe, X/Y moving pattern selection, gobo/ color changing,
- X/Y position setting, etc. Functions vary with different fixtures
- Black out mode
- Transmission distance: 300 feet /100M unobstructed
- Connection: ¼ Stereo plug
- Frequency: 433.92 MHZ
- Battery: 12V battery included for Wireless Remote
- Wireless Receiver Transformer: 100-240V, 50/60Hz, Mini USB connection



Dimensions: 90x60x25mm (Remote); 102x47x18mm (Receiver)



Weight: 0.15 kg. (Remote); 0.05 kg. (Receiver) UC3 RC System

ADJ MEGA BAR RGBA + RFC wireless remote

Rent price:
10.00 EUR/day
+ VAT 20%

The ADJ Mega Bar RGBA is a compact 1-Meter (42-inch) Linear Fixture that offers the flexibility of RGBA (Red, Green, Blue & Amber) color mixing for

stage or wall washing. The Mega Bar RGBA may be operated by the optional ADJ RFC wireless remote to control what would normally require a DMX controller or adjustments made by hand on the rear panel. Aim the wireless remote at the unit and control features such as: Black Out, built-in programs, flash, DMX addressing and RGB color change. User may also control this fixture with a DMX Controller or in Sound Active mode. This fixture uses LEDs rated at 50,000 hours with a maximum power draw of 32W. DMX addressing may also be changed by the unit's 4-button LED display. There is no duty cycle on the Megabar RGBA, plus users can "daisy-chain" the power from one unit to the next with the built-in IEC power Ins/Outs.



Specifications:

- 1-Meter (42-inch) indoor Linear Fixture with 320, 10mm RGBA LEDs (64 Red, 96 Green, 96 Blue & 64 Amber)
- 7 DMX Channel modes: 4, 6, 7, 9, 10, 18 or 34 channel modes
- 6 Operational modes: Manual Color Mode; Static Color Change Mode; Auto (Program Run) Mode; Sound Active Mode; RGBA Manual Control Mode and DMX-512
- Mode
- Variable RGBA color mixing offers a seemingly unlimited color palette
- Great for Stage or Wall Washing!
- 48 built-in Color Macros
- LED pulse & strobe effect
- DMX-512 Protocol
- Flicker Free
- Electronic Dimming: 0 - 100%
- Beam angle: 30-degree
- Linkable via 3-pin XLR cable
- 4-button LED display on rear panel
- IEC AC outlet on rear to daisy chain power (up to 20 units)
- Compatible with ADJ RFC wireless remote control (sold separately)
- Includes mounting brackets to mount on a wall or set on the ground
- Magnet system on end-caps to connect multiple bars together
- Long life LED (Rated at 50,000 hrs.)
- Low power consumption
- Very low heat output
- Run all night – No duty cycle
- Multi-voltage: 100-240V, 50/60Hz
- Power Draw: 32W max

Dimensions: (LxWxH) 1060 x 73 x 145mm

Weight: 2.7 kg

[Moving Head ADJ Vortex 1200](#)

The ADJ Vortex 1200 offers a new dimension of excitement for nightclubs, bars, stage productions and mobile entertainers. This unique Moving Head produces Moonflower type effect that sprays hundreds of colored beams of

Rent price:
25.00 EUR/day
+ VAT 20%

light across a room or dance floor.

The Vortex 1200 uses twelve 10W RGBW (4-IN-1) Quad color LEDs. It's 16-piece lens kit continuously rotates back and forth creating pure lighting excitement. Other features include: zoom (5 ~ 44-degree beam angle), fast pan/tilt, 3 operational modes, 4 DMX channel modes, 23 built-in color macros, 4 show modes and 5 selectable dimming curves. The Vortex 1200 is also compatible with ADJ's easy to use UC3 line of controllers.




The Vortex 1200's quad LEDs are rated at 50,000 hours, the maximum power draw is 174W, and up to 4 Vortex 1200's (@ 120V) or 8 Vortex 1200's (@ 230V) may be power daisy-chained together via the built-in PowerCon connectors. The unit includes an Omega bracket for mounting on truss or stands.



Specifications:

- Unique Moving Head with a Moonflower type effect that produces hundreds of beams of light
- 16-piece lens kit rotates continuous 360 degrees counter or counter-clockwise
- Twelve 10W RGBW Quad Color (4-IN-1) LEDs
- Effect Zoom: 5 ~ 44-degree beam angle
- 3 Operational Modes: Sound Active, Show Mode, & DMX Controlled
- 4 DMX channel modes: 14, 15, 17 or 29 channel
- 23 Built-In Color Macros
- Electronic Dimming: 0% - 100%
- Pan/Tilt Inverse Mode for contrasting movement when fixtures are linked together
- Fast Pan Tilt Movement
- Pan: 540-degree; Tilt: 240-degree
- 16-Bit Fine Pan/Tilt control
- 4 Show Modes
- Stepper motors with micro stepping
- Includes Omega bracket for truss mounting
- Fan cooled
- 5 selectable Dim Curves (Standard, Stage, TV, Architectural & Theatre)
- Electronic Strobe/Random effect; random strobe slow to fast
- PowerCON AC In/Out on rear to daisy chain power (up to 4 Vortex 1200's @ 120V and 8 Vortex 1200's @ 230V)
- Compatible with American DJ UC3 Series easy-to-use controllers (sold Separately)
- Light Source: 12 x 10W High Output RGBW Quad LED's
- Long Life LED (Rated at approximately 50,000 hrs)
- Multi-voltage Operation: 100-240V, 50Hz/60Hz
- Power Draw: 174W total (All LED's @ Full On)



Dimensions: (LxWxH) 263 x 170 x 327mm

Weight: 7,3 kg

[Mini Laser RGB](#)

Rent price:
15.00 EUR/day + VAT 20%

RGB(Red, Green and Blue) laser light source. Bring you amazing experience by sending out various patterns like dot, circle, star, etc. Two kinds of voice-control modes, two kinds of auto modes, and remote control mode.

Matched with a remote control, it can control the laser stage lighting in long-range. Built-in cooling system, low noise. Long

working life, excellent stability. Equipped with a holder, adjustable angle. It can be hung on wall or put on floors as required. Small and exquisite appearance, it is easy and simple to handle. Suitable for disco, ballroom, KTV, bar, stage, party etc.

Specifications:

- Laser color: Red 660nm, Green 532nm and Blue 455nm
- Laser power: Blue light 150mW Red light: 150mW, Green 50mw
- Laser modulation: TTL, 0-10khz
- Control mode: Two kinds of auto modes, two kinds of voice-control modes, remote control mode
- Overall power: 3.5W
- Work environment: 10-40°C indoor
- External power supply: AC 100V~240V, 50Hz~60Hz
- Fixture power supply: DC 12V / 0.6A
- Color: Black
- Material: Aluminium alloy
- Item size: 11.8 * 9.3 * 4.7cm/ 4.6 * 3.7 * 1.9in
- Item weight: 327g/ 11.5oz

Package list:



- Laser stage lighting
- Power adapter
- Remote control
- Holder
- Mounting screw
- User manual

Dimensions: 11,8 * 9,3 * 4,7 cm

Weight: 327g

[Chauvet DJ Scorpion Script Laser](#)

The Scorpion Script is a powerful, compact laser that displays custom patterns and TEXT!



Rent price:
25.00 EUR/day
+ VAT 20%

The Scorpion Script takes laser projection to the next level with a compact, yet powerful green laser that displays patterns and custom text that will be sure to amaze your audience. The included keyboard allows you create any customized text message, from a simple “Congratulations” to whatever you want to project—to whomever! And then apply different rotational effects and recall those texts and patterns anytime wirelessly from the included IR remote. Includes hanging bracket. This model was specially overmaded from original (by our firm!) in case to increase led power.



Features:

- Powerful compact green laser displays custom text and patterns
- Use the included keyboard to create custom text messages and apply different rotation effects
- Recall custom text and patterns wirelessly from the included IR remote
- Manual size adjustment perfect for venues, large and small
- Looks great with or without fog
- Amaze your audience with built-in automated and sound-activated programs
- Variance free and ready to use right out of the box
- Fits best in the CHS-25 VIP Gear Bag



Specifications:

- Light Source: 532 nm/50 mW (green) laser diode
- Coverage Angle: 100°
- Input Voltage: 12 VDC, 2 A (external power supply: 100-240 VAC, 50/60 Hz)
- Power and Current: 10 W, 0.2 A @ 120 V, 60 Hz
- Power and Current: 9 W, 0.1 A @ 230 V, 50 Hz
- Classified per EN/IEC 60825-1:2007
- Complies with FDA performance standards for laser products except for deviations pursuant to Laser Notice No. 50, dated June 24, 2007
- Approvals: CE, FDA



Dimensions: 183 x 185 x 165 mm

Weight: 1 kg

[ADJ Inno Roll HP 80W LED Scanner + UC 3 kontroller](#)

Rent price:
15.00 EUR/day
+ VAT 20%

The Inno Roll HP utilizes the power of an 80-watt, high-output, white LED engine but with an amazingly concise 10-degree beam angle, offering you super-bright beams of pure lighting excitement with which to fixate the eyes of your audiences.

Being a barrel mirrored scanner, the Inno Roll HP can send its patterns and colors flying across dance-floors and venue walls - it's also perfect for bringing roller rinks or ice rinks to life, with the fast-moving effects soaring along in the same




direction as the skaters. With pulse and strobe effects at hand, you can also up-ante when it comes to creating a pulsating party atmosphere for clubbers and dancers.

Due to four operational modes offering you both complex and simple options for control, the Inno Roll HP can be operated to suit you, whether you're a mobile DJ who wants a simple but effective lightshow, using Auto Run or Sound Active modes, or a lighting designer who wants to achieve unique, atmosphere-enhancing results using the 9-channel DMX mode. Meanwhile, Master/Slave capabilities allow you to run the same standalone lightshow across multiple fixtures. Like the Inno Scan HP, the Inno Roll HP is also compatible with our UC3 Series of remotes, which offer simple control over functions such as blackout and strobe. Again - as with the Inno Scan HP - the power supply for up to six units can be daisy-chained at 120-volts or ten at 220-volts.

The Inno Scan HP boast a 50,000 hour lamp life, meaning the lamps will never need replacing and the fixtures are highly efficient - so you never have to worry about a lamp blowing during a set or performance! The interchangeable 24mm GOBOS allows you to choose the GOBOs you want. This is great for special occasions and for wedding DJs, where custom GOBOs (of business logos, couples names, etc.) can be incorporated to make an event more personal and memorable.

Features:

- 80-Watt White LED barrel mirrored scanner
- 2 Operational Modes
- 9ch DMX Channel
- 8 Colors + White
- 6 Replaceable Gobos + Spot
- Electronic Dimming 0-100%
- 5 Dimmer Curves
- Light Source: 80W White LED, (Rated at approximately 50,000 hours)
- Operational Mode: DMX Controlled / Sound Active
- Beam Angle: 10-Degrees
- Luminance: 810 @ 3M at 10°
- Color Temperature: 8000K
- Colors: 8 Colors + White (Split Color)
- Gobos: 6 Rotating replaceable gobos + Spot (Gobo Size: 23.8mm / Viewable: 19mm)
- Pan: 174°
- Tilt: Continuous
- DMX Channels: 9ch
- DMX Connections: 3-Pin DMX
- Dimming: Electronic 0-100%
- Focus: Manual
- Shutter / Strobe: Yes
- Strobe Rate: Adjustable via DMX
- Sound Active: Yes
- Optional Accessories: ADJ UC3 Remote
- Power Connection: IEC AC In
- Input Voltage: AC 100V-240V 50/60Hz
- Power Consumption: 108W (Full on)
- Power and Current: 1.457amps @ 120V



- Power and Current: 0.827 amps@ 220V
- Power Link: No
- Dimensions:Inches: 22.75" x 11" x 8.25"

Dimensions: 578 x 278 x 209 mm

Weight: 6.8 kg

LED CRYSTALL BALL adv. + Remote control

Light source: high brightness 6 LED beads (red, green and blue colors pink yellow and white good brightness, lighting not cluttered) .

Description:

Voltage: 90-240V 50-60HZ Cooling system: Fan forced cooling system
Control rotation speed, colors and strobe through DMX512 control panel or voice control. Applications: stage performances, DJ, ballroom, KTV, bar, party Party, wedding, home decoration, leisure clubs, nightclubs, shopping malls, shops decoration, playground, holiday activities and a variety of other special occasions.

Function keys Description: MENU: Menu, UP speeds increase, DOWN speed reduction, ENTER: confirm. Press the Menu key to select the effect you want, and then adjust the motor speed up or down, then press the Enter key to save, OK, very simple oh Sound: Sound reaches a certain volume, light pickups will receive from the acoustic sound, follow the voice section of Minato transform internal procedures and a variety of effects. Self-propelled: with or without sound, lights will run the built-in programs and transform various effects



Rental package Content:

- 1 x DMX512 control panel & voice control RGB Crystal Magic Ball
- 1 x Remote Control

Dimensions: 17.5x15.5cm

Weight: 0.75kg

Rent price:
8.00 EUR/day
+ VAT 20%



Strobo ADJ SP-1500 MKII + Strobo Master 1

Rent price:
13.00 EUR/day
+ VAT 20%

The SP-1500 MKII is a powerful 1,500 W strobe light with Xenon discharge lamp. The speed is adjustable and dimmable from 0-100% with DMX 512. Optionally it can be controlled by a 0-10 strobe controller or manually by 2 knobs on the back side. Built-in programs allow you to create a light show even without using DMX.



Specifications:

- Powerful 1,500 W Xenon discharge strobe lamp
- Controllable via DMX 512 using 2 channels
- 0 - 100 % dimming via DMX or manual dimming knob on unit
- Speed adjustable from 0 - 15 flashes per sec.
- 6 built-in programs when using 4 strobes
- Master/Slave function with up to 4 strobes
- Can be controlled via UC-3 remote controller (optional)
- Power supply: 230 V / 50 Hz
- Power draw: 1,600 W max. - Lamp: XOP-1500, (1,500 W)



Dimensions: 452 x 147 mm, 5 x 116 mm

Weight: 3.2 kg




Motion Orb™

Rent price:
35.00 EUR/day
+ VAT 20%

Extensions package 5 pcs*1m...10.00 eur + km

The Motion Orb™ is a fantastic new décor light made up of 55 individual color-changing and strobing LED orbs in strings that can be hung like a curtain, drawn to one side, or draped across the ceiling. The Motion Orb™ comes standard in a 2-meter length, but it can be expanded to 4 meters long with the optional Motion Orb™ Extensions. The Motion Orb™ comes with a variety of built-in color changes and chases, and when operated in DMX mode it can be pixel mapped! In Master/Slave mode color changes and chases can be expanded across three Motion Orb™ products for a wall full of coordinated patterns. The Motion Orb™ comes with a custom made gear bag for easy, safe, and stylish transporting.




Features:

- Decorative LED orbs that create a seamless RGB color mixing curtain to enhance any venue or event
- Link up to 3 MotionOrb™ units to create a synchronized show in Master/Slave mode



- Generate complex looks easily with built-in, eye-catching automated and sound-activated programs that dance to the beat of the music
- Mounts to most truss systems using 10 mm and 12 mm treaded bolt holes
- 30 built-in effects including popular LED “rain” effect
- Use built-in hanging rings at the bottom of each string to expand hanging possibilities
- Effortlessly create custom colors, without using a controller, in Standalone mode
- Adjustable string lengths from 2 m, 3 m, or 4 m using the optional MotionOrb™ extensions (sold separately)
- Easily store and transport in the included gear bag



Specification:

- DMX Channels: 9, 165, 240 or 315
- DMX Connectors: 3-pin XLR
- Light Source: 110 LEDs (tri-color RGB) SMD (100 mA), 50,000 hours life expectancy
- Strobe Rate: 1 to 15 Hz
- Power Linking: 16 units @ 120 V; 30 units @ 230 V
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Power and Current: 43 W, 0.6 A @ 120 V, 60 Hz
- Power and Current: 42 W, 0.4 A @ 230 V, 50 Hz
- Approvals: CE

Dimensions: 1,013mm x 65mm x 2,343 mm

Weight: 3.7 kg

[DMX controller WiFLY RGBW8C + WiFLY Transceiver](#)

Rent price:
18.00 EUR/day
+ VAT 20%

The WiFLY RGBW8C is a 64-channel RGB, RGBW, RGBA LED wireless DMX controller.

It was designed to control any standard 3 or 4 channel group of LED fixtures where channel 1 is Red, channel 2 is Green, channel 3 is Blue and channel 4 is White or Amber. Up to 8 LED fixtures or fixture groups can independently be controlled via four fixture buttons.



All LED fixtures or fixture groups must be set to run in DMX mode and be addressed four channels apart for independent control. The units control panel includes 9 direct access “Static Color/Chase” buttons, which contain pre-programmed color presets and chase programs, 3 user programmable color preset buttons, 4 multi function faders that control RGBW intensities on the fly, as well as chase program “Speed”, chase program “Fade Time” and “Master Dimmer”.



There is also an array of 8 buttons used to select the operation mode, including RGB Fade, Auto Run, Color Macro, Chase, Sound Active, Strobe, Manual RGBW

and Blackout modes. The WiFLY RGBW8C is one of the simplest and most versatile LED controllers available today. It's ideal for D.J.'s, nightclubs, lounges, bars and anyone that wants easy control of LED Par's, Bar's, Flood's or Panel's.

Features:

- Compact DMX-512 controller for RGB, RGBW and RGBA LED fixtures with ADJ's WiFLY Transceiver Wireless DMX onboard (also compatible with wired DMX cables)
- Control up to 8 individual fixtures or fixture groups
- 3 user programmable color preset, direct access buttons
- 9 Color preset/Chase program direct access buttons
- Color Macro playback mode - Manual RGBW intensity control mode
- RGB and Auto modes
- On the fly Speed & Fade control of all chase programs
- Sound active mode via internal microphone
- Adjustable microphone sensitivity
- Variable strobe
- Blackout button

Tech Specs:

- DMX output connector: 3-pin XLR
- Power In: 12VDC 500mA UL approved power supply (Included)
- Power consumption: 3.6 Watts

Dimensions: 327 x 140 x 48mm

Weight: 1.6 kg

[ADJ Fog Fury Jett](#)


The ADJ Fog Fury Jett is a high velocity vertical Fog Machine that mixes color into the fog from 12x 3-Watt LEDs (3 x Red, 3 x Blue, 3 x Green & 3 x Amber). With new advances in ADJ's heater technology, the Fog Fury Jett produces a dry even blast of fog over 25 feet (7 meters) in the air.

It has a special heating element design that uses an oil type transmission throughout the pipeline to prevent clogging. It is also equipped with a high performance Italian pump system for optimum output. ADJ's Electronic Thermo Sensing (ETS) technology is on-board to maintain optimum heat levels with no warm-up time between fog blasts.

The Fog Fury Jett may be use vertically or horizontally. The reservoir tank may be mounted in the front or rear of the unit so the machine may be pointed up or down. The ADJ FFJWR wireless remote comes included with the Fog Fury Jett.

Features:

Rent price:
25.00 EUR/day
+ VAT 20%



- 700W professional DMX vertical Fog Machine with 12x 3-Watt LEDs
- High performance pump for optimum output
- ADJ's Electronic Thermo Sensing (ETS) technology
- Automatic circuit cut-off to protect pump if fog fluid tank runs dry
- Special heating element design that uses an oil type transmission pipeline system to minimize the possibility clogging
- 3 Operational modes: Manual, Remote Control, or DMX Controlled
- 5 DMX modes : 1, 2, 3, 5 or 7 DMX Channels
- 4-button control panel & LCD display on rear panel
- 3-pin DMX XLR In/Out connections
- Convenient carrying handle
- Low Fluid Indicator on rear
- Warm-up time: 9 min
- External fog fluid tank: 3 Liter
- Fog Output: 20,000 (cu.ft/min)
- Tank can be mounted to either front or rear so that the effect may be pointed up or down
- Included Accessory: ADJ FFJWR - wireless remote
- Power Connection: IEC AC In
- Safety Loop on board
- Only use high quality, water-based fog fluid, for optimum result, use ADJ Fog Juice CO2
- Light Source: 12x 3-Watt LEDs, (3 Red, 3 Green, 3 Blue & 3 Amber LEDs)
- Heater: 700W
- Voltage: AC 120V, 230 or 240 50/60Hz (non switching)
- Power Consumption: 730W (Full on)



Dimensions: (LxWxH): 397 x 302 x 191 mm

Weight: 7.1 kg

[ADJ Ikon Profile](#)

The Ikon Profile WW is a high output single GOBO Projector powered by a bright 32W (3200K) warm white LED. This fixture uses high quality optics for crisp, clear projection. User can adjust the LED brightness and strobing via DMX or by the separately sold wireless UC IR remote control.

The Ikon Profile WW includes one textured glass GOBO. Users may also easily insert custom GOBOs in the fixture's GOBO slot located on the top of the fixture. Another key feature is the ability to manually control the beam angle, focus and framing shutters.

The beam angle is adjustable from 15-30 degrees making it versatile for a wide variety of applications.

The Ikon Profile WW is also compatible with the UC IR wireless remote and the ADJ Airstream IR App for iOS device (both sold separately), and it includes 4 GOBO (1 glass and 4 metal).

Rent price:
15.00 EUR/day
+ VAT 20%



- 32W Warm White (3200K) LED indoor Gobo Projector
- High quality optics - Clear powerful output
- DMX Channels
- 5 Dimmer Curves
- Beam Angle: 15-30 degrees
- Adjustable Beam Angle and Focus
- Manual Framing Shutters
- Includes Textured Glass Gobo
- One Glass Gobo Installed, 4 Metal Gobos Included
- Gobo size: 26.8mm; Viewable size: 24mm
- Drop in Gobo Slot for Metal or Glass Gobos
- Color Frame For Color Filters
- Run all night – No Duty Cycle
- Ideal for Mobile DJs, Clubs, Bars, Retail Stores and Promotional Events
- Very low heat output
- Long life LED (Rated at approximately 50,000 hrs.)
- IEC AC outlet on side to daisy chain power (up to 16 Ikon Profile's @ 120V and 27 Ikon Profile's @ 230V)
- Includes yoke to mount on a wall or hang from trussing
- UC IR Remote Control (Sold Separately) & Airstream IR Compatible (Transmitter Included)
- Multi-voltage: 100-240V, 50/60Hz
- Power consumption: 44W max



Dimensions: (LxWxH): 17.75" x 6" x 5" / 448 x 150 x 127mm

Weight: 2.7 kg

[ADJ Light Bridge One](#)

Rent price:
35.00 EUR/day
+ VAT 20%

Don't risk damaging your top-quality lighting effects by mounting them on unstable, inferior equipment! With ADJ's Light Bridge System, you can rest assured that your favorite fixtures are held fast with high quality equipment that won't sag or break. This high tech, portable triangle steel truss system is rated up to a maximum weight of 300 pounds, meaning it will support even your heaviest of lighting fixtures with ease!



Specifications:

- High Tech, Portable Triangle Steel Truss system
- Extremely strong for heavier loads of lighting (No sagging)
- Quick Release pins for easy assembly (no need for clamps)
- Mounting holes to bolt lighting directly to truss
- Easy to assemble and take down
- Truss diameter: 16mm
- Minimal height: 1,47m
- Diameter folded: ca. 12cm
- Max weight (evenly distributed): 100 kg
- Max height: 3,0 m
- System includes
- 2x Crank-2 stands



- 2x Dura Truss 1,5m sections
- System weight: 38.3 kg

Weight: 38.3 kg

[ADJ Pocket Spot Twins + UC IR wireless remote](#)

The Inno Pocket Spot Twins features two mini Moving Heads on a mounting bar.

Each Moving Head operates independently and features bright 12-Watt LED sources. Its compact size and lightweight makes it ideal for mobile entertainers, small club and bars, roller rinks, bowling centers or any mobile production.

Featuring 7 colors plus white, 7 gobo plus spot and separate color wheels, the Inno Pocket Spot Twins will give pure lighting excitement with its fast moving beams and color changes. It has a pan and tilt inversion mode that makes one head do the opposite of another when linked together. The Inno Pocket Spot Twins may be hung from truss, mounted on a pole or set on the ground.

Users may control the Inno Pocket Spot Twins by sound activation with its 4 built-in shows, the optional UC IR wireless remote, or use a DMX controller to create your own light shows.

Specifications:

- High output dual mini Moving Heads, each with a bright white 12W LED source
- 7 Colors + white
- 7 fixed gobos + spot
- Separate color & gobo wheels
- Manual focus
- 3 Operational modes: DMX Control, Sound Active Mode & Show Mode
- 2 DMX channel modes: 19 & 23 Channel modes
- 4 Built-in shows
- Gobo Shake effect
- Gobo scroll mode
- Beam Angle: 13-degrees
- 540° pan / 230° tilt (16-bit)
- Pan /Tilt Inversion mode
- 5 selectable Dim Curves (Standard, Stage, TV, Architectural & Theatre)
- Shutter: Pulse effect; random strobe slow to fast
- ADJ UC IR remote is included in package
- Dimming: 0% - 100%
- Fan Cooled
- Stand mountable 35mm (tripod stands not included)
- 2 Omega bracket included to hang from truss
- Linkable: DMX via 3-pin XLR cable

Rent price:
25.00 EUR/day
+ VAT 20%



- IR wireless remote control: Full On, Stand by, Strobe, Color Change, Dimming, Sound Active On/Off (ADJ UC IR Not Included)
- Power consumption: 66W
- Multi-voltage Operation: AC 100 - 240V, 50/60Hz
- LED Source: 12W White LED source (Rated at approximately 50,000 hrs)

Dimensions: (LxWxH): 487 x 153 x 327 mm

Weight: 6 kg

[Moving head Chauvet Intimidator WAVE IRC + IRC remote](#)

Rent price:
25.00 EUR/day
+ VAT 20%

The Intimidator Wave IRC is a magnificent moving light array with 5 independently controlled heads that project narrow, razor-sharp beams of lights. Each moving head has a bright quad-color LED for infinite color-mixing capabilities. The Intimidator Wave IRC can be operated with the control panel, or the optional CHAUVET IRC-6 remote control. Up to 4 Intimidator Wave IRC lights can be linked together as one to create stunning coordinated effects. For even more pizazz use a CHAUVET DMX controller!

Features:

- Magnificent moving light array with 5 independently controlled heads
- Projects narrow, razor-sharp beams of RGBW light
- Link up to 4 fixtures (20 heads) to create eye-catching synchronized shows in Automatic, Sound or Master/Slave mode
- Project light where you want it with user-selectable tilt ranges
- Simple navigation and a full text readout with the full-color LCD screen
- Convenient, wireless non-DMX control using the optional IRC-6 remote
- Save time running cables by power linking multiple units

Specifications:

- DMX Channels: 14 or 34
- DMX Connectors: 3-pin XLR
- Tilt: 270
- Tilt Ranges: 90, 180, 270
- Light Source: 5 LEDs (quad-color RGBW) 12 W (3.9 A), 50,000 hours life expectancy
- Strobe Rate: 0 to 23 Hz
- Beam Angle: 5
- Illuminance: 11,500 lux @ 2 m
- Power Linking: 5 units @ 120 V; 13 units @ 230 V
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Power and Current: 173 W, 2.5 A @ 120 V, 60 Hz
- Power and Current: 174 W, 1.3 A @ 230 V, 50 Hz
- Controllers included: IRC-6



- Approvals: CE

Dimensions: 712 x 113 x 243 mm

Weight: 7.8 kg



[RGB text and pattern Laser Laserworld EL-500RGB KeyTEX](#)

The Laserworld EL-500RGB KeyTEX is a RGB text and pattern projection laser that does not need any software or additional controller for operation. It comes with a special keyboard and an infrared remote control.

With the keyboard it is possible to control the whole show laser light system.

Features of the EL-500RGB KeyTEX are:

- Write texts live with the keyboard
- Save texts and recall them later
- Animate the texts: scrolling, flipping, typing of single letters, rotations and many more features available through the keyboard
- Trigger saved texts with infrared remote control
- Play the preset patterns and effects in automatic mode or sound mode - this can be switched with the keyboard or the infrared remote control
- Clock feature: set time and project it on any surface
- The projection (texts, patterns) can be multiplied through a diffraction grating at the laser aperture
- Controllable via DMX
- RGB projections
- Many more features available!




This text laser is equipped with a strong red (650nm, 180mW), green (532nm DPSS, 80mW) and blue (445nm, 160mW) laser source, so the projections are well visible. The scanning systems allows for simple text projections and runs at ca. 15kpps@4°.

The mounting bracket of the EL-500RGB KeyTEX laser can be used to mount the projector at walls, ceilings or at other appropriate objects.

[American DJ Warlock](#)

The ADJ Warlock is a unique, compact moonflower effect featuring a barrel

Rent price:
35.00 EUR/day + VAT 20%



Rent price:
20.00 EUR/day
+ VAT 20%

mirrored scanner and a Philips® Platinum MSD 2R discharge lamp. It also features 12 Gobos + Spot, 12 Colors + White, and a built-in secondary rotation mirror, creating stunning 360-degree lighting effects. The eco-friendly, 132-watt Philips® Platinum 2R boasts an output comparable to a 300-watt discharge fixture, plus a 6,000 hour life with a maximum power draw of 202W.

For easy control, the Warlock is compatible with the ADJ UC IR wireless remote and the Airstream IR App (both sold separately).

Specifications


- Compact Barrel Mirrored Scanner with a bright Philips® Platinum MSD 2R source
- 3 Operational Modes: DMX control, Show Mode, & Sound Active
- 8 DMX Channels
- 6 Built-in Programs
- 12 colors + white w/ Split Colors
- 12 Fixed Gobo Patterns + Spot & Gobo Shake
- Reflector Rotation Mirror produces a 360-degree rotation
- Independent gobo and color wheels
- Gobo scroll mode
- Beam Angle: 100 Degrees
- 180° pan / 360° tilt continuous barrel rotation
- Shutter: Strobe & Pulse effect; random strobe slow to fast
- Electronic Dimming: 0% - 100%
- Fan Cooled
- Stepper motors with micro stepping
- Power consumption: 202W
- 3-pin XLR In/Out
- IEC AC IN/OUT to daisy chain power (up to 3 @ 110V and 6 @ 230V)
- Compatible with the ADJ UC IR wireless remote and the Airstream IR App (both sold separately)
- Multi-voltage Operation: 100-240V, 50Hz/60Hz
- Lamp: Philips® MSD Platinum 2R discharge 132W, 8,000°K – 6,000 hr. average long life
- Light Output: 18650 LUX @2M; 5355 LUX @4M (28-degree)
- ETL Approved

Dimensions: (LxWxH): 20.25” x 20.25” x 14”/ 512 x 516 x 354 mm

Weight: 10 kg

[ADJ Starburst pro](#)

Possibly the most futuristic of the new Startec Series effects, the Starburst is a rotating “futuristic Mirrorball” fixture that sends out incredibly concise beams of colored lighting that create a moving array of super-effective ‘stars’ when projected onto walls, ceilings and floors.



Rent price:
12.00 EUR/day
+ VAT 20%

This 'night-sky' effect is enhanced by the unit's powerful 50W source, which consists of five 15W six-color (RGBAW+ PURPLE) LEDs and generates highly powerful beams of light in a wide pallet of colors. Furthermore, the Starburst's tight beam angle helps the shafts of light cut through darkness and fog to offer a futuristic, far-reaching effect that will transform any small-medium sized venue.


Using Sound Active mode, the Starburst's effects will bounce and rotate in time with the music, for eye-catching, synchronized results. Or, using DMX-Controlled mode, users can go more in-depth with their programming; controlling color, rotation speed and strobing to mesmerize audiences with a varied and exciting display.

Specifications:

- 5 x 15W 6-in-1 HEX RGBWY+UV LEDs (Red, Green, Blue, White, Yellow & Purple)
- Produces 34 crisp, bright beams
- Beam Angle: 1 Degree
- 13 DMX Channels
- 3 operational modes: Auto Run, Sound Active, DMX Controlled
- Stand Alone or Master-Slave Set-Up
- IEC Power Cord Daisy Chain 20 units @ 120V
- Multi-voltage operation: AC 100~240V, 50/60Hz
- Power Consumption: 55W

Dimensions: (LxWxH): 12.5" x 12.5" x 16.25" / 318 x 318 x 412.5 mm

Weight: 3.65 kg



[American DJ 5P Hex](#)

The ADJ 5P Hex is a versatile LED Par fixture with 5 x 10-Watt , 6-IN-1 HEX LEDs. With a 30-degree beam angle, users may produce wide washes with smooth color mixing from 63 built-in color macros utilizing red, green, blue, amber, white and UV LEDs. Not only is this LED Par great for lighting stages, but with its patent pending, intelligently designed, power and DMX connectors, it's great for uplighting a venue.

5P HEX professional features include: 4 DMX modes (6, 7, 8, & 12 channel), 5 operational modes, 5 dimming curves, flicker free operation and a 4-Button DMX menu with digital display. Daisy-chain up to 8 units together via the fixtures built-in IEC In/Out power connectors.

Rent price:
8.00 EUR/day
+ VAT 20%



The 5P HEX is compatible with the Dotz Par RF, easy-to-use, wireless RF remote included. Alternatively the fixture may be operated via a DMX controller or the units built-in programs.

Specifications:

- Ultra bright, flat wash fixture with 5 x Red, Green, Blue, Amber, White & UV LED pixels
- Smooth RGBAW + UV color mixing
- Great as an architectural wall wash or for performance stages where traditional stage lighting emit a lot of heat onto performers
- Intelligently designed, patent pending power & DMX Ins/Outs sit sideways so the unit can be set flat on the ground or set inside truss
- 4 DMX Modes: 6, 7, 8, & 12 channel
- 5 Operational modes: Static Color Mode, RGBAW & UV Dimmer Mode, Program Mode, Sound Active Mode and DMX Controlled
- 7 Built-In Programs
- 63 built-in Color Macros
- Flicker Free operation (No flickering on camera)
- 5 selectable Dim Curves (Standard, Stage, TV, Architectural & Theatre)
- LED pulse and strobe effect
- Electronic Dimming: 0 - 100%
- Beam angle: 30-degree
- 4-button, DMX digital display on rear panel
- Dotz Par RF wireless remote control included
- Dual yoke allows fixture to be hung or set on the ground
- Data linkable via 3-pin XLR cables
- Power linkable via IEC power cables. (8x 5P Hex's Max @ 100V, 21x 5P Hex's Max @ 240V.)
- Light Source: 5 x 10-Watt RGBAW + UV LEDs, (Rated at approximately 50,000 hrs.)
- Power Draw: 60W total (All LED's @ Full On)
- Multi-voltage operation: AC 100-240V, 50/60Hz (IEC power In/Out)



Dimensions: (LxWxH): 210 x 100 x 220 mm

Weight: 2 kg

[American DJ 12P Hex](#)

The ADJ 12P Hex is a versatile LED Par fixture with 12x 12-Watt, 6-IN-1 HEX LEDs. With a 30-degree beam angle, users may produce wide washes with smooth color mixing from 63 built-in color macros utilizing red, green, blue, amber, white and UV LEDs. Not only is this LED Par great for lighting stages, but with its patent pending, intelligently designed, power and DMX connectors, it's great for uplighting a venue.

12P HEX professional features include: 4 DMX modes (6, 7, 8, & 12 channel), 5 operational modes, 5 dimming curves, flicker free operation and a 4-Button DMX

Rent price:
10.00 EUR/day
+ VAT 20%



menu with digital display. Daisy-chain up to 6 units (110V) or 13 units (240V) together via the fixtures built-in IEC In/Out power connectors.

The 12P HEX is compatible with the Dotz Par RF, easy-to-use, wireless RF remote (Sold Separately). Alternatively the fixture may be operated via a DMX controller or the units built-in programs.

Specifications:

- Ultra bright, flat wash fixture with 12 x Red, Green, Blue, Amber, White & UV LED pixels
- Smooth RGBAW + UV color mixing
- Great as an architectural wall wash or for performance stages where traditional stage lighting emit a lot of heat onto performers
- Intelligently designed, patent pending power & DMX Ins/Outs sit sideways so the unit can be set flat on the ground or set inside truss
- 4 DMX Modes: 6, 7, 8, & 12 channel
- 5 Operational modes: Static Color Mode, RGBAW & UV Dimmer Mode, Program Mode, Sound Active Mode and DMX Controlled
- 7 Built-In Programs
- 63 built-in Color Macros
- Flicker Free operation (No flickering on camera)
- 5 selectable Dimmer Curves (Standard, Stage, TV, Architectural & Theatre)
- LED pulse and strobe effect
- Electronic Dimming: 0 - 100%
- Beam angle: 30-degree
- Includes metal gel frame
- 4-button, DMX digital display on rear panel
- Compatible with Dotz Par RF wireless remote control (sold separately)
- Dual yoke allows fixture to be hung or set on the ground
- Data linkable via 3-pin XLR cables
- Power linkable via IEC power cables. (6x 12P Hex's Max @ 110V, 13x 12P Hex's Max @ 240V)
- Light Source: 12x 12-Watt RGBAW + UV LEDs, (Rated at approximately 50,000 hrs.)
- Light Output: 2770 LUX @ 2M; 733 LUX @ 4M (30-degree beam)
- UV Wavelength: 395nm
- Refresh Rate: 3.6KHz
- Power Draw: 150W total (All LED's @ Full On)
- Multi-voltage operation: AC 110-250V, 50/60Hz (IEC power In/Out)



Dimensions: (LxWxH): 11.75" x 10" x 5.5" / 298 x 249 x 136 mm

Weight: 3.9 kg

[Chauvet Freedom Stick \(Pack: 4psc + remote\)](#)

Freedom Stick is a unique and versatile free-standing RGB LED that can be pixel-mapped for ultimate programming creativity. This battery powered

Rent price:
50.00 EUR/day
+ VAT 20%



fixture has a built-in D-Fi receiver that allows it to be placed anywhere. The sticks also work excellently as truss warmers. A detachable metal base allows you to mount them on truss (clamps sold separately). User-customizable automated programs create complex looks in seconds. Additional control options include auto and sound programs via DMX, wireless master/slave or the IRC-6 remote. Included four sticks.

Specifications:

- DMX Channels: 3, 8, 48 or 50
- Light Source: 32 SMD LEDs (tri-color RGB) 0.2 W (50 mA), 50,000 hours life expectancy
- Strobe Rate: 0 to 30 Hz
- Maximum Run Time: (all on): up to 6.5 hours
- Recharge Time: 4.5 hours
- Coverage Angle: 360°
- Input Voltage: 15 VDC, 800 mA (external power supply: 100 to 240 VAC, 50/60 Hz)
- Power and Current: 35 W, 0.05 A @ 120 V, 60 Hz
- 35 W, 0.03 A @ 230 V, 50 Hz
- Approvals: CE, FCC
- Optional Controllers: IRC-6
- Bag size: 60.4 x 2.6 x 8.7 in (1535 x 65 x 220 mm)

Dimensions: 6.3 x 6.3 x 61 in (161 x 161 x 1550 mm) unit with base

Weight: 7.5 kg



Sunlight Pack

Rent price:
125.00 EUR/day + VAT 20%

Sunlight pack includes:

- 8 LED Chauvet Freedom Sticks
- 1 ADJ laser micro 3D
- 1 stand 2.8m

- 1 special construction for devices mounting
- 1 power supply for 3D laser
- 1 charging system for Led Freedom sticks
- 1 remote control IRC 6
- Pack can be assembled in 10-15 min with one person.



Chauvet Obey 70 Dmx

Rent price:
15.00 EUR/day
 + VAT 20%

The Chauvet Obey 70 is a universal DMX-512 lighting controller that can manage up to 12 intelligent lights with up to 32 channels each, for a total of 384 DMX channels. The Obey 70 gives you control over 30 banks of 8 scenes for 240 scenes total, 6 sets of chases containing 240 scenes, program fade and speed time into each step, reversible sliders, assignable, pressure-sensitive joystick, re-assignable channels, fog & strobe control, and the sequential linking of chases. MIDI compatible, the Chauvet Obey 70 DMX Lighting Controller works on beat activation, tap-sync, and auto run and fits into a 3-space rack mount.



Specifications:

- Universal DMX-512 controller
- Controls up to 12 intelligent lights of up to 32 channels each
- 384 DMX channels of control
- 30 banks of 8 scenes, 240 scenes max.
- 6 sets of chases containing 240 scenes each
- Program fade and speed time into each step
- Reversible sliders
- Re-assignable channels
- Sequential linking of chases
- Assignable pressure-sensitive joystick
- Fog and strobe control buttons
- Grab any fixture on the fly
- Beat activation, tap sync, and auto run
- Polarity selector
- 4-space (2U) rack mount

Dimensions: 483 mm x 178 mm x 71 mm

Weight: 3.3 kg

American DJ Hexcon

Rent price:
15.00 EUR/day
+ VAT 20%

The HEXCON is a 36-channel DMX controller that was specifically designed for our “HEX Series” products. Up to 6, RGBAW+UV, LED fixtures or fixture groups can independently be controlled via six fixture buttons. All ADJ HEX series fixtures or fixture groups must be set to run in DMX mode and be addressed at channels 1, 7, 13, 19, 25 and 31 to access independent fixture control.



The HEXCON control panel includes 24 direct access pre-programmed color macro buttons, 6 user programmable color preset buttons which come factory set to control Red, Green, Blue White, Amber and UV, 6 multi-function channel faders which are used to control individual color intensity, Chase program “Speed”, Chase program “Fade”, Master Dimmer and Strobe speed.

There is an array of 8 “Function” buttons which are used to select the controllers operation mode, including Color Fade, Color Macro, Auto, Chases, Manual, Sound, Strobe, Presets and Blackout modes. A USB port is also conveniently included so most phones or tablets can be connected and charged. The HEXCON is one of the simplest and most versatile LED controllers available today. It’s ideal for D.J.’s, nightclubs, lounges, bars or for anyone that wants to get the most out of their HEX series LED products.

Specifications:

- Compact DMX controller for ADJ HEX series products
- Control up to 6 individual, RGBWA+UV LED fixtures or fixture groups
- 6 user programmable presets, direct access buttons
- 24 Color preset direct access buttons
- 6 multi-function faders
- Color Macro playback mode
- Manual RGBWA+UV intensity control mode
- Color Fade Mode, Color Chase Mode, Auto Run, Sound Active, and Strobe functions.
- On the fly Speed & Fade control of all chase programs
- Sound active mode via internal microphone
- Adjustable microphone sensitivity
- Variable strobe
- Blackout button
- DMX output connector: 3-pin XLR
- USB phone port (Charges most mobile phones)
- Power In: 12VDC 500mA UL approved power supply (Included)
- Power consumption: 3.6 Watts

Dimensions: 361 x 185 x 65 mm

Weight: 1.74 kg

Equinox 60W Kaleido

Rent price:
16.00 EUR/day

+ VAT 20%

The Equinox 60W Kaleido is the new Gobo flower lighting effect that gives you precise optics with high tech stepper motor driven gobo/colour wheel. It has a high power 60W white LED that produces a really bright output and its razor sharp images add a unique element to any lighting show at a club, party or on stage.

The Equinox 60W Kaleido is a DMX 60W white LED lighting effect that constantly changes its decorative effect and projects a variety of different psychedelic patterns.

Specifications:

- 1 x 60W white LED
- 3 facet rotating prism mounted on a ball bearing race for smooth operation
- Precise optics with high tech stepper motor driven gobo/colour wheel
- DMX channels: 4
- Auto, sound active and master/slave modes
- 0-100% dimming
- 4 push button menu with LED display
- IEC input/output
- 3-pin XLR input/output
- Fan cooled
- Supplied with hanging bracket
- Power consumption: 85W
- Power supply: 100~240V, 50/60Hz
- Fuse: F3A 250V

Dimensions: 215 x 210 x 380 mm

Weight: 3.6 kg



[American DJ Light Brige One \(2 stands + truss 3m\)](#)

With ADJ's Light Bridge System, you can rest assured that your favorite fixtures are held fast with high quality equipment that won't sag or break.

Rent price:
35.00 EUR/day
+ VAT 20%

This high tech, portable triangle steel truss system is rated up to a maximum weight of 300 pounds, meaning it will support even your heaviest of lighting fixtures with ease!

This package deal includes 2x Light Bridge Crank Stands, which let you mount everything BEFORE raising them up to their final height, and 2x Light Bridge 5 foot sections of steel truss.

Specifications:

- High Tech, Portable Triangle Steel Truss system
- Extremely strong for heavier loads of lighting (No sagging)
- Quick Release pins for easy assembly (no need for clamps)
- Mounting holes to bolt lighting directly to truss
- Easy to assemble and take down
- Truss diameter: 16mm
- Minimal height: 1,47m
- Diameter folded: ca. 12cm
- Max weight (evenly distributed): 100 kg
- Max height: 3,0 m



System includes:

- 2x Crank-2 stands
- 2x Dura Truss 1,5m sections
- System weight: 38.3 kgs.

[ADJ Light Brige One Section \(1.5 m\)](#)

Rent price:
10.00 EUR/day
+ VAT 20%

Extencion section for ADJ Light Brige One system.

Specifications:

- High Tech, Triangle Steel Truss section
- Extremely strong for heavier loads of lighting (No sagging)
- Quick Release pins for easy assembly (no need for clamps)
- Mounting holes to bolt lighting directly to truss
- Easy to assemble and take down
- Dura Truss 1,5m section



[Chauvet Funfetti + remote control](#)

Rent price:
40.00 EUR/day
+ VAT 20%

The CHAUVET DJ Funfetti Shot is a professional confetti launcher and its easy, single person setup and operation make it perfect for concerts, parties or other special events. Just add confetti! No compressed air or CO2 required.

The Funfetti Shot works with Funfetti Shot Refill – Color, Funfetti Shot Refill –

Mirror, and Funfetti Shot Refill – UV, as well as most other confetti types. It is easily controlled from the display, the included wireless remote or DMX.

The Funfetti Shot includes a double bracketed yoke for easy floor mounting or hanging on TRUSST and fits best in the CHS-50 VIP Gear Bag.

Specifications:

- DMX Channels: 1
- DMX Connectors: 3-pin XLR
- Input Voltage: 120 VAC, 60 Hz
- Power and Current
- Approvals: CE

Dimensions: 11.2 x 9 x 21.8 in (284 x 228 x 553 mm)

Weight: 6.2 kg

[Dimmer ADJ UNI PACK 2 2.3kW](#)

A well produced light show required exact timing and finesse when it comes to light levels and presentation. Luckily the Uni Pak II from ADJ exists to make your dimming and on/off control a thing of ease.


Working as the middle-man between your DMX control system and your par cans or other lighting fixtures, the Uni Pak II will allow you to perfectly control the light level of your production as well as easily managing which fixtures are receiving power at all.

The Uni Pak II allows for the control of two standard AC 3-prong powered light fixtures. It is small and compact making it an easy option for a permanent production at a bar, club, or stage or in use on a mobile production for any DJ, musician, or traveling performance piece. Made from high quality materials this unit is made to last.

Don't be dim, make the easy choice in dimming/switch packs and get the Uni Pak II from ADJ and take full control of your light entertainment.

Specifications:

- Compact, 1 channel Dimmer/Switch Pack
- On-board and external HTP (Highest Takes Precedence) slider
- Standard DMX-512 protocol
- Dim preset - Dim limiter settings
- LED display makes it easy to set DMX channels
- 3-pin XLR In/Out
- Two standard AC 3-prong Edison plugs
- Easy-to-use mounting bracket
- Maximum power: 10A



Rent price:
8.00 EUR/day
+ VAT 20%



Dimensions: (LxWxH): 184x92x92 mm

Weight: 1.3 kg

Sunlight Moving Pack

Rent price:
135.00 EUR/day + VAT 20%

Sunlight pack includes:

- 8 LED Chauvet Freedom Sticks
- 1 ADJ laser micro 3D
- 2 moving heads Inno Pocket Z4
- 1 stand 2.8m
- 1 special construction for devices mounting
- 1 power supply for 3D laser
- 1 charging system for LED Freedom sticks
- 1 remote control IRC 6



ADJ Magna tube + Led par 12p hex (pack)

Rent price:
**15.00 EUR/day
+ VAT 20%**

Create a new dimension in light with the ADJ Magna Tube with ADJ LED PAR 12P.

This accessory is for ADJ LED Pars to create a alternative look to uplighting. The metal adapter magnetically attaches to the top of metal LED Pars. For use on stages, mobile productions, nightclubs and houses of worship.




Pack including:

- ADJ Magna Tube + адаптер
- ADJ Led Par 12p

Features of ADJ Magna tube:

- Accessory for ADJ Flat LED Pars & WiFLY LED Pars
- Includes 3-foot acrylic tube, magnetic metal frame adapter & silicon rubber cover
- Total Size: 8.25" x 8.25" x 39.75" / 208 x 208 x 1008mm
- Tube Size: Diameter 6" / 150mm; Height 39.5" / 1000mm
- Total Weight: 3.6 lbs / 1.64 kg
- Great alternative look to uplighting
- Magnets on metal adapter securely clips onto top metal part of LED Pars
- Compatible with the following ADJ Pars: Flat Par TRI7X, Flat Par



TRI7XS, Flat Par QWH5X, Flat Par QWH5XS, Flat Par QA5X, Flat Par QA5XS, Flat Par TW5, WiFly EXR HEX Par, WiFly Par QA5, WiFly Par QA5 WH, WiFly EXR Hex Par



[ADJ Magna tube](#)

Rent price:
8.00 EUR/day
+ VAT 20%

Create a new dimension in light with the ADJ Magna Tube. This accessory is for ADJ LED Pars to create an alternative look to uplighting.

The metal adapter magnetically attaches to the top of metal LED Pars. For use on stages, mobile productions, nightclubs and houses of worship.



- Accessory for ADJ Flat LED Pars & WiFLY LED Pars
- Includes 3-foot acrylic tube, magnetic metal frame adapter & silicon rubber cover
- Total Size: 8.25" x 8.25" x 39.75" / 208 x 208 x 1008mm
- Tube Size: Diameter 6" / 150mm; Height 39.5" / 1000mm
- Total Weight: 3.6 lbs / 1.64 kg
- Great alternative look to uplighting
- Magnets on metal adapter securely clips onto top metal part of LED Pars
- Compatible with the following ADJ Pars: Flat Par TRI7X, Flat Par TRI7XS, Flat Par QWH5X, Flat Par QWH5XS, Flat Par QA5X, Flat Par QA5XS, Flat Par TW5, WiFly EXR HEX Par, WiFly Par QA5, WiFly Par QA5 WH, WiFly EXR Hex Par

[ADJ H2O DMX IR \(80W\) + remote UC IR](#)

Rent price:
20.00 EUR/day + VAT 20%

Powered by a bright 80W LED source, the ADJ H2O DMX IR is simulated water flowing effect that creates an exciting atmosphere that may be projected on walls, ceilings, floors and backdrops. This projector may be controlled by DMX or the optional UC IR wireless controller.




Specifications:



- Bright 80W LED source simulated water flowing effect
- Designed to project on walls, ceilings or floors with or without fog
-
- great for mood or background lighting
- 3 DMX Channels (Dimming, Glass Wheel, Colors)
- 3 operation modes: Show Mode, Manual Mode, & DMX Control
- Stand Alone Set Up or Master-Slave Set Up
- Digital DMX Display with 4-button menu for easy navigation



- Equipped with 2 glass effect wheels and 1 independent dichroic color wheel
- 5 colors + White & Split Colors
- High-tech plastic molded ends protect unit during transport and day-to-day use
- 0-100% Dimming (via DMX)
- Manual focusing lens
- Beam angle: 37 degrees or 27 degrees (optional)
- Includes hanging bracket
- Run all night – units stays cool – no duty cycle
- IEC In & Out to Daisy chain Power (Connect up to 10 Fixtures @ 120V & 17 Fixtures @ 230V)
- ADJ UC IR Compatible (sold separately)
- Fan cooled
- Safety hook on rear panel
- Power consumption: 70W
- Long life 80W LED Source (30,000 hr. rating)
- Multi-voltage operation: AC 120-240V 50/60Hz (IEC Plug)
- ETL Approved



Dimensions: (LxWxH): 301 x 232 x 207 mm

Weight: 4 kg

[Cables 220v chuco](#)

Different length: 1m,3m,5m,10m

[All types XLR, RCA, Jack, mini JACK CABLES and adapters](#)

[Fog machine ADJ FOG FURY JETT PRO 1.5kW +](#)

Rent price:
1.00 EUR/day
+ VAT 20%



Rent price:
1.00 EUR/day
+ VAT 20%



Rent price:

remote control

30.00 EUR/day
+ VAT 20%

Fog Fury Jett PRO

The ADJ Fog Fury Jett Pro is a high velocity vertical Fog Machine that mixes color into the fog from 28x 3W LEDs (6 Red, 7 Green, 6 Blue, 3 Amber & 6 UV LEDs). The Fog Fury Jett Pro produces a dry even blast of fog over 40 feet (12 meters) in the air. It has a special heating element design that uses an oil type transmission throughout the pipeline to prevent clogging. It is also equipped with a high performance Italian pump system for optimum output. ADJ's Electronic Thermo Sensing (ETS) technology is on-board to maintain optimum heat levels with short warm-up time between fog blasts.

The Fog Fury Jett Pro may be use vertically or horizontally. The reservoir tank may be mounted in the front or rear of the unit so the machine may be pointed up or down. Control options included 3-pin and 5-pin DMX In/Out connections, ADJ's WiFLY EXR wireless DMX on-board, plus the ADJ FFJWR wireless remote comes included in the box.

Features:

- LED and vertical fog effect combination
- Operates in multiple positions
- On Board control or remote control
- WiFLY EXR Wireless DMX (up to 2,500 ft. /760M line of sight)
- ADJ's Electronic Thermo Sensing (ETS) technology
- Safety cable eye bolt

Technical Information:

- Optical: 28x 3W LEDs (6 Red, 7 Green, 6 Blue, 3 Amber & 6 UV LEDs)

Output:

- Output: 40,000 Cubic Feet/1.132m³ Per minute
- Heater: 1450 Watts
- Heat Up Time: 9 min
- Fluid Type: Water Based Fog Fluid
- Fluid Consumption: 150ml/min
- On board control or Wireless DMX

Connections:

- Data: 3-pin & 5-pin DMX In/Out
- Control:
- DMX Channels: 1, 2, 3, 7 or 9 DMX channels
- WiFLY EXR Wireless DMX
- Remote Control Included: FFJWR
- On Board Control: Yes

Electrical:

- AC 120V/60Hz or 240/50Hz (non switching)

Physical:



- Vedelikupaagi mahutavus (paak eemaldatav): 2.5 liitrit

Dimensions: 419 x 315 x 206mm

Weight: 9.5 kg

[Laser LASERWORLD PRO 1600 RGB ext. + remote control](#)

Rent price:
40.00 EUR/day
+ VAT 20 %

The Laserworld PRO-1600RGB is a white light RGB laser light system with analog modulation and a total output power of up to 1'600mW. It is not only equipped with fast scanners for great projections, it also comes with the super bright 637nm red, that is visible several times better than the 650nm plus has a thinner, more accurate beam profile. Therefore the Laserworld PRO-1600RGB ensures great visibility and is suitable for beam as well as for graphics projections.

This show laser light provides an analog modulation. It means a better color fading and a much broader color hue. These facts make the Laserworld PRO-1600RGB ideal for all applications requiring many different color hues and color fadings.

The very advantage of the projectors of the Proline Series is the integrated Glass Effects Actuator: The systems not only run in normal scanner mode. Similar to an optical bench they are equipped with additional grating effects. Without the effects it is possible to show emotionalizing beam shows as well as graphics projections. Through DMX control three different grating effects can be chosen:

Integrated Effects:


The integrated effects can be used individually through selecting them at the display on the back panel or with a DMX controller, in addition all integrated effects can be used through Stand-alone Mode or Sound-to-light Mode including in conjunction with ILDA software for spectaculars results

This laser projector provides a master-slave-mode. Show lasers of the same series (slave projectors), connected via DMX to a main projector (master projector) project the same patterns like the master projector.

Proline Series Dip Switch settings:

- Normal scanner mode – creates emotionalizing beam shows and graphics projections
- Burst Grating mode – the scanned pattern is multiplied many times and covers a wide range
- 3D Effect mode – creates a great 3D-looking effect on the scanned pattern
- Radial Pattern Effect mode – a pattern is displayed in the center, the effect shows a multitude of this projection in circles around the center projection
- Line Grating mode - a pattern is displayed multiplied in a line

Computer control:



The Laserworld PRO-800RGB has an ILDA interface for professional computer control. Thus own or pre-programmed lasershows can be displayed by use of a laser control software, e.g. Laserworld Showeditor.

DMX Mode:

Through DMX preset patterns, like waves, tunnels, circles etc. can be projected in different colors and at various speed.

Stand-alone Mode:

The laser system has an Stand-alone mode, which runs the pre-programmed patterns automatically.

Sound-to-light Mode:

If the Sound-to-light Mode is active, the laser system projects according to the sound. The microphone sensitivity can easily be adjusted at the rear side of the projector.

SD Card:

The Laserworld PRO-1600RGB has an integrated SD card slot (a SD card is included in the delivery). It allows saving patterns, animations or shows as .ILD files on the SD card and running them at the projector. This option makes the use of this show laser system very flexible and independent of computer control.

Laserworld Showeditor FREE:

Laserworld Showeditor FREE is a free laser show software for creating own frames, figures, shows and for exporting them to ILDA (*.ild) format. It is possible to export these files to a SD card and to use it with integrated SD card slot at the Laserworld PRO-1600RGB. The Laserworld Showeditor FREE software can be downloaded [here](#).

Master-Slave Mode:

Next to the modes mentioned above, this laser projector provides a master-slave-mode. Show lasers of the same series (slave projectors), connected via DMX to a main projector (master projector) project the same patterns like the master projector.

This laser device has a LCD display as well as menu buttons at the rear side providing a variety of features like setting the modes, grating effects, animations, colors, music sensitivity, etc..

In addition to the power connection socket and an on/off button there are interfaces for DMX in and out, ILDA in and out and for Interlock connection. An integrated key switch prevents the laser system against unauthorized use. The Laserworld PRO-1600RGB is equipped with a beam block "Scan Fail Safety", which can be switched on/off on the back panel as well. In active state this prevents the laser from projecting single beams.

Finally a microphone for the music mode and a special loop for a safety cord have been integrated.

IR Remote Control:

An IR remote controller, included in the delivery, allows different settings like modes selection, speed control, run specific patterns etc... The IR LED at the front side flashes when receiving commands by the controller. The IR control is ideal when the projector is mounted on a truss etc. difficult to reach.

The rugged housing of the Laserworld PRO-1600RGB is very compact and has dimensions of only 23.5 x 20.5 x 16.5 cm (W/B/H). A special feature of the

housing is the mounting bracket that allows to fasten the unit in about 360° turns around the mounting axis of the bracket. This feature makes a fixed installation very easy.

The Laserworld PRO-1600RGB is equipped with red and blue diode laser modules and a green DPSS laser module. The red diode has a wavelength of 637nm for very good visibility at great beam specifications. Together with the green DPSS laser module with a wavelength of 532nm and the royal-blue diode laser module with a wavelength of 445nm the laser sources create brilliant colors and form a powerful source for the Laserworld PRO-1600RGB.

The projector has good beam specifications with a beam diameter of about 3mm and beam divergence of about 1.3mrad (full angle). At the same time it offers a galvo system with up to 40kpps with a max. scan angle of 40° and a deflection angle for the grating effects of up to 80°.

The Laserworld PRO-1600RGB is a powerful white light laser system. This device is well suited for private use and professional applications and it is ideal for use in medium to large clubs, discos and nightclubs or in other party locations. It is also a great solution for mobile DJs and rental companies.

Specifications:

- Total Power typical: 1'600mW
- Guaranteed power: 1'300mW
- Power Red: 300mW / 637nm
- Power Green: 300mW / 532nm
- Power Blue: 700mW / 445nm
- Beam Specifications: ca. 3mm / ca. 1.3mrad
- Laser Sources: Diode, DPSS Laser
- Laser Class: 4
- Operation Modes: auto, music, DMX, ILDA, master-slave, SD Card
- Scanner: Galvo system, up to 40kpps @4°
- Scan Angle max.: 40° max. / 80° for glass effects
- Basic Patterns: >200 Patterns (layers, tunnels, fences, waves etc.; grating & 3D effects)
- Accessories: power cable, remote control unit, SD Card, manual, interlock connector, key, Laserworld Showeditor FREE
- Power Supply: 85V - 250V AC
- Power Consumption: 80 W

Dimensions: 235/205/165 mm

Weight: 4.75 kg


[String ADJ Color Strand LED + remote control](#)

The American DJ Color Strand LED is an RGBW LED light strand designed to create a festive, bistro-style lighting effect. The 30' party light strand is equipped with twenty, 6W RGBW LED bulbs which produce a 360° beam angle, and can be wirelessly controlled via the included remote. Featuring an IP44 rating, the fixture is compatible with both indoor and outdoor use, for clubs, backyard parties, weddings, and more.

Rent price:
30.00 EUR/day
+ VAT 20%



- 30' party light strand with 20 x 6W RGBW LED bulbs
- Bistro-style lighting effect
- Replaceable LED bulbs
- RGBW color mixing (red, green, blue, white)
- 60° beam angle
- Wirelessly controlled via included remote (range up to 30m)
- Controls on remote: Brightness, Speed, Color (ring)
- 9 x built-in programs
- Rated IP44 – can be used outdoor with bulbs pointing down
- Daisy-chain up to five strands at 120V and 10 strands at 240V
- Universal, auto-sensing power supply



Dimensions: 15 m

[ADJ Led BAR UV Plus DMX + remote control](#)

Rent price:
12.00 EUR/day
+ VAT 20%

The ADJ ECO UV Bar DMX adds excitement to any light show performance. The redesigned ECO UV BAR DMX offers the hassle free use of LED and the user control of DMX-512. This ultraviolet LED fixture is great for performance stages, theatrical productions, special effects installations, and mobile light show. Take it to the next level with this LED bar. Watch people be in awe from the amazing lighting effects you created.

The ECO UV BAR DMX offers users more flexibility and control with built-in DMX-512 protocol (3 DMX channels), a 3-Button DMX display, and included IR remote control. This fixture requires very little maintenance because its LEDs are rated at 50,000 hours. That leaves you to handle any other task instead of being worried about your LED bar.

If you want durability, value, and great build quality then look no further. You will love the way the light shines and the endless possibilities you can make with it. Experience the difference by adding this to your shows arsenal.

Specifications:

- Bright, high output DMX-512 Ultraviolet Bar with 18x 3-Watt UV LEDs
- Great for performance stages, theatrical productions and special effects installations
- 2 Operational modes: Manual Operation and DMX-512 Mode
- 3 DMX Channels
- On/Off switch on rear panel
- Beam Angle: 120-degree
- LED Strobe effect



- Includes mounting brackets for wall/ceiling mount or to set on the floor for wall washing
- Includes IR Remote
- 3-Button LCD display
- Linkable via 3-pin XLR cable
- With Wired Digital Communication Network
- IEC AC input and output on rear to daisy chain power (Up to 10 Eco UV Bar DMX's)
- Long Life LEDs (Rated at approximately 50,000 hrs.)
- Power Draw: 52W
- Multi-voltage operation: AC 100V-240V 50/60Hz
- Light Source: 18x 3-Watt UV LEDs
- Refresh Rate: 1KHz
- Wavelength: 395-405nm
- Dimensions (LxWxH): 39.5" x 2.5" x 4.75" / 1000 x 60 x 115mm
- Weight: 5 lbs. / 2.3 kgs
- ETL Approved



Dimensions: (LxWxH): 39.5" x 2.5" x 4.75" / 1000 x 60 x 115mm

Weight: 5 lbs. / 2.3 kgs

RGB Spider Laser Moving head 1720mW

Rent price:
40.00 EUR/day
+ VAT 20%

Do you need a high grade stage light? Now you can find it in here! This is U'King 8 Lens RGB Spider Moving Head Laser Stage Effect Light. It will be your best choice. It will create the atmosphere you want, such as romance in your home and passion in the party. With the light weight and portable design, it is easy for you to install it. The light can decorate in the home, party, bar, night club, school show and so on. Made of high quality material it is durable in use. Take action now!



Features:

- Lasers: Aircooled DPSS Diode Laser 300mw /638nm (Red) x 2pcs
- Aircooled DPSS Diode Laser 80mw /532nm (Green) x 4pcs / Aircooled DPSS Diode Laser 500mw /450nm (Blue) x 2pcs
- Ultra high frequency (64KHz) dimming technology, no flash jitter
- Fire range up to 185 degrees, its flexible movement
- With full laser superior penetration characteristics, it has superior dynamic
- Luminous efficiency is 8 thick straight rays, two groups with four rays
- Fan cooler to avoid over heated
- Interface 3 pins XLR jack for DMX or Master-slave linking
- Suitable for disco, ballroom, KTV, bar, stage, club, party etc



Specifications:

- Color: Black
- Power supply: 100V~240V AC 50/60 Hz
- Rated power: 110W

- Source: 60mw*4+ 300mw*2+ 500mw*2 blue red green color
- Beam angle: 5 degrees
- Display mode: Digital display
- Control mode: DMX control station control, self walk, master / slave synchronization mode
- Horizontal scan: 540 degrees + fine adjustment vertical scan: 185 degrees + fine adjustment
- Application: Disco, dance halls, bars, KTV box, party family

Weight: 12 kg



[Wireless Led Flood Light Projektor 30w \(outdoor\)](#)

Rent price:
10.00 EUR/day
+ VAT 20 %

Portable waterproof rechargeable 30W LED Flood light with wide usage.

Specifications:

- Light Source 24 psc LED: 20pcs SMD3528 white leds, 2pcs SMD3825 Red leds, 2pcs SMD3528 bule leds.
- Light Color :White+Red+Blue+Flash.
- Shell Material: Aluminum Alloy
- 3 Mode : White Low /White High / Red ,Blue Flashing
- Power: 30W (2400 Lumens)
- Battery: 3pcs 3.7v 18650 Battery
- Battery Life: 500 charge cycles
- Input: 90-240V.
- Output: 5v/1A.can charge the phone & iPad and other digital products.(USB wire don`t incuding).
- Beam angle: The Horizontal Axis:160; The Vertical Axis:80
- Charging time:3.5-4 hours
- Working time:2-3 hours
- IP Grade:IP65



Features:

- NO UV or IR radiation.
- Hight-Brightnes SMD LED.
- Hight energy efficiency,low power consumption.
- Long life-span,low temperature rising.
- 120°Beaming Angle.
- Excellent waterproof, suitable for outdoor environment, adverse weather conditions except for diving

- It's can use in AC 90-240V, but if you use in AC 90-240V please Remove the battery.
- 3 kinds of light up patterns, 1: Bright light with white 2: Weak light with white 3: flashing light with Red lights blue lights

Applications:

- Applicable for home, office, meeting room, hotel, cabinet, shopping mall and show windows, parks, shop hoardings, parking lots, etc.
- Widely used in factory, gymnasium, billboards, buildings, lawns, landscaping, offices, the site of light project and decorative lighting project etc.

Weight: 1.2 kg

ADJ Kaos

Rent price:
25.00 EUR/day
+ VAT 20%

The ADJ KAOS creates exciting lighting effects with its quick sweeping beams and its 3 x 3-Zone LED chasing, pulsing and strobing LEDs. This unique fixture features 9 x 10-Watt bright, RGBW CREE LEDs with a narrow 5 degree beam angle, 5 DMX Channel Modes (2/6/15/23/45) and a 4-Channel LED DMX menu.

The KAOS may be controlled via its own built-in programs, a DMX Controller or the easy-to-use UC IR remote. Best when used in multiples, the KAOS is designed for stages, nightclubs and mobile entertainers.

Specifications:

- Unique lighting fixture with quick sweeping narrow beams combined with an 3 x 3-Zone LED chase
- 9 x 10-Watt RGBW Cree LEDs
- 4-Button DMX LED Display
- 3 Operational modes: Sound Active, Show Mode, & DMX Controlled
- Master/Slave Set Up or Stand Alone
- 5 DMX Channel Modes: 2/6/15/23/45
- DMX-512 Protocol
- Electronic Dimming: 0 - 100%
- Includes exciting sound active built-in programs
- LED pulse & strobe effect
- 60 - 150 degree tilt from smooth Stepper Motors
- 0 - 540 degree pan
- Extremely Long Life (50,000 hr. rated)
- Beam angle: 5 Degrees
- Light output: 31400 LUX @2M; 7750 LUX @4M (5-degree beam)
- Runs extremely cool! - NO Duty Cycles! - Run all night!
- Includes Omega quick lock brackets
- Mount on a wall, trussing, or set on the ground
- PowerCon AC IN/OUT on rear to daisy chain power (up to 5 @ 120V and 9 @ 230V)



- Compatible with ADJ UC IR easy-to-use remote (sold Separately)
- Compatible with the ADJ Airstream IR App
- PWM (Pulse Width Modulation): 208HZ
- Strobe Rate: 0.6-9.6HZ
- Power Consumption: 140W maximum
- Power Cable Length: 1.5m (IEC)
- Multi-voltage operation: AC 100-240V 50/60Hz- IEC socket



Dimensions: (LxWxH): 18"x 17"x 8.25" / 458 x 429 x 208mm

Weight: 10.6 kg.

[ADJ Entour Cyclone](#)

Rent price:
20.00 EUR/day
+ VAT 20%

Ideal for spreading fog, as well as providing theatrical wind effects, the Entour Cyclone, part of ADJ Entour Series of atmospherics, is a versatile and powerful portable fan. It offers speed adjustment between 500 and 2,600rpm (500 and 3,000rpm @ 230V) and DMX operation – using a choice of 1- or 2-control channels – allowing air movement of any velocity to be triggered on cue. It also features a ¼" jack input socket that can be used to connect an optional remote controller, allowing it be used independently of a DMX system if required.



The robustly-constructed machine features protective metal grilles to the front and rear of the fan as well as a dual-purpose bracket that can be used to either stand the unit on the floor or attach it to truss or another similar support structure. It features both PowerCON input and output sockets, which means that the power supply for multiple units can be linked together. With dimensions of 13.75" x 16.5" x 5.25" / 350 x 422 x 131mm (LxWxH) and a weight of 19 lbs. / 8.56 kg, the machine is easily portable but capable of producing powerful wind effects suitable for use in theatres, on concert tours and for large-scale one-off events.



Specifications:

- Mobile pro DMX Fan Machine
- 2 DMX Channel Modes: 1 or 2
- LCD function display with 4-button menu
- Fan speed adjustment 0%-100%
- Fans speed range: 500-3000 rpm (230V)
- Power Consumption: 220W (Max.)
- Fan Motor Power: 120W
- 3-pin DMX In/Out
- PowerCON In/Out
- Dual scissor yoke
- 1/4-inch jack for optional remote controller
- Metal Construction
- Fuse: 2A 250V (230V)

Dimensions: (LxWxH): 350 x 422 x 131mm

Weight: 8.56 kg.

Chauvet Hurricane Bubble Haze

Rent price:
45.00 EUR/day
+ VAT 20%

Hurricane Bubble Haze takes party atmospherics to new levels. It's a haze machine. It's a bubble machine. It's both at the same time! This multi-purpose atmospheric machine emits bubbles, haze, or even haze-filled bubbles, and its always-ready technology lets the unit run continuously to keep the party going. Hurricane Bubble Haze features a gravity-fed bubble reservoir that recirculates unused bubble fluid reducing fluid consumption. A built-in cleaning function increases machine longevity and reduces clogs. Hurricane Bubble Haze is compatible with BF5 and HF5 fluids.

Highlights:

- Multi-purpose atmospheric machine emits bubbles, haze or haze-filled bubbles
- Always ready and can run continuously to keep the party going
- Gravity-fed bubble reservoir recirculates unused bubble fluid reducing fluid consumption
- Variable-speed loft fan pushes bubbles up into the air
- Built-in cleaning function increases machine longevity and reduces clogs
- Patent pending

Specificaions:

- DMX Channels: 4
- DMX Connectors: 3- and 5-pin XLR
- Heat-up Time: 3 min
- Input Voltage: 230 VAC, 50 Hz
- Power and Current: 558 W, 2.3 A @ 230 V, 50 Hz
- Approvals: CE, RoHS
- Tank Capacity: 0.21 gal (0.8 l) each
- Output: 10,000 cfm
- Fluid Consumption (haze): 16 ml/min
- Fluid Consumption (bubble): 22 ml/min
- Compatible Fluids: (haze: HDF, HFG) (bubble: BJG)
- Bracket Mounting Hole: M12

Dimensions: 310mm x 312mm x 394 mm

Weight: 9.2 kg

Wireless Led par ADJ Element Hex IP

Rent price:
13.00 EUR/day
+ VAT 20%

From the Element Par Series, the Element HEXIP is an IP54 outdoor rated battery powered LED Par with ADJ's WiFLY EXR wireless DMX for indoor or outdoor use. It's powered by four 10W RGBAW+UV (6-IN-1) LEDs. The Element Par Series are lightweight and easy to operate with a carry handle and kickstand for uplighting, staging, events, productions and any mobile



application. No cables or wires needed!

Specifications:

Optical:

- 4 x 10-Watt RGBAW+UV LEDs (6-in-1 - Red, Green, Blue, Amber, White & UV)
- Life expectancy: rated at 50,000 hrs.
- LUX: 684 @ 2M; 171 @ 4M
- Beam angle: 20-degree
- PWM frequency: 1000Hz

Connection:

- DMX: WiFLY EXR Wireless DMX
- With Wired Digital Communication Network
- IEC connection to power/charge fixture

Control:

- Control protocol: WiFLY EXR DMX
- 5 DMX Channel modes: 6, 7, 8, 11, or 12
- Remote control: WiFLY EXR DMX, UC-IR, Airstream IR
- 5 Operational modes: RGBAW+UV Dimmer Mode; Sound Active mode; Auto Run Mode (16 color change modes, 16 color fade modes, & 1 color/fade combo mode); Static Color mode; and DMX Controlled

Features:

- IP54 Outdoor Rated

Built-in kickstand to angle figure while it's on the floor

- 4-button DMX menu display on rear panel with water resistant hatch

Built-in WiFLY EXR wireless DMX: Up to 2,500 feet (760M) when used with ADJ's WiFLY EXR Battery Transceiver:

63 built-in Color Macros

- Variable RGBAW+UV color mixing offers a smooth, seemingly unlimited color palette - Great for Stage or Wall Washing!
- LED pulse and strobe effect (0.2Hz-11Hz)

Flicker Free Operation

Electronic Dimming: 0 - 100% with 5 dimming curves

Run all night - No duty cycle

- Energy Saving Mode

Battery:

- Battery Type: fixed lithium battery
- Battery Energy: 73.26WH (Watt Hours)
- Battery Weight: 0.42 kg.
- Battery Voltage: 11.1V
- Battery Capacity: 6.6AH
- Total Lithium Ion Cells: 9 pieces
- Battery Wrap Material: PVC sleeving + highland barley paper
- Battery Charge Time: 4.5 Hours (With POWER switch On)
- Battery Life: 16 hours (Full charge, single color, Battery Saving mode ON)

Electrical:



- Power Draw Total (All LED's @ Full On): 42W, 0.2A @ 220V/50Hz, Multi-voltage operation: AC 100-240V, 50/60Hz

Dimensions: (LxWxH): 140 x 140 x 190.5mm

Weight: 2.9kg

[Stand with Square Base](#)

The LS 331 B lighting stand features a large heavy steel base providing a firm footing and a single extension for a maximum height of 2.4 m. The 35 mm pole includes a male threaded M20 insert, the base tube has a female M20 end. Two integrated base handles facilitate transport.

Specifications:

- Tube material: Steel
- Base material: Steel
- Min. Height: 1420 mm.
- Max. Height: 2420 mm.
- Max. load capacity: 20 kg.

Weight: 18,8 kg

Rent price:
10.00 EUR/day
+ VAT 20%



[Moving head Varytec Hero Spot Wash 140 2in1 RGBW+W](#)

Rent price:
20.00 EUR/day + VAT 20%

2-in-1 LED Spot Wash Moving Head


- Combines two devices in one unit
- Saves time and space in your rig
- Ideal for mobile DJs, entertainers and bars

Technical Data:

- Light source: 4x 10 W RGBW 4-in-1 LED ring and 1x 100 W white light spot LED



- 16-Bit pan / tilt: 540° / 190°
- Beam angle, Wash: 25°
- Beam angle, Spot: 18°
- 2 Gobo wheels: 8 Rotating gobos and 8 static gobos
- 7 Colours + white
- Gobo flow and shake function
- Motorized focus
- Electronic dimmer: 0 - 100 %
- Electronic shutter: 0 - 20 Hz
- Control: DMX (12/16/23 channels), master / slave, automatic programs, music control
- OLED display with four buttons for clear operation
- DMX input and output: XLR 3 pin
- Power input and output: Power Twist
- Power supply: 100 - 240 V at 50/60 Hz
- Power consumption: Max. 170 Watt
- Fan cooled
- Black metal and plastic body
- Gobo size: 24 mm
- Image size: 18 mm
- Suitable IR remote control: Article no. 470389 (not included)



Further information:

- Type of lamp – LED
- Power of light - 100W
- Rotating Gobos – YES
- Static Gobos – Yes
- Motor Driven Focus – Yes
- Color Mixtype – Colour Wheel
- Prism – Yes
- Iris - No
- Zoom - No
- Number of Colour Wheels - 1

Dimensions: 395 x 325 x 290 mm

Weight: 8.5 kg


[DJ Led Table](#)

Special design from S&L Concept, consisting from Nanoleaf Aurora panels and special mounting cover on DJ table.

The idea is to create interesting light patterns on front of DJ Table. It is possible to change the patterns by moving triangle segments to make your own wished pattern.

Nanoleaf's triangular light panels are bright, colorful, easy to assemble and downright cool to look at! The app makes it easy to

Rent price:
100.00 EUR/day + VAT 20 %



create your own animated scenes. Really beautiful, simple and lightweight special light effect for your event!

NB! If it is needed, our technician can make the pattern, if you want us to do it. Rental price including creation and combining patterns with panels according to client wishes.

Pack includes:

- 18 -30 pcs. Nanoleaf Aurora panels with connectors (Quantity of panels, depends from chosen patterns)
- Special table cover for mounting Nanoleaf Aurora (2 pcs. front cover – 1m high, table cover – 1.2m width)
- Music triggering switch panel (3 modes)
- Transportation bag (Includes whole pack, easily carrying with one person)
- Power supply 220v with auto mode switch panel
- Panel pattern creation work according to clients wishes.

Specifications of panels:

- Luminous Flux: 100LM/Panel
- Color Temperature: 1200k – 6500k
- Energy Consumption: 0,5w - 2w
- Max Power Supply Power: 60w
- Max Panels/PSU: 30 panels
- Voltage: 100v – 240v
- Color Channel Configuration RGBW
- Communication Protocol: WIFI (2,4 Ghz b/g/n)
- Weight: 210 Grams
- Height of Panel: 21cm
- Length of Panel: 24cm

[DMX interface ADJ My DMX 3.0](#)

ADJ's myDMX 3.0 is a multi-platform DMX control software/hardware system (Windows and OSX Mac compatible). myDMX 3.0 has a new, robust hardware dongle and exciting new features to take greater command of your lightshow. Out of the package, myDMX 3.0 software will run in limited mode; 512 "Live" DMX channels & 60 "Stand Alone" DMX channels.

Features:

- Play multiple scenes at a time
- Arrange scenes into groups
- Sound-light with BPM audio analysis and pulse analysis
- Live snapshots
- Live scene dimming and scene speed controls
- Stand Alone backup memory
- BPM tap
- Flash scenes
- Blind editing - edit scenes without outputting the DMX
- Fully compatible with myDMX 2.1 software



Rent price:
20.00 EUR/day
+ VAT 20%



[Hazer Stariville AFH-600 DMX + DMX controller](#)

Rent price:
25.00 EUR/day
+ VAT 20%

Powerful haze machine with excellent features such as a quick heat-up time and continuous fog output. Suitable for medium-sized stages, clubs, discos etc. The integrated DMX512 interface allows operation via any commercially available DMX control. Elation SDC-6 DMX controller equipped with hazer + DMX cable 5m.

Technical specifications:

Hazer AFH-600 DMX:

- Heating element: Electronic evaporator with 600 W
- Warm-up time approx. 2 min.
- Tank capacity: 2.3 l
- DMX-512 (1 channel)
- DMX input and output: 3-Pin XLR
- Power supply: AC 230V, 50 Hz
- Max. power consumption: 600 W

Elation SDC-6 Faderdesk V2 black features:

- Simple 6 channel DMX controller
- 6 individual Fader and one Masterfader
- 6 DMX Channels
- Very compact design
- Easy handling
- External power supply (9V DC/500mA) or Battery (9V bloc)
- DMX Output: 3pol (2+/3- / 2-, 3+)
- On / off switch
- Power supply included
- Battery power option

Dimensions: (LxWxH): 450 x 290 x 265 mm

Weight: 5.5 kg

[Mini Fogger HQ power 400w + controller](#)

Rent price:
18.00 EUR/day + VAT 20%

Compact shape very efficient 400W powerful smoke machine with external controller. The video use a 400w device with similar features.

Features:

- Easy-to-use smoke machine with ON / OFF switch and controller



- Plastic housing
- Suitable for smaller rooms
- Technical specifications:
- Power supply: 230 VAC 50 Hz
- Protection: F5AL 250V
- Power consumption: 400 W
- Output: $\pm 70\text{m}^3 / \text{min}$
- Container: 300 ml
- Fluid consumption: 60 - 80 ml / min
- Warm-up time: ± 4 min



Dimensions: 230 x 110 x 110 mm

Weight: 2 kg

[Eurolite Half Mirror Ball 50cm \(Built In Motor\)](#)

Rent price:
18.00 EUR/day
+ VAT 20%

This Half mirror ball with a built-in motor is a super accessory to our smaller diameter mirror balls and will make a party or disco an event to remember. It's a synchronous ac motor so can start rotation in either direction with hand force, it's very easy to stall the motor and get it to rotate in the other direction.

Features:

- Power supply – 230Vac, 50Hz or 110v 60Hz
- Size: 50cm /20" diameter
- Top to bottom, please allow 29cm
- Mirror reflection: Silver
- Supplied with rotating motor
- Weight – 5.8kg
- Power Cable – 1 meter
- Speed (Rotation per minute) – 1rpm,2rpm,3rpm alternative speed
- CE Compliant: Yes
- Power Consumption: 4W



Note: Correct installation has been designed in accordance with the fall protection regulation BGV C1 (previously VGB 70)

[Avolites T2 USB Interface](#)

Rent price:
30.00 EUR/day
+ VAT 20%

Avolites T2 is USB dongle which plug into a Windows PC or laptop. Dongle include an AvoKey.

T2 provides two universes on two 5-pin XLRs and has an input for Audio/LTC timecode for external triggering. It also enables the use of a USB MIDI device for MIDI triggering of Titan, which for example would allow you to use a MIDI fader surface, and also allows use of the Titan Mobile fader wing.

T2 device use a special version of the Titan software called Titan Go. The operating screen is slightly different to the normal display as it is designed for use on a touchscreen with no physical control surface (actual faders or buttons).



The T2 allows access to the full Titan PC Suite with features including Synergy, Key Frame Shapes and advanced pixel mapping as well the highly requested USB Midi control.

Features:

- 2 Universes of DMX
- LTC Timecode In
- USB Midi Control + Supports Titan Mobile Fader Wing
- Supports Web API
- Touch screen support

Specifications:

- 2 Lines of DMX Output
- USB Midi Control
- Supports Titan Mobile Fader Wing
- LTC Timecode In
- Can be used as an LTC in on any console
- Access to Full Titan PC Suite
- Avokey Included
- Adds Audio Triggering to any Titan console
- Dimensions: 12 x 9 x 2.5 cm
- Net weight: 120 gr
- Processor: Recommended: Intel i7 2GHz; Minimum: Intel i5 2GHz
- Memory: Recommended: 8GB; Minimum: 4GB
- Screen: Recommended: PassMark 700 or more; Minimum: PassMark 300 or more
- Hard Drive: Recommended: Intel or SanDisk SSD, 20GB + 20% free space
Minimum: SSD Drive, 8GB + 20% free space
- Operating System: Recommended: Windows 10 1; Minimum: Windows 7 or above 1

NOTES:

When running on a computer with less than the recommended specification, the software may not run as well or as fluidly as it is supposed to. Note that the performance will vary depending on the number of fixtures patched and the number of running playbacks.

Tested on Windows 7 Service Pack 1 and Windows 8 and Windows 10 including 32-bit and 64-bit versions. Please ensure that all applicable updates have been installed. Windows XP, Windows Vista and virtual machines, e.g. VMware, are not supported.

Dimensions: 12 x 9 x 2.5 cm

Weight: 120 gr

[8ch. DMX mini controller Beamz](#)

This mini DMX controller is a compact light-control-unit, specially designed for use anywhere. Because it is convenient to carry, and of its size, it is often used “on the road” . The built-in rechargeable 9V battery ensures you ± 6-8



Rent price:
5.00 EUR/day
+ VAT 20%

hours pleasure with the streamlined controller. Suitable for indoor- and outdoor use during all kinds of parties.

Features:

- Stream-line design
- Internal rechargeable 9V battery (6-8 h work)
- Storage up to 30 patterns
- 64 DMX channels
- IP20 protection rating
- Power supply: 220-240VAC 50Hz (12V Adapter)
- DMX connector: 3-pin XLR
- Digital tube display

Dimensions: (L x W x H): 170.5 x 85.5 x 36mm

Weight: 0.5400kg

[Chauvet Rotosphere Q3 Led Mirror Ball](#)

Rotosphere Q3 is an easy to use mirror ball simulator with high-power, quad-color LEDs. 3 LED zones emit up to 3 different colours simultaneously and slow rotation speed creates a romantic atmosphere. Rotosphere Q3 is easily controllable with the optional IRC-6 remote and the digital display even allows you to set a colour and rotation speed without any controller. The Rotosphere Q3 is suitable for every event in black housing. Mount Rotosphere Q3 to truss with the included bracket or place it on a stand as a centerpiece.

Highlights:

- Easy to use mirror ball simulator with powerful quad color LEDs
- 3 LED zones emit up to 3 different colours at the same time
- The slow rotation creates a romantic atmosphere.
- The digital display allows you to set colors and rotation speed without a controller.
- Operation on trusses with supplied bracket or installation centrally on a stand
- Easy control of colors and automatic programs with the optional remote control IRC-6 remote
- Creates sensational effects with sound-activated and automatic programs
- PowerLink saves cabling time by connecting multiple luminaires together
- Perfectly stored in the CHS-50 VIP Gear Bag (not included)

Specifications:

- DMX channels: 3, 9, or 19
- DMX connector: 3-pole XLR
- Light source: 5LED (Quad-Color RGBW) 7 W, (2,4 A), 50.000 hours life typical
- Strobe rate: 0 to 20 Hz
- Beam angle: 360°.
- Power Link: 12 units@ 120 V; 21 units@ 230 V Input voltage: 100 to 240 V AC,



Rent price:
12.00 EUR/day
+ VAT 20%



50/60 Hz (auto range) Power consumption and current: 46 W, 0.7 A @ 120 V, 60 Hz

- 44 W, 0.4 A @ 230 V, 50 Hz
- Approvals: CE
- Rotation speed: 2 - 19 rpm
- Optional control: IRC-6

Dimensions: 11 x 13 x 17 in (266 x 319 x 419 mm)

Weight: 8.6 lb (3.9 kg)

[Chauvet D-Fi HUB](#)

D-Fi™ Hub is a compact, easy-to-use DMX unit that functions as either a transmitter or receiver. For more stable communication between units, it operates on a 2.4 GHz frequency range and includes an “auto” function which automatically finds the best frequency and syncs the units effortlessly. You can wirelessly synchronize an unlimited number of D-Fi™-ready fixtures simultaneously, and operate them using the simple navigation on the OLED digital display.

Features:

- Compact, easy-to-use wireless D-Fi™ transmitter and receiver in a single unit
- Wirelessly synchronize an unlimited number of D-Fi™-ready fixtures and receivers simultaneously
- Built-in options include manual or automatic channel selection
- Simple navigation and text readout using the OLED digital display
- Mounting options include built-in hook and loop fastener strap, keyhole mounting holes, M10 and M12 threaded holes for direct mounting to truss
- Fully FCC/RTTE compliant

Spetsification:

- DMX Connectors: 3-pin XLR
- Operating Frequency: 2.412 to 2.484 GHz
- Antenna connection: RP-SMA
- Max Unobstructed Distance: 656 ft (200 m)
- Input Voltage: 9 VDC, 500 mA (external power supply: 100 to 240 VAC, 50/60 Hz)
- Power and Current: 4 W, 0.1 A @ 120 V, 60 Hz
- Power and Current: 4 W, 0.1 A @ 230 V, 50 Hz
- Approvals: CE, FCC

Dimensions: 10,2 x 8,2 x 4,1 cm

Weight: 0,6 kg

[ADJ WiFLY NE1 DMX controller](#)

The WiFLY NE1 from ADJ is the DMX controller you've all been waiting for;

Rent price:
15.00 EUR/day
+ VAT 20%



Rent price:
15.00 EUR/day
+ VAT 20%

a real game changer and the most universally-accessible ever. Offering you a versatile DMX control solution, the WiFLY NE1 is equipped with a built-in FX generator, for both LED and Moving Lights, and WiFLY transmitter, making it compatible with a range of fixtures from ADJ's WiFLY series. Along with wireless DMX transmission, the WiFLY NE1 also has a 3-pin DMX output for fixtures without wireless DMX.



Features:

- 432 channel DMX Controller with ADJ's WiFLY Transceiver Wireless DMX on-board. (Can also be hard wired via 3 pin DMX cables)
- Designed for Inno Series and RGB, RGBW, RGBA, RGBWA and RGBWA+UV LED's but can control most DMX products that consist of 36 channels or less
- Built-in effects generator for moving lights and LED's
- Control up to 12 individual fixtures
- 12 Memories via 2 Banks
- 4 Rotary Encoders for Channel & Function Control
- Master Dimmer Fader Control
- Strobe Rate Fader Control
- 6 Mode buttons (Fixture, Color, Gobo, Effect, Show, &Pause)
- 12 Multi-Function buttons
- Blackout button
- Universal USB Port (USB Stick Included)



Technical Specifications:

- DMX output connector: 3-pin XLR
- Power In: 9-12V DC min 300mA UL approved power supply (Included)
- Power consumption: 2.7 Watts



Dimensions: 325 x 185 x 68.7mm

Weight: 2 kgs



Haze liquid

Rent price:
0.00 EUR/day
+ VAT 20%

1L kanistri hind: 7 eur + (KM 20%)

5L kanistri hind: 23 eur + (KM 20%)

Haze liquid:

- Without smell
- Didn't need to clear equipment after use



Mirror ball motor with weight 3 kg

Rent price:
8.00 EUR/day
+ VAT 20%

Low-noise motor for mirror balls

Specifications:

- Power lead with moulded plug
- Strong housing
- Rotation per minute: 1.5 (rpm)
- Max. weight load: 3 kg
- Cable : 60 cm
- Power supply: 230Vac, 50Hz, 4W

Dimensions: 58 x 110mm Ø

Weight: 270g



Laser G-Tech 120RGY

Rent price:
28.00 EUR/day + VAT 20%

RGY color laser 140mV, DMX control, 128 preset effects.

Specifications:

- Model: G-Tech SynthiLase 120RGY
 - 128 built-in effects
 - Standard control protocol DMX 512
 - Powerful RGY laser
 - Sound signal control via built-in microphone
 - Adjusting the volume of the built-in microphone signal
 - Key locking device (EN 60825-1)
 - Output power of lasers: 120-140mW
- RGY**
- Scanning speed: 2000-5000pps
 - Number of pictures: 128

Dimensions: 300 * 260 * 100 mm

Weight: 4.5kg



Deco trussing Duratruss 35mm (Modules, corners, plates)

Rent price:
4.00 EUR/day + VAT 20%


The DT24 series is a 4-point-trussing-system with conical coupler (spigot), trusspin and safety clip. The advantage of the quick connector system lies in the fact that it closes force-locking the belt tube and allows rapid assembly and dismantling.

Optionally the system can be extended with various lengths, corners, T-branches and angles. Extensive accessories such as hooks, connectors, base plates and much more solutions will complete the product range.

The system is from European production which is compatible to the most common systems in the market and is TÜV approved.

Technical specs:

- Diametrics main tube: 35 mm (1.4 inch)
- Wall thickness: 2 mm (0,08 inch)
- Diametrics braces: 8 mm (0.3 inch)
- Material: Aluminium EN-AW 6060 T66 (AlMgSi1)
- Included : cones, steel pins, safety clips



Chauvet Obey 4 DMX

It's a compact DMX controller for LED wash lights with 3- or 4-channel modes—red, green, blue and white/amber—for easy color-mixing control. It has built-in automated, sound-activated or manual playback options and can control fixtures in four different zones—independently of each other. Its one-touch buttons of pre-mixed colors, built-in chases and strobe and dimmer controls make it perfect for a lighting novice or anyone looking for an easy way to control LED washes.

Features:

- Compact DMX-512 controller for LED fixtures (up to 4-channels): Channel 1:

Rent price:
12.00 EUR/day
+ VAT 20%



red, Channel 2: green, Channel 3: blue, Channel 4: white (or amber)

- Controls up to 4 separate fixtures
- Each fixture can be in different playback modes simultaneously
- Playback options include automated, sound-activated or manual RGBW
- Playback modes: Preset: 9 built-in colors, Chases: manually trigger automated programs, Color macro: manually scroll through the color spectrum, RGB fade: automatically scroll through the color spectrum, RGB fade delay: automatically scroll through the color spectrum with a small delay to each fixture, Auto: randomly selects different colors for each fixture
- Variable fade times for all playback modes
- Variable strobing on the fly
- Adjustable blackout allows fixtures to fade in and out
- Adjustable audio sensitivity

Specifications:

- Power: 12VDC 500mA (external power supply: 100-240VAC 50/60Hz)

Dimensions: 325mm x 140mm x 52mm

Weight: 1.4kg

[Martin Detonator](#)

The Detonator is an optional, dedicated remote control tool for easy command of the Atomic 3000 DMX strobe's flash rate and intensity. It includes “blinder effect” and “single flash” detonator buttons as well as a chase/synchronization toggle switch. Easy to set up and operate, the Atomic Detonator requires no external power source.

Specifications:

- Dedicated remote control for Atomic 3000 DMX strobe
- Fader-controlled flash rate and intensity
- Single button for Detonator blinder effect
- Separate button for single flash and flash sync
- Chase effect operation with multiple units
- No external power necessary
- Easy set-up and operation
- Strobe rate: 0 - 25 Hz (50 Hz mains), 0 - 30 Hz (60 Hz mains)
- Intensity: 0 - 100%
- Housing: SteelColor(s): Black
- Control signal output: 3-pin locking XLR

Dimensions: 142 mm, Width: 113 mm; Height: 75 mm

Weight: 0.7kg

[Single Tube truss \(Different sizes\)](#)

Litec truss 50mm tube.


Rent price:
8.00 EUR/day
+ VAT 20%



Rent price:
5.00 EUR/day + VAT 20%

Features:

- Supplied with 1 conical connector
- Prolyte H30 Truss compatible
- Tube Diameter: 50mm
- Superior 3mm wall thickness aluminium



[Trussing Litec 50mm \(Modules, corners, plates\)](#)

Rent price:
4.00 EUR/day
+ VAT 20%

QX30SA substitutes the model QX30S, from which it keeps the excellent size, weight, cost and performance characteristics. It is made of 6082 alloy extruded components, with high load-bearing and twisting strength. QX30SA is a constitutive element of Unitower, Towerlift 3, and Flyintowers 6-300 and 7.5-500.




The range includes the option of a quick-fit conical connection system or alternatively a nut and bolt connection system. The nut and bolt system reduces overall loading capabilities.


Optionally the system can be extended with various lengths, corners, T-branches and angles. Extensive accessories such as hooks, connectors, base plates and much more solutions will complete the product range.



Technical specifications:

- Diametrics main tube: 50 mm
- Wall thickness: 2 mm
- Diametrics braces: 18 mm (0.3 inch)
- Diametrics braces wall thickness: 2mm
- Material: It is made of 6082 alloy extruded components
- Included : cones, steel pins, safety clips





Rent price:
5.00 EUR/day
+ VAT 20%

[Admiral Freedom Profile and Hanger 50mm](#)

Freedom profile 150cm black:

The name of this product tells you all you need to know. Admiral has developed a modular rigging system that offers you as much constructional freedom as possible. This innovative system can be used suspended or standing and there are so many length and width variations of the suspension structure it would be difficult to calculate them all! Multiple tubes can be slide into each other in order to vary the height, while the width can be determined by various lengths of suspension tubes. With Admiral's Freedom Rigging System, you can rig just about any kind of luminaire imaginable including armatures and yokespots.

Profiles:

The aluminium length profiles are mutually connectable. The pendle system is extendable in increments of 50cm.

Specification:


- Dimensions: 4x 4x 150cm
- Material: aluminium
- Colour: black powdercoated
- Weight: 1.87kg
- WLL: 200kg

Freedom hanger 50cm black:

The name of this product tells you all you need to know. Admiral has developed a modular rigging system that offers you as much constructional freedom as possible. This innovative system can be used suspended or standing and there are so many length and width variations of the suspension structure it would be difficult to calculate them all! Multiple tubes can be slide into each other in order to vary the height, while the width can be determined by various lengths of suspension tubes. With Admiral's Freedom Rigging System, you can rig just about any kind of luminaire imaginable including armatures and yokespots.

Specification:

- Length: 50cm
- Incl. 2 x M10 knobs
- Colour: black powdercoated
- Weight: 0.80kg
- WLL: 75kg



Rent price:

Gravity SA BTRAY 1 plate for 35 mm tripods

5.00 EUR/day
+ VAT 20%

This practical attachment fits on every 35 mm tripod tube and makes a usual speaker stand a projector stand. With 42 x 38 cm footprint, it is also ideal for laptops, blue-ray players, studio monitors and other devices weighing up to 30 kg. The stable construction is completely made of steel, the edges of the beamer adapter plate are thereby pulled up to increase the bending-strength 10 mm and prevent a fall of the devices.

Highlights & Details:

- Universal attachment for tripod tubes with 35 mm diameter
- Suitable for projectors, laptops, DVD players, monitors etc.
- Dimensions 420 x 380 x 10 mm without speaker flange
- Stable steel construction with clamping screw
- Raised edges for more flexural strength and security

Descriptions:

- Product type: Stand and stand accessories
- Type: Universal monitor holder
- Material: steel
- Surface: Powder-coated
- Suitable for pipe diameter 35 mm
- Max. load carrying capacity 30 kg.
- Length of base plate (mm): 380
- Width of base plate (mm) 240
- Material thickness base plate (mm): 2
- Weight 2.94 kg



Gold Mirror Ball 30cm + motor + hook

Rent price:
22.00 EUR/day
+ VAT 20%

GOLD Mirror ball 30cm specifications:

- 30cm diameter
- Weight: 2.35 kg

Low-noise motor for mirror balls specifications:

- Power lead with moulded plug
- Strong housing
- Rotation per minute: 1.5 (rpm)
- Max. weight load: 3 kg
- Cable : 60 cm
- Power supply: 230Vac, 50Hz, 4W
- Dimensions: 58 x 110mm Ø
- Weight: 270g



Double Keyboard stand Athletic KB-2EX + KB-D1/D2

Rent price:
8.00 EUR/day + VAT 20%

Keyboard stand with double, strengthened construction with EXPRESS LOCK regulation. Allows for fast and secure placing of the stand in any position with one finger movement.

Specifications:

- Express Lock height adjustment system;
- Height: 58-98 cm;
- Width: 20-82 cm;
- Maximum load: 50 kg;
- Material of manufacture: steel;
- Weight: 4.80 kg.

Athletic KB-D1 is an additional angled stand for a second keyboard for the Athletic KB-6, Athletic KB-6ex, Athletic KB-2, Athletic KB-2ex series stands.

- Height: 300 mm
- Arm length: 300 mm
- Tilt angle: 20 degrees
- Material: steel
- Maximum load: 25 kg
- Weight: 1.60 kg
- Color: black

Athletic KB-D2 - Optional Straight Second Keyboard Stand for Athletic KB-6, Athletic KB-6ex, Athletic KB-2, Athletic KB-2ex Series Racks.

- Height: 240 mm
- Width: 300 mm
- Material: Steel
- Weight: 1.55 kg



KB-D1



KB-D2