

## Table of contents

- [Digital videocam Panasonic NV-GS5](#) (20.00 EUR/day + VAT 20%)
- [Videoprojector Sanyo PLC-XU355](#) (35.00 EUR/day + VAT 20%)
- [Tripod screen Projecta Professional 213cm\\*213cm](#) (35.00 EUR/day + VAT 20%)
- [Sports Cam Full HD + wifi + accessories](#) (22.00 EUR/day + VAT 20%)
- [Videoprojector Panasonic PT-VW360](#) (45.00 EUR/day + VAT 20%)
- [TRIPOD SCREEN PROJECTA PROFESSIONAL 180CM\\*180CM](#) (35.00 EUR/day + VAT 20%)
- [LCD Samsung 50" Ultra HD LED UE50NU7092UXXH](#) (50.00 EUR/day + VAT 20%)
- [Laser video projector Hitachi LP-AW4001](#) (75.00 EUR/day + VAT 20%)
- [Fast Folding Screen 120" \(2.66m\\*1.5m\) 16:9](#) (75.00 EUR/day + VAT 20%)
- [Webcam Logitech brio 4k \(Stream edition\)](#) (20.00 EUR/day + VAT 20%)
- [Blackmagic Design Atem Mini Pro](#) (25.00 EUR/day + VAT 20%)
- [Panasonic Lumix DC – G9](#) (35.00 EUR/day + VAT 20%)
- [Lens Panasonic HSA12035](#) (23.00 EUR/day + VAT 20%)
- [Camera GoPro Hero 9 Black](#) (20.00 EUR/day + VAT 20%)
- [Karaoke system AST 50](#) (125.00 EUR/day + VAT 20%)
- [2 psc. Wireless microphones Saramonic UwMic9 TX9 + 1 psc. Receiver RX9](#) (25.00 EUR/day + VAT 20%)
- [2 psc. Saramonic UwMic9 TX9/HU9 + 1 psc. receiver RX9](#) (30.00 EUR/day + VAT 20%)
- [Televiisor LG 32LD350 – 32"](#) (30.00 EUR/day + VAT 20%)
- [Tablet Samsung Galaxy Tab A](#) (25.00 EUR/day + VAT 20%)
- [Tablet Lenovo – X505F](#) (20.00 EUR/day + VAT 20%)
- [Curved monitor 24" Samsung C24T550FDU](#) (25.00 EUR/day + VAT 20%)
- [Clicker Logitech Prof. Presenter R700](#) (15.00 EUR/day + VAT 20%)
- [Playstation 4 pro + 2 original joystics + 5 CD discs with games](#) (35.00 EUR/day + VAT 20%)
- [SanDisk Extreme Portable SSD 500GB](#) (10.00 EUR/day + VAT 20%)
- [4 Port HDMI 18G Splitter](#) (10.00 EUR/day + VAT 20%)
- [Laptop MacBook Pro \(Retina, Mid 2012\)](#) (35.00 EUR/day + VAT 20%)
- [Laptop Asus TUF Gaming FX505DU-AL079T](#) (45.00 EUR/day + VAT 20%)
- [Power bank MAXOAK K3 36000mAh](#) (20.00 EUR/day + VAT 20%)
- [Power bank Samsung 10000mAh](#) (7.00 EUR/day + VAT 20%)
- [HDMI Switcher 2.0 4\\*1 Pro-Signal](#) (12.00 EUR/day + VAT 20%)
- [4K HDMI Repeater V1.4 Well](#) (8.00 EUR/day + VAT 20%)
- [EKSA Bluetooth 5.0 Transmitter Receiver](#) (15.00 EUR/day + VAT 20%)
- [HDMI Splitter Nedis 1 in/2 out](#) (7.00 EUR/day + VAT 20%)
- [Chauvet Cast Panel Pack \(2 light panels + 2 stands + 4 batteries Sony NP-F 960\)](#) (50.00 EUR/day + VAT 20%)
- [Video Card Capture HDMI With Loop](#) (12.00 EUR/day + VAT 20%)
- [Memory card SanDisk microSDXC 256gb](#) (5.00 EUR/day + VAT 20%)
- [Memory card SanDisk Extreme Pro SDXC 64gb](#) (8.00 EUR/day + VAT 20%)
- [Mini HDMI2AV to AV Video Converter](#) (12.00 EUR/day + VAT 20%)
- [TV LCD Philips 32PFL7332/10 32"](#) (30.00 EUR/day + VAT 20%)
- [TV stand Gravity with square base](#) (12.00 EUR/day + VAT 20%)
- [EcoFLOW DELTA Max Power Station, 2016Wh](#) (150.00 EUR/day + VAT 20%)
- [EcoFLOW DELTA Max Smart Extra Battery, 2016Wh](#) (50.00 EUR/day + VAT 20%)
- [Mobile phone Samsung S9+](#) (15.00 EUR/day + VAT 20%)
- [Gold Fencing Post](#) (9.00 EUR/day + VAT 20%)
- [Bag chair](#) (7.00 EUR/day + VAT 20%)
- [KUPO CICLORAMA 1000W FDL-1000 Soft floodlight + Dimmer ADJ Uni Pack 2](#) (16.00 EUR/day + VAT 20%)

- [Accessories for GoPro cameras](#) (3.00 EUR/day + VAT 20%)
- [Smartphone Samsung Galaxy A5 \(2016\)](#) (10.00 EUR/day + VAT 20%)
- [Multi charger VARTA \(AA, AAA, C, D, 9V\)](#) (12.00 EUR/day + VAT 20%)
- [Jump starter Denver Power Bank 10000mAh](#) (15.00 EUR/day + VAT 20%)
- [HDMI Extender Nedis 50m Cat5e/6](#) (18.00 EUR/day + VAT 20%)
- [Pehmendusega klapptool, must](#) (2.00 EUR/day + VAT 20%)
- [Karaoke VocoPro mixer + 2 wireless mic](#) (50.00 EUR/day + VAT 20%)
- [Gravity Table + Black Cover](#) (15.00 EUR/day + VAT 20%)
- [Baltic Stages podium 1m\\*1m](#) (10.00 EUR/day + VAT 20%)
- [WD TV Live HD Media Player](#) (15.00 EUR/day + VAT 20%)
- [Black Magic HDMI/ SDI/HDMI Micro Converters Set](#) (18.00 EUR/day + VAT 20%)
- [HDMI Audio Extractor Splitter 4K@60Hz](#) (10.00 EUR/day + VAT 20%)
- [Battery Charger GP PowerBank Travel](#) (7.00 EUR/day + VAT 20%)
- [Camera Stand Heavy Duty](#) (8.00 EUR/day + VAT 20%)
- [Video cables](#) (3.00 EUR/day + VAT 20%)
- [Projector NEC VT660K 2000lum](#) (35.00 EUR/day + VAT 20%)
- [Newer 660 PRO RGB LED \(2 RGB Led panels + 2 stands + 2 soft box + 4 Sony batteries NP-F960\)](#) (70.00 EUR/day + VAT 20%)
- [Studio Cube Umbrella Softbox 135W \(2 softbox + 2 \\*135w bulb + 2 tripod + bag\)](#) (30.00 EUR/day + VAT 20%)
- [Vonyx Megaphone 65W recording USB/SD Li-Ion battery](#) (16.00 EUR/day + VAT 20%)
- [Single channel Cable Protector](#) (3.00 EUR/day + VAT 20%)
- [Hdmi-Vga converter](#) (8.00 EUR/day + VAT 20%)
- [Sandisk Extreme Portable SSD 1TB \(V2\)](#) (15.00 EUR/day + VAT 20%)

## [Digital videocam Panasonic NV-GS5](#)

Rent price:  
**20.00 EUR/day**  
**+ VAT 20%**



- Format: mini DV
- Optical zoom: x10
- Digital zoom: x500
- Digital effects: Photo-mode
- LCD Screen: 2,5"
- SD and MultiMediaCard
- MPEG4 Internet movie
- 1,5 Sec. Quick Start function
- Colour Night View function
- USB output
- Lithium battery 800mAh + 1600 mAh.
- AV Input/Output. (mini jack)
- Record/Play mode
- SP/LP ..
- Smart Wind Cut function
- Separately: stand, wide objective

**Dimensions:** 68 x 89 x 114 mm

**Weight:** without battery: 470 g.

## [Videoprojector Sanyo PLC-XU355](#)

Rent price:  
**35.00 EUR/day**  
**+ VAT 20%**

**SANYO is the first in the industry to provide a simple wireless projection setting with the PLC-XU355. Plug in the SANYO USB memory terminal provided, and you're a click away from automatically projecting the desired image on the screen. The PLC-XU355 is equipped with SANYO's exclusive PJ-Net Master Network Interface software that can accept wired or wireless networking, giving a capability to monitor functions and operation from a long distance via a web browser for up to 15,000 SANYO projectors.**

**As long as we are in the "simple-to-do-mode", this very bright projector of 3500 ANSI Lumens has an Easy Setup Function including the automatic vertical keystone correction for screen distortion elimination, auto input signal search for handling input settings and a guidance function that assists in setting up the projection screen display. Easy and smart.**

**This is a great projector for business needs. A short throw lens and a 7 watt speaker make it a super presentation device.**



### **Technical features:**

- Brightness: 3500 lum
- Resolution: XGA (1,024 x 768)
- Uniformity: 85%
- Panel System: 0.63" TFT Polyx3
- Number of Pixels: 2,359,296 (786,432 x3)
- Contrast Ratio (Full on / off): 500:1
- Image Size: 30"-300"
- Aspect Ratio: 4:3
- Projection Lamp (s): 225W UHP
- Scanning Frequency: H:15-100kHz, V:50-100Hz
- Dot Clock: 140MHz
- dB Rating: 29dBA(Eco) 34dBA(Normal)
- Voltage: 100-240V
- BTU Rating: 1,126 (Normal) 860W(Eco)
- Power Consumption: 330W (Normal) 252W(Eco)
- Weight: 2.9 kg
- Dimensions: 326 x 92.6 x 266.8 mm
- Projection Lens (inch):F1.65 – 2.33 f=0.61" - 0.97"
- Throw Distance (feet): 2.26' - 23.72'
- Zoom / Focus: Manual
- Throw Ratio: 1.18-1.91:1
- Zoom Ratio:1:1.6
- Up / Down Ratio: 9:1
- Power Lens Shift: No
- Optional Lenses: No
- Rear Screen Projection (L / R Reverse): Yes
- Ceiling Mountable (T / B Reverse):Yes
- Digital Keystone Correction: V +/- 30° (Auto Keystone)
- Digital Zoom: 16x - 1/4x
- Digital Interface (HDCP Compatible): No
- Analog Interface: D-sub 15Pin, DVI-I, RCA, S-Video
- USB Port: Yes
- RS-232 Control: Carry and / or Yes
- Speaker Output: 7W
- Audio Output: Stereo Mini
- PC Monitor Output: Yes
- PC-Less Presentation: Yes

- Wireless Presentation: Yes
- Network Control / Admin: Yes
- Custom Startup ScreenL: Yes
- Shipping Case: Soft case
- Remote Control: IR with Mouse control

**Dimensions:** 326 x 92.6 x 266.8 mm

**Weight:** 2.9 kg

## [Tripod screen Projecta Professional 213cm\\*213cm](#)

Rent price:  
35.00 EUR/day  
+ VAT 20%

Projecta supplies an extensive series of portable projector screens that are extremely easy to set up. Projectors are becoming more and more manageable and lighter. Combining a projector with these features with a portable projector screen makes it possible to project at any desired location. Examples of this would be applications within the rental industry, during events, in the audiovisual sector, at conference centres and in education.

**Tripod screens -The best known portable projector screens are the tripod projector screens. Tripod screens are renowned for their stability and durability during long-term**

### Features:

- The Professional has a stable tripod made from square tubing.
- Special transport lock shields the screen fabric from damage.
- Easy-to-operate handle for adjusting height and aspect ratios.
- Aspect ratio - 1:1
- Screen size (h x b) - 213cm x213cm
- Viewing size (h x b) – 207cm x 207cm
- Diagonal - 293 cm
- Projection Surface: Matte White
- Case color - Black



**Weight:** 13 kg

## [Sports Cam Full HD + wifi + accessories](#)

Rent price:  
22.00 EUR/day + VAT 20%

### Features:

- With 170 degree wide angle lens and full HD 1080P camera.
- Easy to operate and convenient to carry.
- It offers mass storage for data saving.
- It is multifunctional, can be used to record voice,



- image and video, and as a music player.
- It is waterproof.
- This reliable DV is great for recording extreme sports experience.
- It uses wifi to transfer image or videos, download software or connect with tablet or phone, convenient to use.



### Specifications:

- Model: WIFI Sports Cam H.264 (SJ4000+WIFI or also known as SJ6000)
- Brand: Sports Cam H.264
- Image Sensor: 5.0MP CMOS
- LCD Display: 1.5" LTPS
- Max. Resolution: 12MP
- Frequency: 50Hz/60Hz
- Charging Time: About 3hrs
- OSD Language: English / Deutsch / Francais / Espanol / Italiano / Portugues / (Simplified / Traditional) Chinese / Japanese / Русский
- Support OS: Window XP/7/8 SP3/Vista and Mac 10.5 or above
- Lens: 170 Ultra Wide Angle Lens (F2.0/f=2.5mm)
- Photo Format: Single Shot/Timer Shoot (5s / 10s / 20s)
- Storage Media: Micro SDHC, Support up to 32GB
- Image Resolution: 12M, 10M, 8M, 5M, 3M, 2M, VGA, 1.3M
- Video Resolution: FHD 1920x1080 30fps; HD 1280x720 30fps; HD 1280x720 60fps
- Image Formats: JPG
- Supported Video Formats: MOV, H.264
- Output Mode: USB 2.0
- Power Supply: Built-in 900mAh Lithium-ion Battery
- Battery Life: 80min (1080P)
- Dimensions: 6 x 4.1 x 3 cm (L x W x H)
- Weight: 629g
- Color: Rose
- Power Source: 5V 1A
- Power Consumption: 400mA 4.2V



### Package for rental includes:

- 1 x Waterproof DV
- 1 x Waterproof Cover
- 1 x Bicycle Bracket
- 2 x Bases
- 2 x 3M Stickers
- 4 x Cable Ties
- 1 x Waterproof Housing

- 1 x USB Cable
- 1 x Belt Clip
- 1 x Adapter
- 3 x Adapter Brackets
- 2 x Helmet Seats
- 1 x Holder
- 1 x Charger
- 4 x Bandages
- 1 x User Manual
- 1 x Cloth
- 1 x Wire Rope
- 1 x Li-ion Battery
- 1 x Head belt with bracket
- 1 x Micro sd card 32gb
- 1 x Long stand (3 sections)
- 1\* short tripod stand (can be combined with long stand)

## Videoprojector Panasonic PT-VW360

**The PT-VW360 Series makes point-and-shoot projection easy in any space. With up to 4,500 lm\*1 and 20,000:1 Dynamic Contrast, HD images\*2 are vivid and sharp. Optional wireless module frees content from cables, while Corner Keystone Correction aligns pictures when projecting off-axis. Working flawlessly for 7,000 hours\*3 before servicing, this light but rugged portable hits the ground running for effortless presentation.**

4,000 lm

WXGA (1280 x 800)

20,000:1

Wireless Capability (Option)

### • Extremely Bright Images

Despite its light 3.3 kg weight and compact dimensions, the PT-VW360 series outputs up to 4,500 lm\* of brightness for spectacularly clear and brilliant images.

### • High 20,000:1 Contrast

A new iris mechanism optimizes light output according to content. Blacks are deep and rich while colors and highlights are reproduced with realism.

### • 7,000 Hours Maintenance-free\*

When used for eight hours per day, lamp and filter replacement is not required for up to 7,000 hours\* of operation, slashing cost of ownership.

Approximate maximum value with lamp mode set to ECO. Usage environment may affect filter maintenance cycle.

### • Quiet Operation


The quiet design keeps noise levels down to a low 29 dB on ECO Mode with the cooling fan hardly audible, minimizing distractions during presentations.

### • Flexible 1.6x Zoom Lens

When projecting onto a 100-inch-wide screen\*, the included 1.6x zoom lens supports a range of projection distances from 2.5 to 4.1 m (8.2 to 13.5 ft).

### • Daylight View Basic

Rent price:  
**45.00 EUR/day**  
**+ VAT 20%**



Panasonic's Daylight View Basic technology achieves sharp, easily viewed images by enhancing detail, particularly in dark areas of the image that are normally difficult to see in brightly lit rooms. A built-in sensor measures ambient light while Daylight View Basic adjusts halftone color and brightness according to the surrounding level of illumination.

- **Corner Keystone Correction for Angled Projection**

If on-site conditions require off-center projection, simply designate four screen corners and Horizontal & Vertical Corner Keystone Correction performs necessary adjustments for a distortion-free image.

- **Curved Screen Correction**

Barrel and pincushion distortions are easily corrected when projecting onto a curved screen surface.

- **Simple Lamp and Filter Replacement**

Lamp and filter are accessed via panels in the top and side of the projector.

Periodic maintenance takes moments even with the unit attached to a ceiling-mount bracket.

- **Project Wirelessly with Optional Module**

Now you can project media wirelessly via PC using Presenter Light or Panasonic Wireless Projector application for iOS and Android™. Just connect an optional ET-WML100 Wireless Module to the projector's USB input.

Note: The availability of the ET-WML100 varies depending on the country.

- **Presenter Light Ver. 1.0 for Windows PCs**

- Supports images, video, and documents such as PDF and PowerPoint

- Mirrors PC screen on the big screen

- Project media from up to four PCs simultaneously in Split Screen Mode

- Wireless Projector for iOS/Android™

Dedicated apps for iOS and Android devices feature simple 3-step initial connection and support the transmission of still images and PDF data.

- **Memory Viewer Light Function**

You don't need a computer to start presenting—just insert a USB memory device containing media and start projecting straight away.

- **Multi Monitoring & Control Software**

Panasonic Multi Monitoring & Control Software supports up to 2,048 devices over LAN and features system map visualization or auto-search of devices to be registered. The free software is available with Early Warning functions (automatic free 90-day trial available). These advanced functions enable real-time monitoring, abnormality detection, and notification before servicing is required. Administrators can achieve seamless control and real-time monitoring while preventing potential problems, saving time, and enhancing system reliability.

- **Wide Connectivity for Various Use**

- 2 HDMI® inputs and computer inputs/output are equipped to display digital content from a variety of media players.

## **Features:**

- Panel size: 15.0 mm (0.59 in) (16:10 aspect ratio)
- Display method: Transparent LCD panel (x 3, R/G/B)
- Pixels: 1,024,000 (1280 x 800) pixels
- Lens: Manual zoom (1.6x) Manual focus, F 1.60–1.90, f 15.31–24.64 mm
- Screen size (diagonal) 0.76–7.62 m (30–300 in), 16:10 aspect ratio
- Resolution: 1280 x 800 pixels (Input signals that exceed this resolution will be converted to 1280 x 800 pixels)
- Brightness: 4,000 lm (input signal: PC, lamp power: NORMAL, picture mode: Dynamic, Iris: Off, Daylight)

- View: Off, Auto Power Save: Off)
- Lamp: 240 W x 1 lamp
- Lamp replacement cycle: NORMAL: 5,000 hours / ECO: 7,000 hours
- Center-to-corner uniformity: 85 %
- Contrast 20,000:1 (Full On/Off) (input signal: PC, lamp power: NORMAL, picture mode: Dynamic, Iris: On, Daylight View: Off, Auto Power Save: Off)
- Optical axis shift: 49:1 (fixed)
- Keystone correction range :Vertical:  $\pm 35^\circ$  ( $\pm 30^\circ$  when using AUTO)  
Horizontal:  $\pm 35^\circ$
- Installation Ceiling/floor, front/rear
- HDMI 1/2 IN HDMI 19-pin x 2 (compatible with HDCP, Deep Color), audio signal: linear PCM (sampling frequencies: 48 kHz, 44.1 kHz, 32 kHz)
- COMPUTER 1 IN : D-sub HD 15-pin (female) x 1 (RGB, YPBPR, YCBCR, Y/C)
- COMPUTER 2 IN/1 OUT :D-sub HD 15-pin (female) x 1 (RGB, YPBPR, YCBCR), (input/output selectable using on-screen menu)
- VIDEO IN : Pin jack x 1 (Composite VIDEO)
- AUDIO IN 1: M3 Stereo Mini Jack x 1 (L-R x 1)
- AUDIO IN 2: M3 Stereo Mini Jack x 1 (L-R x 1)
- AUDIO IN 3: Pin jack x 2 (L, R x 1)
- VARIABLE AUDIO OUT :M3 Stereo Mini Jack x 1 (L-R x 1) for output
- LAN RJ-45 x 1 (for network connection, compatible with PLink™ [Class 1], 10BASE-T/100BASE-TX)
- SERIAL IN: D-sub 9-pin (female) x 1 for external control (RS-232C compliant)
- USB A : USB-Type A (for Memory Viewer / Wireless Module [Optional: ET-WML100]) x 1
- USB B : USB-Type B (for USB Display) x 1
- Power supply : AC 100–240 V, 50 Hz/60 Hz
- Power consumption: 320 W (0.5 W when Standby mode set to ECO\*2, 1.0 W when Standby mode set to Network, 8.0 W when Standby mode set to NORMAL)
- Built-in speaker: 4.0 cm (1 9/16") round shape x 1, output power: 10 W (monaural)
- Operating noise: 37 dB (lamp power: NORMAL), 29 dB (lamp power: ECO)
- Cabinet materials: Molded plastic
- Dimensions (W x H x D): 352 x 98\*3 x 279\*4 mm (13 27/32" x 3 27/32"\*3 x 10 31/32"\*4)
- Weight: Approx. 3.3 kg (7.28 lbs)
- Operating environment: Operating temperature: 0–40 °C [32–104 °F] (less than 1,400 m [4,593 ft] above sea level, High Altitude Mode: OFF); 0–30 °C [32–86 °F] (1,400 m [4,593 ft] to 2,000 m [6,562 ft], High Altitude Mode: 1); 0–30 °C [32–86 °F] (2,000 m [6,562 ft] to 2,700 m [8,858 ft], High Altitude Mode: 2) Operating humidity: 20–80 % (no condensation)
- Applicable software: Multi Monitoring & Control Software, Logo Transfer Software, Presenter Light for Windows®, Wireless Projector, Apps for iOS / Android™

## **TRIPOD SCREEN PROJECTA PROFESSIONAL**

Rent price:

## 180CM\*180CM

35.00 EUR/day  
+ VAT 20%

Projecta supplies an extensive series of portable projector screens that are extremely easy to set up. Projectors are becoming more and more manageable and lighter. Combining a projector with these features with a portable projector screen makes it possible to project at any desired location. Examples of this would be applications within the rental industry, during events, in the audiovisual sector, at conference centres and in education.

**Tripod screens** -The best known portable projector screens are the tripod projector screens. Tripod screens are renowned for their stability and durability during long-term

### Features:

- The Professional has a stable tripod made from square tubing.
- Special transport lock shields the screen fabric from damage.
- Easy-to-operate handle for adjusting height and aspect ratios.
- Aspect ratio - 1:1
- Screen size (h x b) - 180cm x180cm
- Viewing size (h x b) – 175cm x 175cm
- Projection Surface: Matte White
- Case color - Black

**Weight:** 10 kg



## LCD Samsung 50" Ultra HD LED UE50NU7092UXXH

Rent price:  
50.00 EUR/day  
+ VAT 20%

Don't settle for a TV without the Ultra HD certified picture quality logo, which guarantees the pure colours, sharp contrast and brightness you would expect from the latest 4K resolution standards.

### Specifications:

- Screen size: 50" / 127 cm
- Display screen type: LED LCD
- Panel resolution: 3840x2160 4K UHD
- Curved screen: No
- Aspect ratio: 16:9
- HDMI: 2x
- Component: Yes
- Composite: Yes
- LAN (network, RJ45): Yes
- Optical out: Yes



- USB 2.0 (480 Mb/s): 1 pcs
- WiFi: Yes
- Smart TV: Yes
- Web browser: Yes
- HbbTV: Yes
- Netflix: Yes
- Home network (DLNA): Yes
- Screen mirroring: Yes
- Connection enhancement: Anynet+
- Timer: Yes
- Clock: Yes
- Teletext: Yes
- W/H/D – 112.48 cm\*69.28cm\*24.21cm (With stand)
- III/B/Г – 112.48 cm\*65.02cm\*5.97cm (Without stand)
- Weight 13.8 kg (With stand, 13.6 kg without stand)



## [Laser video projector Hitachi LP-AW4001](#)

Rent price:  
**75.00 EUR/day + VAT 20%**

**This new 3LCD projector is environmentally friendly as it contains no mercury lamp, provides a significant reduction in maintenance costs, as this new laser diode light source offers approx. 20,000 hours of operation time.**

This new ultra-short through projector can reach up to 4,200 ANSI lumens by using our highly efficient optical engine, providing clarity on images even within very bright / light environments.

### Specifications:

- Panel Size: 3LCD 15mm (0.59")
- Light Source: Laser
- Resolution: WXGA (1280\*800)
- Brightness: 4200(Lumens)
- Contrast Ratio: 500,000 : 1
- Lens Zoom: Digital Zoom x 1,35
- Lens Focus: Powered Focus
- Throw Distance: 0.488
- Diagonal Display Size: 60-130"
- Digital Keystone Correction: Horizontal  $\pm 5^\circ$ , Vertical  $\pm 5^\circ$
- Digital input: HDMI x 2 (HDCP compliant, HDMI 1 shared with MHL)
- Analogue: 15-pin Mini D-Sub x 2, RCA Jack x 1
- Video output: 15 pin Mini D-Sub x 1 (shared with analog computer input)
- Audio input: 3.5mm Stereo Mini Jack x 3
- Audio output: 3.5mm Stereo Mini Jack x 1
- RS – 232C Control: 1 x 9-pin D-Sub
- Wireless Lan: USB-WL-5G (IEEE802.11 a/b/g/n/ac: 2.4GHz/5GHz) (Optional)



- Wired Lan: RJ45 Connector x 1
- USB Type A: USB Type A x 2 (PC less Presentation or Wireless adapter)
- USB Type B: USB type B x 1 (USB display, or USB mouse control)
- Power Supply: AC 100V-120V / AC 220V-240V (50/60Hz)
- Operating Power Consumption: 350w


**Weight:** 7.6kg

## **[Fast Folding Screen 120" \(2.66m\\*1.5m\) 16:9](#)**

Rent price:  
**75.00 EUR/day**  
**+ VAT 20%**

**The Dalite 69 x 120" Fast-Fold Projection Screen is a quick set-up system. The legs of this screen are made from 1.25" rugged aluminum tubing and are easy to set-up using the quick release latches. This is a completely portable system featuring compactness and ease of use. No tools are required for set-up or break-down making it even more desirable as a travel unit.**

- Frame and legs made of 1 1/4" aluminum tubing
- Black anodized frame option available upon request
- Easy release latches
- Standard black-backed foldable material for superior image quality and opacity
- Seamless surfaces in all sizes
- Carrying case with wheels for sizes 54" X 54" up to 10'6" X 14'
- Optional Drapery Presentation Kit for professional stage-front aesthetic
- The back of the screen is designed with additional bracing to promote an even flatness to the screen surface. When this is achieved, the projected image appears more professional leaving less room for your audience to be distracted by a potentially skewed image.
- Includes folding frame and legs
- Protective pouch holds projection surface
- Speedy Crank storage compartment
- Fast-Fold Deluxe frames fold without coming apart utilizing simple Snap-Latch Hinge design
- Corner braces are concealed within frame tubing providing greater strength and protection
- Rugged 1.25" extruded aluminum tubing on frame provides greater strength while allowing for lightweight frame reliability
- Legs mount to frame with Speedy Cranks requiring no tools for set up (Includes Speedy Cranks)
- Legs incorporate same Snap-Latch Hinge and concealed corner brace design as frame
- Heavy Duty Legs are made from 3.5 x 1.25" (W x Thickness) and provide additional stability.



## **[Webcam Logitech brio 4k \(Stream edition\)](#)**

Rent price:  
**20.00 EUR/day**  
**+ VAT 20%**

**With the Logitech Brio 4K Stream Edition webcam, you can stream on Twitch, record videos for your YouTube channel, or make a video call on Skype.**

The Ultra HD 4K video resolution lets you capture the smallest details of your face

and facial expressions. Thanks to the high frame rate, you can live stream with 1080p at 60fps, so your audience sees your stream as smoothly as you do on your monitor. The Field of View of the webcam can be adjusted between 78 and 90 degrees. This allows you to focus the image on your game face or to show off your gaming collectibles in the background.

#### TECHNICAL SPECIFICATIONS:

- 4K Ultra HD video calling (up to 4096 x 2160 pixels @ 30 fps)
- 1080p Full HD video calling (up to 1920 x 1080 pixels @ 30 or 60 fps)
- 720p HD video calling (up to 1280 x 720 pixels @ 30, 60, or 90 fps)
- Plug-and-play USB connectivity
- Field of View:  
Diagonal: 90°  
Horizontal: 82.1°  
Vertical: 52.2°
- 5x digital zoom in Full HD
- Autofocus

### [Blackmagic Design Atem Mini Pro](#)

**ATEM Mini switchers make it easy to create professional multi camera productions for live streaming to YouTube and innovative business presentations using Skype or Zoom! Simply connect ATEM Mini and you can switch live up to 4 high quality video camera inputs for dramatically better quality images. Or connect a computer for PowerPoint slides or gaming consoles. The built in DVE allows exciting picture in picture effects, perfect for commentary! There are loads of video effects too! All ATEM Mini models have USB that works like a webcam so you can use any streaming software while the ATEM Mini Pro and ATEM Mini Extreme models add live streaming and recording to USB disks. ATEM Mini even has secret broadcast features for high end work!**

#### Technical specifications:

- **Total Video Inputs:** 8
- **Total Outputs:** 4
- **Total Aux Outputs:** 2
- **Total Audio Inputs:** 2 x 3.5mm stereo mini jack.
- **Total Audio Outputs:** 1 x 3.5mm stereo mini jack.
- **Timecode Connection:** None
- **HDMI Video Inputs:** 8 x HDMI type A, 10-bit HD switchable.
- 2 channel embedded audio.
- **Video Input Re-Sync:** On all 8 HDMI inputs.
- **Frame Rate and Format Converters:** On all 8 HDMI inputs.
- **HDMI Program Outputs:** 2
- **Ethernet:** Ethernet supports 10/100/1000 BaseT for live streaming, software control, software updates and direct or network panel connection.
- **Computer Interface:** 2 x USB Type-C 3.1 Gen 1 for external drive recording, webcam out, software control, software updates and panel connection.



Rent price:  
**25.00 EUR/day**  
+ VAT 20%



## [Panasonic Lumix DC – G9](#)

Rent price:  
**35.00 EUR/day**  
+ VAT 20%

**The Panasonic Lumix G9 is the flagship model designed for photographers that need the highest quality and speed possible. At the heart of the G9 is a powerful 20.3 megapixel sensor and the Venus processing engine.**

There's also 5-axis image stabilisation in the shape of Lumix's Dual I.S II system which facilitates the camera's 80MP mode in JPEG and RAW, as well as burst shooting at 20fps. Other useful features included include dual SD card slots, a 6K photo mode, and 4K60p video.

### **Features:**

- The ideal camera for wildlife and action photographers
- 20.3-megapixel Live MOS Sensor with no low-pass filter
- Advanced Body Image Stabilisation. and 5-axis Dual I.S. with 6.5-stop compensation
- Capture 80-megapixel images in JPEG/RAW with new High Resolution Mode
- 20fps continuous shooting in AF-C and 60fps in AF-S
- With an autofocus speed of just 0.04 seconds, the G9 boasts the world's fastest AF speed
- 4K and Full HD video recording up to 60p
- 6K and 4K Photo Mode
- Depth from Defocus technology
- 0.83x magnification, 3,680k-dot EVF with 100% field of view
- Magnesium alloy splash-, dust- and freeze-proof construction
- 3.0" 1040k-dot free angle LCD
- Dual UHS-II SD card slots



**Minimal set price: 35.00 EUR + VAT** (Includes the device body (without lens) + 1 psc. battery, charger).

**Full set price: 70.00 EUR + VAT** (Includes the device body, Panasonic

HSA12035 lens, SD Sandisk Extreme 64gb memory card, 3 extra batteries, charger, belt, special backpack).

## [Lens Panasonic HSA12035](#)

Rent price:  
**23.00 EUR/day**  
+ VAT 20%

**For most photographers' kits, a 24-70mm zoom is a must-have. This versatile zoom range is an all-in-one solution for a wide variety of subjects, from landscapes and travel shots to portraiture and pretty much anything in between. Add in a constant f/2.8 aperture, like on the Panasonic 12-35mm f/2.8 II here, and you have an even more well-rounded lens that's good for low-light as well as better subject isolation than slower zooms.**



As for the Panasonic 12-35mm f/2.8 II, in particular, this "Mark II" lens is a refresh of Panasonic's earlier 12-35mm (24-70mm-eq.) high-end X-series zoom.

Announced at CES 2017, the 12-35mm f/2.8 II is a relatively minor refresh of the previous 12-35mm lens, offering an updated exterior design -- a sleek black finish and updated lettering -- as well as Dual I.S./Dual I.S. 2 image stabilization compatibility on supported Lumix cameras. The AF system is also upgraded with new linear motors that support Panasonic cameras with 240fps AF drive sensors, and the lens uses a newer aperture control mechanism that allows for smoother, more even aperture changes while panning or zooming during brightness changes.



The Panasonic 12-35mm f/2.8 II is a highly versatile lens for Panasonic shooters, for both photographers and videographers alike, and Micro Four Thirds users deserve to consider this model if they need a high-end 24-70mm -eq. f/2.8 lens. With top-notch performance, excellent image quality and excellent build quality, the Panasonic 12-35mm f/2.8 II earned the top prize for Best Standard Zoom of 2017 in our annual Lens of the Year awards. Read on below for our detailed lab analysis of this excellent standard zoom lens.

### Features:

- Lens Construction: 14 elements in 9 groups (4 aspherical lenses, 1 UED lens, 1 UHR lens)
- Nano Surface Coating: Yes
- Mount: Micro Four Thirds mount
- Optical Image Stabilizer: Yes (POWER O.I.S.)
- Focal Length: f=12-35mm (35mm camera equivalent 24-70mm)
- Aperture Type: 7 diaphragm blades / Circular aperture diaphragm
- Maximum Aperture: F2.8
- Minimum Aperture: F22
- Closest Focusing Distance: 0.25m / 0.82ft
- Maximum magnification: Approx. 0.17x / 0.34x (35mm camera equivalent)

**Dimensions:** 67.6x73.8 mm

**Weight:** 305 g

## [Camera GoPro Hero 9 Black](#)

**The GoPro Hero 9 Black is the most powerful and versatile action camera you can buy, but collectively its new features don't provide quite enough real-world benefits over its predecessor to justify the price.**

The two biggest upgrades are its new sensor and front display. That new 23.6MP sensor shoots 5K video that does deliver slightly more detail than the Hero 8 Black, in the right conditions.

But perhaps the bigger benefit is to its electronic stabilization, with the Hero 9 Black able to provide HyperSmooth Boost – GoPro's strongest stabilization – in all shooting modes. This makes it a top performer for those who demand high-quality 4K (and 5K) video.

### Futures:

- New Image Sensor

Rent price:  
**20.00 EUR/day**  
**+ VAT 20%**



- Video: 5K30, 4K60, 2.7K120, 1440p120, 1080p240 and more
- Photo: 20MP
- New 1.4" front colour display with live preview and status modes
- Larger 2.27" rear touch display with touch zoom
- 30% more battery life than HERO8 Black with improved cold weather performance
- Removable, rechargeable battery
- HyperSmooth 3.0 with in-camera horizon leveling
- TimeWarp 3.0 featuring Real Speed and Half Speed
- 1080p Live Streaming
- 1080p Webcam mode
- Power Tools: HindSight, LiveBurst, Scheduled Capture and Duration Capture
- SuperPhoto + HDR Night lapse video
- RAW photos
- Digital lenses
- Voice control with 14 commands in 11 languages + 6 accents
- 3 microphones with advanced wind-noise reduction
- Stereo + RAW audio
- Larger speaker for improved audio playback
- Removable lens cover
- Built-in folding mounting fingers
- Rugged + waterproof to 33ft (10m)
- Compatible with Max Lens Mod, Light Mod, Display Mod and Media Mod for HERO9 Black



**Price for minimal package : 20.00 eur + km** (Hero 9 black, + 1 accumulator, charger).

**Price for full package: 40.00 eur + km** (Hero 9 black, plastic case with micro HDMI and Type-C outputs, silicon slim case, adapter mini HDMI- HDMI, memory card micro SDHC Sandisk pro 256gb, adapter micro SD-SD, 2 accumulators, charger, mount bracket on tripod, 3psc of any mounting accessories including special cases for underwater conditions).

### **Separately possible to rent:**

Lens Max Lens mode: 8 eur + km

Heavy stand: 8 eur + km

HDMI cable: 5M - 5eur + km ; 10M – 10 eur +km

Extra mounting accessories.: 3 eur + km

Underwater case: 5 eur + km

**Dimensions:** 71x55x33 mm

**Weight:** 158 g

## **Karaoke system AST 50**


Rent price:  
**125.00 EUR/day**  
**+ VAT 20%**

**AST-50 is a professional karaoke system that has not only a unique and inimitable design, but also a full set of all-in-one functions, an ideal solution**

for a club, cafe, VIP room or home. Built-in dual microphone mixing console with voice effects processor and limiter. Controlled via a tablet computer. The AST-50 is extremely easy to operate and supports high definition video. The karaoke machine has an advanced high-speed remote control, a convenient and easy-to-use menu with the ability to search songs by name, genre, artist, and even words from the lyrics.

### Features AST-50:

- The karaoke system is based on the SMP8652 multimedia platform, Linux OS.
- High-quality sounding of phonograms is provided by the built-in MIDI synthesizer.
- Professional karaoke system has high-quality transportation of phonograms with the ability to change the tempo of the phonograms.
- AST-50 supports the following karaoke formats: MIDI, MP3, WAV and Full HD video formats: MPEG2, MPEG4, H.264, VC-1, DivX, XVID.
- More than 70,000 professional phonograms. Over 11,000 phonograms accompanied by original video clips.
- Different text color (coloring) for male and female parties in duets. Several options for the arrangement of the lines of the song on the screen.
- 1 composite input for external background video source.
- 2 x USB 2.0 1 x RJ45 (LAN) 1 x RS-232
- 3 video outputs: 1 composite, 1 component, 1 HDMI.
- 2 microphone inputs with separate volume control. (Jack 1/4 "Mono) 8 sound effects.
- Professional vocal processing. Built-in sound effects processor.
- The AST-50 can record performances to a flash drive and play back recordings of song performances.
- Scoring system.
- 1 RCA stereo output for connecting speakers.
- Search for songs by title, artist, text, genre.
- When you press the "Applause" button on the remote control AST-50 will play a recording of the sound of applause.
- Choice of background for video (standard, own clips, source)
- Convenient control from an extended remote control
- Ability to control the system using tablets and smartphones (Wi-Fi) Android and iOS.
- Possibility of song list updating via the Internet. Monthly.
- Dimensions (H x D x W): 100 x 320 x 420 mm



### Variants of basic configurations and prices:

**Simple:** Karaoke machine AST 50 + tablet + WiFi ruter + remote control AST 50 + book catalog + cables **125 eur + VAT**

**Simple + mic:** Karaoke machine AST 50 + tablet + WiFi ruter + remote control AST 50 + 2 prof. radio microphone + book catalog + cables .150 eur + VAT

**Medium:** Karaoke machine AST 50 + tablet + WiFi ruter + remote control AST 50 + 2 prof. radio microphone +2 prof. Active speakers with tripods + prof. Mixing console + book catalog + cables **200 eur + VAT**

**Full set:** Karaoke machine AST 50 + tablet + WiFi ruter + remote control AST 50 + 2 prof. radio microphone + 2 prof. Active speakers with tripods + prof. Mixing console + 32"TV on a tripod + book catalog + cables **230 eur + VAT**

**Weight:** (H x D x W): 100 x 320 x 420 mm

## [2 psc. Wireless microphones Saramonic UwMic9 TX9 + 1 psc. Receiver RX9](#)

Rent price:  
**25.00 EUR/day**  
**+ VAT 20%**

The Saramonic UwMic9 RX9+TX9 is a portable, camera-mountable UHF lavalier wireless system that provides stellar, broadcast-quality sound and offers powerful features that greatly exceed the capabilities of wireless systems that cost over twice as much. The included dual-channel RX9 receiver gives you the ability to run two separate wireless microphones by adding an additional transmitter (sold separately). This system is perfect for DSLRs, Mirrorless, Pro Video and all types of cameras or portable audio recorders with either 3.5mm, or XLR microphone input. Ideal for capturing interviews, film dialog, field recording, broadcast TV, news gathering, vlogging, YouTube videos and so much more. Both components feature sturdy metal construction and deliver excellent sound quality in a low-cost package.

### **RX9 Receiver**

- Channels: 96 selectable channels in 2 groups (A and B)
- Wireless Frequency Range: 514MHz - 596MHz
- Oscillator Type: PLL synthesizer
- Output: Locking 3.5mm TRS mini-jack
- Antenna: 1/4  $\lambda$  wire antenna
- Audio Output Level: -60dBV
- Headphone Output Level: 30mW (16 ohm)
- Sensitivity: -95dBm
- Signal to Noise Ratio: 70dB or more
- Voice Delay: 12ms
- Reference Deviation:  $\pm 5$  kHz (-60dBV, 1kHz input)
- Frequency Response: 40Hz to 18kHz ( $\pm 3$ dB)
- Distortion: 0.5% or less
- Spur Suppression: -60dB
- Batteries: 2 LR6/AA size batteries
- Dimensions: 170.9 x 63.5 x 30.0mm
- Weight: 218.7g (without batteries)

### **TX9 Transmitter**

- Channels: 96 selectable channels in 2 groups (A and B)
- Wireless Frequency Range: 514MHz - 596MHz
- Oscillator Type: PLL synthesizer
- Input: Locking 3.5mm TRS mini-jack



- Reference audio input level: -60dBV (MIC input 0dB attenuation)
- Antenna:  $1/4 \lambda$  wire antenna
- Signal to Noise Ratio: 70dB or more
- Voice Delay: 12ms
- Reference Deviation:  $\pm 5$  kHz (-60dBV, 1kHz input)
- Frequency Response: 40Hz to 18kHz ( $\pm 3$ dB)
- Distortion: 0.5% or less
- Spur Suppression: -60 B
- Batteries: 2 LR6/AA size batteries

**Dimensions:** 170.9 x 63.5 x 30.0mm

**Weight:** 211.4g (without batteries)

## [2 psc. Saramonic UwMic9 TX9/HU9 + 1 psc. receiver RX9](#)

Rent price:  
**30.00 EUR/day**  
+ VAT 20%

The Saramonic HU9 is a handheld wireless microphone transmitter that features a compact, metallic body, an easy-to-read LCD display, a RF power switch and a PLL synthesizer. This broadcast-quality microphone will capture rich, crystal-clear sound. It has a built-in antenna, a muting function and power lock function. The channel of the HU9 is synced up with the receiver via an infrared connection.

In this set UwMic9 HU9 is used together with UwMic9 RX9+TX9 package as a dual channel wireless microphone kit.

### Features:

#### **RX9 Receiver**

- Channels: 96 selectable channels in 2 groups (A and B)
- Wireless Frequency Range: 514MHz - 596MHz
- Oscillator Type: PLL synthesizer
- Output: Locking 3.5mm TRS mini-jack
- Antenna:  $1/4 \lambda$  wire antenna
- Audio Output Level: -60dBV
- Headphone Output Level: 30mW (16 ohm)
- Sensitivity: -95dBm
- Signal to Noise Ratio: 70dB or more
- Voice Delay: 12ms
- Reference Deviation:  $\pm 5$  kHz (-60dBV, 1kHz input)
- Frequency Response: 40Hz to 18kHz ( $\pm 3$ dB)
- Distortion: 0.5% or less
- Spur Suppression: -60dB
- Batteries: 2 LR6/AA size batteries
- Dimensions: 170.9 x 63.5 x 30.0mm
- Weight: 218.7g (without batteries)

#### **HU 9 transmitter**

- Reliable, broadcast-quality audio
- Wireless handheld transmitter compatible with RX9 receiver
- 514 MHz – 596 MHz



- 96 selectable channels
- Mute function
- Easy-to-read LCD displays
- Infrared detector
- Power lock switch

## Televiisor LG 32LD350 – 32“

Rent price:  
**30.00 EUR/day**  
 + VAT 20%

A great way to get into high-definition entertainment, the affordable 32-inch LG 32LD350 LCD HDTV offers a 720p HD resolution, multiple AV Modes to optimize the picture depending on what you're watching (Cinema, Sports, or Games), and a 50,000:1 contrast ratio for excellent rendering of colors and deep blacks. Other features include a 4ms (millisecond) response time, stereo speakers with 14 watts of power and Dolby Digital decoding, and three HDMI inputs.

### Audio

- RMS Output Power: 14 W
- Sound System: Surround Sound

### Energy and Performance

- Maximum Resolution: 1366 x 768
- Operating Power Consumption: 110 W
- Standby Power Consumption: 100 mW

### General Information

- Product Model: 32LD350
- Product Name: 32LD350 32" LCD TV
- Product Series: LD350
- Product Type: LCD TV

### Interfaces-Ports

- HDMI :Yes
- Total Number of HDMI Ports: 2
- USB: Yes
- VGA: Yes

### Physical Characteristics

- Colour: Glossy black
- Depth: 7.4 cm
- Depth with Stand: 20.6 cm
- Dimensions: 50.8 cm (H): 80 cm (W): 7.4 cm (D)
- Weight Approximate: 8.21 kg
- Weight with Stand Approximate: 9.21 kg
- Width: 80 cm
- Height: 50.8 cm



## Technical Information

- Width with Stand: 80 cm
- Height with Stand: 55.9 cm
- VESA Mount Standard: 200 x 100
- Aspect Ratio: 16:9
- Features: Auto Program
- Horizontal Viewing Angle: 178°
- Screen Size: 81.3 cm (32")
- Vertical Viewing Angle: 178°

## Video:

- Digital Tuner: ATSC
- Scan Format: 720p
- Video Signal Standard: HDTV

## [Tablet Samsung Galaxy Tab A](#)

Rent price:  
**25.00 EUR/day**  
+ VAT 20%

**Samsung Galaxy Tab A 10.1 (2019) (Wi-Fi) tablet was launched in February 2019. The tablet comes with a 10.1-inch touchscreen display with a resolution of 1200x1920 pixels. Samsung Galaxy Tab A 10.1 (2019) (Wi-Fi) is powered by an octa-core Exynos 7904 processor. It comes with 2GB of RAM. The Samsung Galaxy Tab A 10.1 (2019) (Wi-Fi) runs Android 9.0 and is powered by a 6150mAh non-removable battery.**

As far as the cameras are concerned, the Samsung Galaxy Tab A 10.1 (2019) (Wi-Fi) on the rear packs 8-megapixel camera. It sports a 5-megapixel camera on the front for selfies.

Samsung Galaxy Tab A 10.1 (2019) (Wi-Fi) is based on Android 9.0 and packs 32GB of inbuilt storage that can be expanded via microSD card (up to 400GB). The Samsung Galaxy Tab A 10.1 (2019) (Wi-Fi) measures 245.00 x 149.00 x 7.50mm (height x width x thickness) and weighs 460.00 grams. It was launched in Black, Silver, and Gold colours.

Connectivity options on the Samsung Galaxy Tab A 10.1 (2019) (Wi-Fi) include Wi-Fi 802.11 a/b/g/n/ac, GPS, and Wi-Fi Direct.

## Technical specifications:

- Operating system: Android 9.0 Pie
- Display: 10.1-inch IPS with 1920 x 1200 pixel
- Processor: Samsung Exynos 7904 octa-core
- Storage: 32GB
- Expandable: microSD card slot (up to 400GB)
- RAM: 2GB
- Main camera: 8MP
- Front camera: 5MP
- Connectivity: Wi-Fi 802.11 a/b/g/n/ac, Bluetooth 5.0, GPS, LTE
- Ports: USB Type C 2.0
- Battery: 6150mAh
- Security: No fingerprint scanner



**Dimensions:** 245 x 149 x 7.5 mm

**Weight:** 460g

## **Tablet Lenovo – X505F**

**Lenovo M10 tablet was launched in August 2018. The tablet comes with a 10.20-inch touchscreen display with a resolution of 1920x1200 pixels. It comes with 3GB of RAM. The Lenovo M10 runs Android Oreo and is powered by a 4850mAh battery.**

**As far as the cameras are concerned, the Lenovo M10 on the rear packs 5-megapixel camera. It sports a 2-megapixel camera on the front for selfies. Lenovo M10 is based on Android Oreo and packs 32GB of inbuilt storage that can be expanded via microSD card.**

### **Technical specifications:**

- Model: M10
- Release date: August 2018
- Form factor: Touchscreen
- Weight: 481.00 g
- Battery capacity (mAh): 4850
- Screen size (inches): 10.20
- Touchscreen: Yes
- Resolution: 1920x1200 pixels
- Processor: Snapdragon 450
- RAM:3GB
- Internal storage: 32GB
- Expandable storage: Yes
- Expandable storage type: microSD
- Rear camera: 5-megapixel
- Front camera: 2-megapixel
- Operating system: Android Oreo

Rent price:  
**20.00 EUR/day**  
**+ VAT 20%**



## **Curved monitor 24” Samsung C24T550EDU**

**The leader in curved monitors. Samsung has led the curved monitor market since being the first to introduce the innovative displays to the world in 2015. With industry-leading technology in a full line-up, Samsung's curved monitors are consistently number one in market share.**

Introducing the boldest curve ever accomplished. This milestone, born from years of relentless innovation, changes the shape of visual display and pioneers the future of monitor technology.

T55 received a high performance curved display (1000R) and eye comfort certificate for its superior 1000R curved display from TÜV Rheinland; a leading international testing, inspection and certification body.

Rent price:  
**25.00 EUR/day**  
**+ VAT 20%**



## Technical specifications:

- Display Type: LED-backlit LCD monitor / TFT active matrix
- Energy Class: Class G
- Energy Consumption per Year: 48 kWh
- Diagonal Size: 24"
- Viewable Size: 23.6"
- Curved Screen: Yes (1000R)
- Adaptive-Sync Technology: AMD FreeSync
- Panel Type: VA
- Aspect Ratio: 16:9
- Native Resolution: Full HD (1080p) 1920 x 1080 at 75 Hz
- Brightness: 250 cd/m<sup>2</sup>
- Contrast Ratio: 3000:1
- Colour Support: 16.7 million colours
- Response Time: 4 ms (grey-to-grey)
- Horizontal Viewing Angle: 178
- Vertical Viewing Angle: 178
- Backlight Technology: LED backlight
- Features: Game mode, Mega Dynamic Contrast Ratio, Flicker Free technology, Eco Saving Plus, Eye Saver Mode, Colour gamut DCI, Off Timer Plus, Super Slim Design, 3 Side Borderless Design
- Colour: Dark grey/blue
- Dimensions (WxDxH): 53.95 cm x 24.96 cm x 41.36 cm - with stand
- Weight: 4.2 kg
- Interfaces: VGA
- HDMI: Yes
- Headphones: Yes
- Display Position Adjustments: Tilt
- Tilt Angle: -3/+20



## [Clicker Logitech Prof. Presenter R700](#)

Rent price:  
**15.00 EUR/day**  
+ VAT 20%

**Make an impact in your presentations with the Logitech Professional R700 Wireless Presenter.**

### Highlights

- The bright red laser pointer is powerful and easy to see.
- Thanks to the LCD display with timer, the vibrating alarm and the easy-to-use and adjustable controls, you can focus on your presentation instead of the clock.
- With a range of up to 30 metres, you can move around the room freely and interact better with your audience. The signal strength indicator ensures that you do not stray too far.
- With its intuitive controls, you can confidently navigate through your presentation and easily find the keys without looking.
- Thanks to its pleasant shape, the presenter is comfortable to hold and you have everything under control, from the beginning to the end.
- With the stowable, wireless receiver with plug and play, setup is simple: connect the receiver to the USB port and you're off — there is no software to install. And when the presentation is over, simply store the receiver in the presenter.



3-year warranty and technical hotline

• Wireless presenter with up to 30-metre range, red laser pointer, LCD display with timer and battery level indicator, vibrating alarm at 5, 2 and 0 minutes, signal strength indicator in the display for the receiver, separate on/off switch and a USB receiver that can be stowed inside the presenter.

### System requirements:

- Windows® XP, Windows Vista®, Windows® 7 or Windows® 8
- USB port

### Technical data:

- Dimensions (L x W x H): 134 x 38 x 28 mm
- Weight: 71 grams with batteries, excluding receiver
- 2.4 GHz technology
- Class 2 laser
- Separate on/off switch
- Timer with minute-precise setting option; timer continues after the set time has elapsed, displaying up to 60 minutes of overrun time
- Vibrating alarm at 5, 2 and 0 minutes
- Signal strength indicator on the display for the receiver
- Battery level indicator on the display

### Package contents:

- Presenter
- Wireless mini receiver
- 2 AAA batteries
- User manual



## [Playstation 4 pro + 2 original joystics + 5 CD discs with games](#)

Rent price:  
**35.00 EUR/day**  
+ VAT 20%

Enjoy the best gaming experience with the Sony PlayStation 4 Pro, featuring a 8GB GDDR5 RAM and powered by x86-64 AMD "Jaguar". Thanks to its 4K video resolution and 60fps frame rate, you'll be able to immerse in vibrant graphics while gaming. In addition, it has 8h of battery life to support long hours of gameplay. Compare the price of the Sony PlayStation 4 Pro to find the best deal for yourself today!

### Key Features:

- Memory: 1TB
- Sensitive six-axis sensor
- Single-chip custom processor
- CPU: low power x86-64 AMD Jaguar, 8 cores
- GPU: 1.84 TFLOPS, AMD Radeon Graphics Core Next engine
- Brand: Sony
- Model: PlayStation 4 Pro
- Console Family
- Sony PlayStation 4
- Console Type: Home Console



- Input method: Disc
- Hard Disk: 1TB
- RAM: 8GB
- Processor: AMD Jaguar 1.6 GHz 8-core
- Graphics: AMD GCN Radeon
- Ethernet: Yes
- Weight: 3.3kg
- HDMI: Yes
- USB: 3 USB 3.1 ports
- AV Digital Output: Optical Out
- Wi-Fi: Yes

## [SanDisk Extreme Portable SSD 500GB](#)

Rent price:  
**10.00 EUR/day**  
**+ VAT 20%**

**High-speed transfers with up to 550MB/s read speeds let you move hi-res photos and videos.**

- Ruggedized, water- and dust-resistant (IP55-rated) (IEC 60529 IP55: Tested to withstand water flow (30 kPa) at 3 minch; limited dust contact does not interfere with operation. Must be clean and dry before use.)
  - Shock-resistant solid state core for greater durability (Shock-resistant (up to 1500G) and vibration-resistant (5g RMS, 10-2000 HZ), Non-Operating Temperature(from -20°C to 70°C), operating temperature (from 0°C to 45°C))
  - Compact and pocket-sized
  - For PC and Mac users
- Built by SanDisk, a technology leader and pioneer of the modern day SSD, to deliver superior performance




## [4 Port HDMI 18G Splitter](#)

Rent price:  
**10.00 EUR/day**  
**+ VAT 20%**

**The Lindy 4 Port HDMI 2.0 18G Splitter is a compact, high quality solution for distributing HDMI 2.0 18G signals across multiple displays from one source device. With support for resolutions up to 4K 60Hz 4:4:4 8bit, this splitter is great for creating eye-catching digital signage in retail scenarios, showing high quality video in different rooms in medical facilities or ensuring audiences do not miss any of the action in dual display sports bars. Additional support for High-Dynamic Range ensures video content can be seen with enhanced brightness, superior contrasts and a much wider colour gamut, for more lifelike colour.**

HDCP 2.2 support ensures there are no issues with a variety of 4K content when connected to source devices including set top boxes, Blu-Ray players and 4K HDR media players, while a smart EDID management switch on the unit provides maximum compatibility with the display. The splitters durable, compact design also ensures the unit can be installed discreetly, ensuring there is no distraction from the content on screen.



## Specifications:

- AV Interface: HDMI
- Interface Standard: HDMI 2.0
- Supports Bandwidth: 18Gbps
- Maximum Resolution: 3840x2160@60Hz 4:4:4 8bit
- HDCP Support: 2.2
- Supported Audio: Audio Pass-through
- Special Features: EDID emulation
- Input: 1 x HDMI (Female)
- Output: 4 x HDMI (Female)
- Power: 5.5/2.1mm DC socket



## [Laptop MacBook Pro \(Retina, Mid 2012\)](#)

Rent price:  
**35.00 EUR/day + VAT 20%**

### Technical specifications:

- Display: 15,4 -inch(2880 x 1800)
- Processor: 2,6 GHz Quad-Core Intel Core i7
- Memory: 8 GB 1600 MHz DDR3
- Graphics: Intel HD Graphics 4000 1536 MB
- Storage: HDD 500gb
- Ports: HDMI, 2x USB 2.0, 2x Thunderbolt 2, SD Card Reader, Mini Jack.



## [Laptop Asus TUF Gaming FX505DU-AL079T](#)

Rent price:  
**45.00 EUR/day + VAT 20%**

**A gaming computer with a powerful processor, graphics cards and speed that supports most modern games and fast work with video content.**

### Technical specifications:

- Display: 15,6 -inc. FHD
- Processor: AMD Ryzen 7 3750H
- Memory: 16 GB
- Graphics: NVIDIA GTX 1660Ti 6Gb
- Storage: SSD 500gb
- Ports: HDMI, 1x USB 2.0, 2x USB 3.2 Gen 1, 3.5mm Combo Audio Jack.



## [Power bank MAXOAK K3 36000mAh](#)

Rent price:  
**20.00 EUR/day**  
**+ VAT 20 %**

Maxoak K3 36000 mAh is a power bank for charging Apple products (Macbook, iPhone, iPad), as well as for charging phones, smartphones, tablets and other mobile devices. This device has Li-pol batteries with a total capacity of 36000 mAh. In real life, you can count on 12 smartphone charges, 7 tablet charges, 27 action camera charges, 3 laptop charges (depending on the model).

The external battery is equipped with 2 USB ports, which can work at the same time and charge, for example, 2 phones. The USB ports provide a maximum current of 2.1 amperes each. A DC port (voltage 16.8 V, current 3.5 amperes) is intended for charging Apple laptops and netbooks. Also, for charging some Macbook models, the device is equipped with a type-C port (12V / 3.5 A). The external battery comes with a Type-C cable, a MagSafe 1 cable, and a MagSafe 2 cable. The case of the external battery is made of combined materials - the ends are made of high-quality ABS plastic, and the base of the case is made of aluminum alloy. At the front there are 2 USB ports, a DC port, a Type-C port, an on / off button, a 4-level charge indicator and a port for charging from a 220 volt network.

Fully charging from a wall outlet takes 6 hours. Power bank Maxoak K3 is equipped with a multi-level protection system against short circuit, overheating, overload, overcharge, full discharge, current and voltage surges.

### **Specifications:**

- Charging laptops, Type-C port, two USB ports
- Manufacturer: Maxoak
- Technologists: Lithium Polymer
- Battery type: Li-Pol
- Charging type: Standard
- Color: silver
- Charging time from the network: 6-8h
- Input current: 2500 mA
- Output current: 1500,2000,3000,3500 mA
- USB output current: 2.1 A
- Capacity: 36000mAh
- Output voltage: 5 - 16.8 V
- External battery, Type-C cable, manual, 2 magsafe cables, power supply, soft case
- Body: Aluminum alloy
- Model: K3

### **Package :**



- External battery Maxoak K3 36000 mAh
- USB-microUSB cable
- MagSafe cable 1
- MagSafe 2 cable
- Type-C cable
- Power Supply
- Soft case

**Dimensions:** 198 \* 136 \* 22 cm

**Weight:** 960 g

## [Power bank Samsung 10000mAh](#)

**Samsung 10000 mAh, USBx2, max. current 2 A, weight 220 g**

### **Specifications:**

- Capacity: 10000 mAh
- Fast charging: Qualcomm Quick Charge 2.0, Samsung Adaptive Fast Charger
- Outputs: USBx2
- Input: micro USB
- Maximum output current: 2 A
- Simultaneous charging of two devices: yes
- Body material: metal
- Charge indicator
- Package contents: USB cable - micro USB, adapter Micro USB - Type-C

**Dimensions:** 71x141.8x14 mm

**Weight:** 220 g

## [HDMI Switcher 2.0 4\\*1 Pro-Signal](#)

**High performance HDMI 2.0 switcher that delivers fast and reliable switching between four high definition HDMI video sources for use on a single HDMI display. Ideal for streamlining AV devices and HDTVs with limited HDMI sockets.**

### **Specification:**

- Compact HDMI switch that distributes four HDMI signals to a single display
- Intuitive operation via IR remote control and manual switching button
- Supports video resolutions up 4Kx2K UHD @30Hz (24-bit colour, 4:4:4) and 60Hz (12-bit colour, 4:4:4)
- Supports 3D frame sequential video formats up to 1080p @60Hz
- Support for high resolution VESA mode video format up to QSXGA @60Hz

Rent price:  
**7.00 EUR/day + VAT 20%**



Rent price:  
**12.00 EUR/day  
+ VAT 20%**



- DTS-HD Master Audio, Dolby TrueHD and LPCM 7.1 audio formats
- Compliant with HDMI 2.0, HDCP 1.1-2.2 and DVI 1.0
- Supports smart EDID control
- LED indicators for power and active connection status
- Connections: 4x HDMI in, 1x HDMI out



### Contents

- Switch, remote, AC adaptor and user guide

## 4K HDMI Repeater V1.4 Well

Rent price:  
8.00 EUR/day + VAT 20%

### Description:

- Ultra slim design; self-powered active circuitry for fast, easy, elegant installation.
- Support Full 3D and 4K@30Hz resolution.
- Support HDCP pass-through and uncompressed audio such as LPCM7.1.
- Support HDCP pass-through and uncompressed audio such as LPCM7.1.
- The HDMI Repeater enables to boost the HDMI signal via HDMI cable up to 35m at 4K@30Hz.



### Feature:

- Support 12bit per channel (36bit all channels) deep color
- Support 340MHz/3.4Gbps per channel (10.2Gbps all channels) bandwidth
- Support compressed audio such as DTS, Dolby Digital (including
- HDMI Input /Output Connector:HDMI Type A 19 pin
- Output Video:HDMI Signal
- Vertical Frequency Range:50/60Hz
- Video. Amplifier Bandwidth:3.4Gbps/340MHz
- Interlaced Resolutions(50&60Hz):480i,576i,1080i
- Progressive Resolutions(50&60Hz):480p,576p,720p,1080p, 4K@30Hz
- Power Supply:Micro USB Power Cable

## EKSA Bluetooth 5.0 Transmitter Receiver

Rent price:  
15.00 EUR/day  
+ VAT 20%

### Two Functions Mode:

Transmitter mode: When used as a Bluetooth transmitter, it can transfer the music on your mobile, Walkman, TV, computer, etc to your Bluetooth receiver, Stereo Bluetooth headphone, and Bluetooth speakers through wireless



technology. Receiver mode: When used as a Bluetooth receiver, it can be a stereo Bluetooth headphone (by plugging headphone audio cable into 3.5mm port), or connecting with speaker to receive audio signal through wireless.

## Wide Application:

The product is suitable for mobile phones, TV sets, TV boxes, MP3, MP4, speakers, home theater systems, Amazon Fire TV, Apple TV, wired headsets, Bluetooth headsets, notebooks, amplifiers, car speakers, and Bluetooth Speaker or Headphone relying on A2DP Bluetooth profiles for a smooth operation and perfectly synced high-fidelity audio reproduction.

Qualcomm apt-X Low Latency

EKSA bluetooth transmitter adapter adopts high-end Bluetooth 5.0 chip and exclusive CSR8675 solution, no like other Bluetooth 5.0 and low-end CSR.

Transmission efficiency is 2 times higher than Bluetooth 4.2 and faster pairing. We promise without any noticeable audio delay when watching match & movies, give you a richer and deeper sound experience.

164FT/50M Long Range

Features Bluetooth 5.0 technology and an optimized antenna, which will allow you to stream up to 164 feet (50m). NOTE: Operation range is affected by physical obstructions (walls, people), wireless interference (Wi-Fi routers, Wireless TV adapters) and also depends on receiving device (e.g. TWS earbuds and devices with small internal antennae may have shorter range).

## Product description:

### Bluetooth Receiver

Use as a Bluetooth Receiver, to Bluetooth-enable your home stereo or AV Receiver to receive wirelessly streamed music from your cellphone or PC.

### Bluetooth Transmitter

Use as a Bluetooth Transmitter to Bluetooth-enable your TV, AV Receiver, Radio and other home audio devices to stream music to your Bluetooth headphones or speakers.

Built-in battery, wireless transmitter

It will offer 15 hours in TX mode, 17 hours in RX mode on one charge, you also can use it while charging. True wireless transmitter.

### Wide Connection

Support both RCA/3.5mm aux audio connectivity digital/optical audio input&output. Compatible with multiple devices, including TVs, PCs, CD/DVD players, Kindle Fire, iPods and tablets, MP3/MP4, and other equipment that emits stereo sound

aptX LL games with low latency!

With aptX Low Latency (<40ms), you can enjoy high-quality audio in sync with the picture or games. The perfect choice for tech guy!

## Specification

- Connectivity: AUX (3.5 mm) / RCA / Optical (SPDIF) / Bluetooth 5
- Bluetooth version: 5.0, Class I
- Bluetooth Chipset: CSR 8675
- Supported profiles: A2DP, AVRCP
- Audio codecs: aptX HD, aptX low latency, aptX, SBC, AAC
- Operation range: up to 164ft / 50M



- Input voltage / current: DC3.7V / 600m
- Product size: 8.5×8.1×2.3cm
- Product weight: 111gr

### Package List:

- 1 x bluetooth transmitter receiver
- 1 x product specification manual
- 1 x fiber optic cable
- 1 x USB charging cable
- 1 x 3.5MM audio cable
- 1 x RCA cable

## HDMI Splitter Nedis 1 in/2 out

Rent price:  
7.00 EUR/day  
+ VAT 20%

Show movies, presentations, pictures or other content from an HDMI device on 2 screens simultaneously. The HDMI splitter boosts the signal which allows you to use longer cables without signal degradation.

### Features:

- Supports 4K2K and 3D
- EDID function to set a fixed resolution for all connected TVs
- Easy installation: plug and play
- Splits 1 HDMI output in 2 HDMI outputs
- Amplifies the digital video signal

### Product specifications:

- Colour: Anthracite
- Maximum resolution: 4K@30Hz
- Material: Metal
- Aspect ratio: 16:9
- Supported resolutions: 720p@60Hz; 4K@30Hz;1080i@60Hz; 576p@60Hz; 480p@60Hz Resolution standard: 4K UHD
- Power source type: Mains Powered
- Power plug: Type C (CEE 7/16), Type G
- Input current: 2.0 A
- Power cable side A: N/A
- Depth: 74.0 mm
- Controlling method: Automatic
- Connection input: HDMI™ Input
- Clock frequency: 340 MHz
- Device type: HDMI™ Splitter
- Power consumption in standby mode:10 W
- Power consumption in operating mode: 10 W
- Maximum bandwidth: 3.4 Gbps
- Supported technology: 3D; EDID; DTS-HD-Master Audio; Dolby True HD; HDCP
- EDID settings: Customized (EDID Wizard Support); Learn
- Colour formats: RGB; YUV 4:2:0; YCbCr 4:2:0
- Ports: 2-Port



- Height: 24.0 mm
- Width: 111.0 mm
- Connection output: 2x HDMI™ Output
- Input voltage: 5,0 VDC

## [Chauvet Cast Panel Pack \(2 light panels + 2 stands + 4 batteries Sony NP-F 960\)](#)

Rent price:  
50.00 EUR/day + VAT 20%

**Set consisting of two spotlights, 2 tripods, 2 carrying bags and power supply units + 4 Batteries Sony NP-F 960.**

### **Chauvet DJ Cast Panel Pack Features:**

- Complete lighting solution for vlogging, streaming or other on-camera applications
- Built-in color temperature presets
- Separate control of hot and cold LEDs allows fine tuning of desired color temperature
- Removable filters
- Optional battery kit for operation in any situation (sold separately)

### Technical specifications

- Light source: 192 LEDs (96 cool white, 96 warm white) 40 W total, (6.5 A), 50,000 hours life expectancy
- Stand height: 0.9 to 1.9 m
- Beam angle (without filter): 50°
- beam angle (with filter): 90°
- Field angle (without filter): 114°
- Field angle (with filter): 151
- Illuminance (without filter) : 1,014 Lux @ 2 m
- Illuminance (with filter) : 439 Lux @ 2 m
- CRI : 89
- Colour temperature: 2700 to 8000 K
- Battery compatibility: Sony NP-F series (Package includes batteries 7.4v 7800mA)
- Input voltage: 15 VDC, 3 A (external power supply: 100-240 VAC, 50/60 Hz)
- Power and current: 62 W, 0.8 A @ 120 V, 60 Hz
- Power and current: 59 W, 0.54 A @ 230 V, 50 Hz
- Approval: CE



## [Video Card Capture HDMI With Loop](#)

Rent price:  
12.00 EUR/day  
+ VAT 20%

**This video capture card can capture both HDMI video and HDMI audio, sending audio and video signals to computers and smart phones for preview and storage. Plug and play, no need to install other driver software, suitable for high definition acquisition, teaching recording, medical imaging, etc.**

### **Description:**

Connection operation:



- 1: Connect the UHD signal source and the HDMI input port of the USB capture card through 1 HDMI cable
- 2: Plug the USB male header of the USB capture card into the USB port of the computer
- 3: Acquisition operation steps (OBS): Open the software ? add a new source ? select 'video capture device' ? set the screen size ? Select 'Studio Mode' (dual window) ? click 'Start Recording', as shown in the example below 1. Add a new source and select 'Video Capture Device' 2. Set the screen size 3. Select 'Studio Mode' (dual window) and the above settings are completed.



### Specifications:

- Type: HDMI
- Supports Gaming Consoles: Yes
- Model Number: YS-11268 Video Card Capture: USB2.0 Cards Grabber HDMI Video Capture With Loop out
- Package includes: 1\*USB2.0 Cards Grabber
- Supports Gaming Consoles: PS4, PS3, WII
- Color: Black
- Model Name: 4k HDMI Capture Device with Loop Out, HD 1080P 60FPS for Live Streaming Broadcasting Video Recording for PS3/4, Xbox One & Xbox 360, Switch, DSLR, Camcorders
- Video Resolution: 1080P
- Hdm connectors

**Weight:** 350 g

### [Memory card SanDisk microSDXC 256gb](#)

Rent price:  
**5.00 EUR/day**  
 + VAT 20%



- Up to 160MB/s
- Up to 90MB/s write speeds
- UPC: 0619659169732
- Type: Micro SDXC
- Speed: C10, V30, U3, A2
- Class: Class 10
- Warranty: Lifetime
- Model: Extreme
- Read Speed: Up to 160MB/s read speeds to save time transferring high res images and 4K UHD videos; Requires compatible devices capable of reaching such speeds
- Write Speed: Up to 90MB/s for fast shooting; Requires compatible devices capable of reaching such speeds
- Compatible Brand: Universal
- 4K UHD and Full HD Ready with UHS speed class 3 (U3) and video speed class 30 (V30)
- Rated A2 Built for and tested in harsh conditions: Temperature Proof, Water Proof, shock Proof and x ray Proof
- Dimension: 10.92mm x 14.99mm x 1.02mm
- Operating Temperature: 25°C to 85°C

- Storage Temperature: 40°C to 85°C

## [Memory card SanDisk Extreme Pro SDXC 64gb](#)

Rent price:  
**8.00 EUR/day**  
 + VAT 20%

**For super-fast continuous burst mode shots, maximum post-production workflow efficiency, and high-performance video recording, get SanDisk Extreme PRO SDHC and SDXC UHS-II cards.**



The high-performance SDHC and SDXC memory cards boast shot speeds up to 260MB/s (1733X) and transfer speeds up to 300MB/s (2000X). UHS Speed Class 3 (U3) supports 32GB to 128GB of Full HD and cinema-quality 4K video recording. Optimized for cameras that support the new UHS-II standard, SanDisk Extreme PRO SDHC and SDXC UHS-II cards deliver the uncompromising results that professional photographers demand.

### Features:

- Designed for Professionals
- Speeds of up to 300MB/s Read and 260MB/s Write
- Cinema-Quality 4K Video Capture
- Designed to Withstand Extreme Environments
- Easy File Recovery with Rescuepro Deluxe Software
- Choose The Amount of Storage You Need

### Specifications:

- Capacity: 64 GB
- Read Speed: up to 300 MB/s
- Write Speed: up to 260 MB/s
- Video Speed: U3
- Form Factor: SDXC

## [Mini HDMI2AV to AV Video Converter](#)

Rent price:  
**12.00 EUR/day**  
 + VAT 20%

**The MINI HDMI2AV signal converter which will convert HDM video signal or audio signal to AV (CVBS) composite video signal and the FL / FR stereo audio signals, while support DVI system sideline signals. Help users convert the high quality of the HDMI video signal into normal CVBS signal (standard-definition 480i, 576i.).So that can play on TV, VHS VCR, DVD recorders, etc. Support NTSC and PAL two TV format.**



### Features:

- 100% Brand new and high quality
- No need to install drivers, portable,flexible, plug and play
- Low power, no need power supply
- Output the audio synchronization with video
- High bandwidth capability support 1920x1080@60Hz



- Compatible HDMI 1.3
- Dimensions: 60 x 55 x 20mm
- Application Example: HD camera, HD DVD, Displayer, Earphone, Projection

### Specifications:

- Output ports: 1x RCA (Yellow,White,Red)
- Input ports: 1x HDMI
- Resolution Support: 640x480 60Hz, 800x600 60Hz, 1024x768 60Hz, 1280x720 60Hz, 1280x1024 60Hz, 1360x768 60Hz, 1600x1200 60Hz, 1920x1080 60Hz.180i/60Hz, 480p/60Hz, 576i/60Hz, 576p/60Hz, 720p50/60Hz, 1080I50/60Hz, 1080p/60Hz.
- CVBS output:PAL,NTSC\_M,and NTSC\_J

## [TV LCD Philips 32PFL7332/10 32"](#)

Rent price:  
**30.00 EUR/day**  
+ VAT 20%

The Philips widescreen flat TV 32PFL7332/10 TV is a model with LCD technology, a screen diagonal of 81.3 cm, a screen resolution of 1366 x 768 pixels, an aspect ratio of 16:9, 2 HDMI ports to connect a Blu-ray player, DVD, a game console, etc., 1 USB ports to connect an external hard drive, a Chromecast, a Bluetooth receiver etc.,

### Specifications:

#### Picture/Display

- Aspect ratio: 16:9
- Brightness: 500 cd/m<sup>2</sup>
- Dynamic screen contrast: 7500:1
- Response time (typical): 8 ms
- Viewing angle: 176° (H) / 176° (V)
- Diagonal screen size: 32 inch / 80 cm
- Display screen type: LCD WXGA Active Matrix TFT
- Panel resolution: 1366 x 768p

#### Sound

- Output power (RMS): 2x10W
- Sound Enhancement: Digital Signal Processing, **Dynamic Bass Enhancement, Graphic Equaliser**
- Sound System: Virtual Dolby Digital Loudspeakers
- Built-in speakers: 4
- Screen Format Adjustments: 4:3, 6 Widescreen
- Modes, Auto Format, Movie expand 14:9, Movie expand 16:9, Subtitle and **Heading Shift, Super Zoom, Widescreen**
- Picture in Picture: Text dual screen
- VESA Mount: Vesa compliant

#### Multimedia Applications

- Multimedia connections: USB (streaming video capable)
- Playback Formats: MP3, Slideshow files (.alb), JPEG Still pictures, MPEG2

#### Tuner/Reception/Transmission

- TV system: PAL B/G, PAL D/K, SECAM B/G, SECAM D/K, SECAM L/L'
- Video Playback: NTSC, SECAM, PAL
- Tuner bands: Hyperband, S-Channel, UHF, VHF



## Connectivity

- Ext 1 Scart: Audio L/R, CVBS in/out, RGB
- Ext 2 Scart: : Audio L/R, CVBS in/out, RGB, S-video in
- Ext 3: YPbPr
- Ext 4: HDMI
- Ext 5: HDMI
- Front / Side connections: Audio L/R in, CVBS in,
- Headphone out, S-video in, USB
- Other connections: Analog audio Left/Right out, S/PDIF in (coaxial), S/PDIF out (coaxial)

## Power

- Power consumption: 128 W
- Set dimensions (W x H x D): 804.9 x 546.5 x 117.6 mm
- Set dimensions with stand (W x H x D): 804.9 x 609 x 210 mm
- Product weight: 14.4 kg
- Product weight (+stand): 22.6 kg

## Resolution; Refresh rate

- 640 x 480 60Hz
- 800 x 600 60Hz
- 1024 x 768 60Hz

## Video Formats

### Resolution; Refresh rate

- 640 x 480i 1Fh
- 640 x 480p 2Fh
- 720 x 576i 1Fh
- 720 x 576p 2Fh
- 1280 x 720p 3Fh
- 1920 x 1080i 2Fh

## TV stand Gravity with square base

Rent price:  
**12.00 EUR/day**  
+ VAT 20%

**The LS 331 B lighting stand for TV (Mounting system on stand pipe comes with rental TV) features a large heavy steel base providing a firm footing and a single extension for a maximum height of 2.4 m. The 35 mm pole includes a male threaded M20 insert, the base tube has a female M20 end. Two integrated base handles facilitate transport.**

### Specifications:

- Tube material: Steel
- Base material: Steel
- Min. Height: 1420 mm.
- Max. Height: 2420 mm.
- Max. load capacity: 20 kg.
- 18,8 kg



## [EcoFLOW DELTA Max Power Station, 2016Wh](#)

**The Ecoflow Delta Max Power Station - EU version is a unique power station with a capacity of 2016Wh, which offers the possibility to expand the capacity to a total of 6 kWh. Virtually any device up to 2400W can be powered. This makes the power station suitable for charging not only smartphones, tablets, laptops, drones, lighting, TVs and small refrigerators, but also equipment with a higher power.**

Think of camping kettles, coffee machines and water pumps.

The Ecoflow Delta Max Power Station has an integrated 2016 Wh Lithium-Ion battery. If the capacity is not sufficient, the capacity can be tripled to 6048 Wh. This is possible with the extra Delta Max battery from Ecoflow. This way your devices can be supplied with power for even longer.

Thanks to the X-Stream technology, the Delta Max can be charged from 0 - 80% within 65 minutes. This allows the charging time to be limited to 2 hours. In addition, the power station also has an advanced solar input of 800 W / 11 V - 100 V. If you also use the mains adapter, you can charge the Delta Max with 2600W. In this way, the charging process is maximized.

Via the Ecoflow app you can see the following details: the information about the status of the charging station, the control panel and charging options. The Delta Max has a WiFi function, whereby the Delta Max can easily be controlled remotely via the WiFi router.

The Delta Max's Battery Management System is designed to monitor individual cells several times per minute. As a result, the capacity is used as well as possible, the battery is protected against overcharging and you benefit from a longer life.

### **PRODUCT SPECIFICATIONS:**

- Brand: EcoFlow
- Size: 49.7 x 24.2 x 30.5 cm
- Weight: 22.0 kg
- Material: Plastic
- Battery type: Lithium-Ion (800+ life cycles = - 20% battery capacity)
- Battery capacity in Wh: 2016 Wh



Rent price:  
**150.00 EUR/day**  
**+ VAT 20%**



- Output USB: 2 x USB-A; 2 x Fast Charge USB Port; 2 x USB-C Port: 100W
- Output DC: 12 V Car Port; 2 x DC5521 Output: 12.6V DC, 3A
- Output 220 V: 4 x AC 230 V (EU Schuko); total max. 2400 W continuous load; total max. 5000 W peak load
- Input DC: - Wall Charger port 1800 W; Universal Solar Charging (MC4) port 800 W / 11-100 V; Car Charger 12V/24V DC 8A max
- Waterproof: Water Resistant Cover (IP54)
- Overcharge protection: Yes
- Charge indicator: Yes
- Operating temperature: 0 - 45 C
- Recharge time via AC: 1,5 hours
- Wifi function: Yes



## [EcoFLOW DELTA Max Smart Extra Battery, 2016Wh](#)

Rent price:  
50.00 EUR/day + VAT 20%

**The EcoFlow Delta Max Smart extra battery doubles the capacity when connected to a Delta Max portable power station.**

**This can have the effect of you increasing the batteries capacity from 2016Wh (standard) to 6048Wh (Delta Max x 2 Smart Extra Batteries).**

**Delta Max Smart extra battery Capacity: 2016Wh.**

- Extra 2016Wh Capacity

Expand DELTA Max's capacity up to 6048Wh with two DELTA Max Smart Extra Batteries, giving you more backup power during emergencies.

- Customizable Power

Add up to two extra batteries to the DELTA Max portable power station, making it a perfect outdoor generator for camping or off-grid travel.

- Charge Up In Less Than 2 Hours

Charge the DELTA Max battery power station and an extra battery in less than 2 hours with 3600W charging speeds.

- Multiple Ways To Charge


DELTA Max is more than a solar power station, charge up with an AC wall outlet, a car, or the EcoFlow Smart Generator.

- Power Almost Anything

A power generator that can power 99% of your devices and supports up to 15 devices at the same time.



Safe and Reliable Use Advanced BMS protection to monitor: voltage, current and temperature.



### **Battery:**

- Cell Chemistry: NCM
- Cycle Life: 800 Cycles (80%)

- Capacity: 2016Wh

### Dimensional Data:

- Length (L) cm 46.4
- Width (W) cm 23.5
- Height (H) cm 28.3
- Weight Kg 18

## Mobile phone Samsung S9+

Rent price:  
**15.00 EUR/day**  
+ VAT 20%

### Item specifics:

- Camera Resolution: 12.0 MP
- Model: Samsung Galaxy S9+
- Operating System: Android
- Style: Bar
- Cellular Band: Verizon + GSM
- Connectivity: USB Type-C, Bluetooth, Wi-Fi, NFC, GPS
- Features: 3G Data Capable, 4G Data Capable, 4K Video Recording, Accelerometer, Active Edge, Ambient Light Sensor, AMOLED Display, Fingerprint Sensor
- Model Number: SM-G965U
- RAM: 6 GB
- MPN: SM-G965UZKFXAA
- SIM Card Slot: Single SIM
- Brand: Samsung
- Memory Card Type: MicroSD
- Processor: Octa Core
- Screen Size: 6.2 inches
- Color: Gold
- Storage Capacity: 256 GB
- Package: 2 phone cases + power supply




## Gold Fencing Post

Rent price:  
**9.00 EUR/day + VAT 20%**

### Features:

- Stainless steel railing
- Color: golden fence post
- Fence post height 910 mm
- Bottom post Ø Ø 320 mm
- Fence post pipe Ø 51 mm
- Weight 6.5 kg at the bottom of the fence post





## Bag chair

### Bag chair

- Universal bag chair
- A beanbag chair is a good solution for events, garden parties, etc.
- Bag chairs are made of faux leather and can therefore also be used outdoors.
- Safe because, unlike traditional furniture, it does not have sharp corners;
- Dimensions 85cm \* 85cm \* 125cm (width x depth x height)
- Foam pellets have been used as filling
- High-quality and durable imitation leather that is easy to care for
- Easy to clean with a damp cloth
- Bag chairs are available in blue and orange colour.



Rent price:  
**7.00 EUR/day + VAT 20%**

## KUPO CICLORAMA 1000W

### FDL-1000 Soft floodlight + Dimmer ADJ Uni Pack 2

#### Features KUPO CICLORAMA FDL - 1000:

- Prof. asymmetrical with high quality reflector.
- Perfect for decorating studios, walls, facades, etc.,
- Has a wide angle of light
- Lamp: 1000W R7S J189 Linear Halogen Light Bulb Large Security Floodlight 189mm 230
- Aluminum body, color - black + Blinds.
- Dimensions: 31.5x19.5x25.2 cm
- Weight: 3.3 kg


#### Features Dimmer ADJ Uni Pack 2:

- Compact 1-channel dimmer

Rent price:  
**16.00 EUR/day + VAT 20%**



- Dimming fader and external HTP (Highest Takes Precedence) connector
- Standard DMX-512 protocol
- Dim preset - setting the brightness control limiter
- LED display for easy setup of DMX channels
- 3-pin XLR in / out
- Chuco plug
- Easy to use with mounting bracket
- Maximum power: 10 A
- Dimensions: (LxWxH): 184x92x92 mm
- Weight: 1.3 kg



## Accessories for GoPro cameras

Rent price:  
3.00 EUR/day + VAT 20%

**Over 60 psc Action Camera  
Accessories for GoPro / Hero 9, 8**



### **Package Included:**

- Plastic headband
- Chest strap
- Wrist band
- Backpack clip
- Remote control belt
- Sucker
- Octopus bracket
- Bicycle clip + adjustment strap
- Buoyancy rod
- Long screw
- J base
- Quick plug base
- Adapters
- Curved base
- Helmet bar
- Screw wrench
- Safety buckle + bottom glue
- Square bottom glue
- Round bottom glue
- Helmet strap
- Short screw
- Flat base
- Selfie stick
- Anti-fog film
- Jaws flex clamp long
- Jaws flex short
- Storage bag
- 3 batteries travel charger
- and more

## Smartphone Samsung Galaxy A5 (2016)

Rent price:  
10.00 EUR/day + VAT 20%

### Description:

- Model: SM-A510F
- Screen: 5.2 "(1920 × 1080)
- Built-in memory: 16 GB
- RAM: 2 GB
- Camera: 13 MP
- Battery: 2900 mAh
- SIM-cards: 2 (nano SIM)
- Operating system: Android 5.1
- Wireless interfaces: NFC, Wi-Fi, Bluetooth 4.1
- Internet: 4G LTE

Weight: 155 g



## Multi charger VARTA (AA, AAA, C, D, 9V)

Rent price:  
12.00 EUR/day + VAT 20%

Charger for Ni-MH and Ni-Cd rechargeable batteries type AA, AAA, C, D and 9-volt batteries.

### Main characteristics:

- Manufacturer VARTA
- Model: 57041 096 401
- Equipment type: Charger
- Battery size: AA, AAA, C, D, 9V
- Number of simultaneously charged batteries: from 1 to 4 batteries size AA, AAA, C, or D, 1 + 1 for 9V batteries
- Battery discharge button
- Maximum current strength: 0.300 A - AAA; 0.500 A - AA; 0.020 A - 9V-Block; 0.700 A - C and D
- Indicators: Discharging, Charging, Ready for use
- Ability to simultaneously recharge batteries of different types and systems (Ni-MH, Ni-Cd), but no more than one battery in each slot.
- Power supply: From the mains
- Compatibility: Ni-MH, Ni-Cd batteries

Weight: 1.104 kg



## Jump starter Denver Power Bank 10000mAh

Rent price:  
15.00 EUR/day + VAT 20%

**Jumpstarter powerbank with 10000mAh battery capacity. Use it to start your car, or as normal powerbank (3 x 5V~2A, max 3.1A). 12V/16V/19V + 12V ignition output, including safety protection clip.**

### Product information

- Model: DENVER JST-10010
- Jumpstarter powerbank with 10000mAh li-ion battery cell
- Use it to start your car, if battery runs out of power
- Works also as a normal powerbank for extra power for your phone
- input: 15V~1A
- Output: 3x5V~2A (max. 3.1A)
- 12V/16V/19V~3.5A, 12V ignition output
- 12V output port for starting car (cranking min 200A-peak 400A)
- Continuous ignition times: 15-20
- Supported vehicles: 12V gasoline under 4.0L, 12V diesel under 3.0L
- Working temperature: -20° - +60°C
- LED Light with 3 modes - Strong light, strobe light and SOS light
- Accessories included: AC adaptor, Car charger, MicroUSB cable, car clip, Notebook adaptor cable, Notebook adaptor connectors

### Safety protection clip:

9 safety protections: short circuit, reverse polarity protection alarm, reverse charging , low-voltage, over-voltage, over-charge, over-discharge, test car battery quality, force output function, internal IC components malfunction alarm.



## [HDMI Extender Nedis 50m Cat5e/6](#)

Rent price:  
**18.00 EUR/day**  
+ VAT 20%

**HDMI Extender over Cat5e/Cat6 cable to amplify video signals up to 50m. Extend the HDMI connection between two devices up to 50m using a Cat5e / Cat6 without any losses (Standard HDMI connection without amplification is up to 20m).**

### Specification:

- Model: VREP3415AT 3D FHD
- Full HD
- Supported resolutions: 1080P@60Hz; 720p@60Hz; 576p@60Hz; 480p@60Hz
- Zero losses up to 50m
- Compatible with CAT5e / 6 cables
- Connections: Transmitter: 1 HDMI input, female + 1 RJ45 output; Receiver: 1 RJ45 in + 1 HDMI out, female
- Maximum resolution: 1920 x 1080
- Range: 225 MHz / 6.75 Gbps



- Dimensions (LxWxH): 65 x 25 x 100 mm
- Support: audio and video (Full HD / HDCP 1.3)
- Power consumption: 10 W
- Color: dark gray.
- Power plug: Euro / Type C (CEE 7/16), UK / Type G
- Package Contents: 1 x HDMI Transmitter, 1 x HDMI Receiver, 2 Power Supplies, Instructions for Use

## [Pehmendusega klapptool, must](#)

Rent price:  
2.00 EUR/day + VAT 20%

### **Folding chair description:**

- Folding chair with cushioned backrest and seat cushion
- The frame of the chair is made of painted metal
- The soft parts of the chair are covered with black faux leather
- The maximum load capacity of the chair is 120 kg
- The chair can be folded compactly
- Plastic caps on the ends of the feet to prevent scratching the floor
- Suitable for use in, for example, the kitchen, veranda, balcony, etc. and as extra chairs for guests
- Width: 44 cm; Height 78cm; Depth 45cm



## [Karaoke VocoPro mixer + 2 wireless mic](#)

Rent price:  
50.00 EUR/day  
+ VAT 20%

**The BRIDGE is the latest in portable karaoke technology. With 2 wireless microphones, stereo RCA inputs, 1/8" audio input and an FM transmitter, it allows you to sing along to your favorite discs or Mp3s in the car or bus for hours of on-the-road fun. It also has a 1/8" audio input to connect your portable DVD Player, iPod, Laptop, or other audio device, for a total Mobile Karaoke Experience.**

### **Specification:**

- Model: VocoPro Bridge
- Wireless karaoke mixer
- Transmits music and vocals to FM radio
- Two wireless microphones with individual volume controls
- Choose from 3 FM stations: 87.9 FM, 87.7 FM, and 88.5 FM
- Connect a CD, CD+G player, Mp3 player
- Mic-only vocals output 1/4" (6.3mm)



- Input jack 1/8" (3.5mm) for connecting an iPod, Portable DVD Player, Laptop, or other audio device
- Separate left and right stereo channel volume controls
- Echo level and delay controls
- Power LED indicator
- Microphone 1 and 2 RF signal LED indicator shows when the RF signal is being received
- FM send LED indicator shows when the FM transmitter is on
- Outputs: One stereo 1/8" (3.5mm), one L/R Stereo RCA, one 1/4" (6.3mm) (mic-only)
- Inputs: One stereo 1/8" (3.5mm) and one L/R Stereo RCA



### Features of wireless mic:

- Imported dynamic Mic core: High sensitive sound head with strong pickup performance, high-fidelity, can reproduce the true sound.
- Premium Microphones: The microphone head is constructed of premium full metal mesh, which is durable, indeformable and drop resistant. Built-in sponge to effectively filter wind sound and noise. The ABS plastic body of the microphone compliments the steel mesh grille perfectly to ensure years of reliable use.
- Long Wireless Reception Range: The wireless reception range reaches 50-100 meters. It frees performers from the bonds of messy cables and helps them to move unimpeded without fear of tripping over cables during performance. VHF band design, digital pilot, with much stronger anti-interference performance.
- Multifunctional Wireless Microphone: Wireless handheld microphone with Receiver, perfect for Karaoke, Meeting, Speech, Performance or Party.
- A great solution to string frequency, out of frequency, broken sound, distance limitation and so on.

## [Gravity Table + Black Cover](#)

Rent price:  
**15.00 EUR/day + VAT 20%**

**Universal table for dj controllers, mixers, laptops, synthesizer or any other purpose. Very quick and simple to assembly, easy to transport with compact bag.**

### Features:

- Set consists of a KS X2 Keyboard Stand and a KS RD1 Rapid Desk + black material cover
- Suited for DJ controllers, DJ mixers, laptops and rack synthesizers and e.t.c.
- Quick and easy assembly
- Slots for optimal ventilation of the devices
- High load-bearing capacity and stability thanks to a robust steel construction
- Max. support depth: 480 mm
- Width: 1000 mm
- Max. load-bearing capacity (support): 60 kg
- Total weight: 11 kg
- Colour: Black





## [Baltic Stages podium 1m\\*1m](#)

Rent price:  
10.00 EUR/day + VAT 20%

A high-end stage designed for frequent use as a small stage on its own or as part of larger prefabricated stages. It also can be connected with 1m \* 2m podiums from Baltic Stages.

### Features:

- High class foundation designed for frequent use, anti-skid surface topping
- Used indoor and outdoor (water resistant)
- Special milling
- Surface topping is fixed with steel rivets
- Dimensions: 1m\*1m
- Frame: Aluminium (60005A T6)
- Height: 9cm
- Load Capacity: 750 kg/m<sup>2</sup>
- Topping: Plywood baltic birch, water resistant

**Weight:** 20 kg



## [WD TV Live HD Media Player](#)

Rent price:  
15.00 EUR/day  
+ VAT 20%

The WD TV Live HD Media Player from Western Digital is a digital media player for TVs or HDTVs. It can be used to play back video, audio, and pictures over your home network or from any USB hard drive or storage device. Two USB ports are built into the device, allowing you to connect multiple hard drives simultaneously.

### Specifications:

#### Interface

- 2x USB 2.0 (A);
- 1x RJ-45 Ethernet,



## Video System

- NTSC, HDTV

• Note: This media player cannot stream content to PALi HDTVs

## Supported Formats

- Video: AVI (Xvid, AVC, MPEG1/2/4), MPG/MPEG, VOB, MKV (h.264, x.264, AVC, MPEG1/2/4, VC-1), TS/TP/M2T (MPEG1/2/4, AVC, VC-1), MP4/MOV (MPEG4, h.264), M2TS, WMV9
- Photo: JPEG, GIF, TIF/TIFF, BMP, PNG
- Audio: MP3, WAV/PCM/LPCM, WMA, AAC, FLAC, MKA, AIF/AIFF, OGG, Dolby Digital, DTS
- Playlist: PLS, M3U, WPL
- Subtitle: SRT, ASS, SSA, SUB, SM

## Video Outputs

- 1x HDMI
- 1x AV Out
- 1x YPbPr Out

## Audio Outputs

- 1x Optical S/PDIF
- 1x RCA Stereo

## Languages

- User Interface: English, French, Italian, German, Spanish, Simplified Chinese, Traditional Chinese, Korean, Japanese, Russian, Portuguese
- Subtitle: English, French, Italian, German, Spanish, Simplified Chinese, Traditional Chinese, Korean, Japanese, Greek, Russian (KOI8-R & Windows 1251), Portuguese, Central European, Turkish, Malay

## Power Requirements:

- AC: 100-240VAC, 50-60Hz

## Environmental Requirements

- Operating: Temperature: 5 to 35°C

**Storage:** Temperature: -40to 65°C

**Dimensions:** 12.6 x 4 x 10cm

**Weight:** 0.3kg

## [Black Magic HDMI/ SDI/HDMI Micro Converters Set](#)

**HDMI to SDI 3G konverter. This model is perfect for connecting HDMI cameras and computers to professional SDI equipment! You get two 3G-SDI outputs which can be set to level A or level B formats. Unlike cheap converters, it even supports feature film video formats including 1080p24, 1080p47.95 and 1080p48.**

**Spetsifikatsioon HDMI to SDI 3G konverter:**

### Connections:

- SDI Video Outputs: 2 x SD, HD or 3G-SDI. Automatically matches the HDMI input.
- HDMI Video Inputs: HDMI Type A in.
- Multi Rate Support: Auto detection of SD or HD.
- Updates, Configurations and Power: USB Type-C.



Rent price:  
**18.00 EUR/day**  
+ VAT 20%



**Reclocking:** Yes

**Standards:** SD Video Standards; 525i59.94 NTSC, 625i50 PAL

**HD Video Standards:**

- 720p50, 720p59.94, 720p60
- 1080p23.98, 1080p24, 1080p25, 1080p29.97, 1080p30, 1080p47.95, 1080p48, 1080p50, 1080p59.94, 1080p60
- 1080i50, 1080i59.94, 1080i60

**SDI Compliance**

- SMPTE 259M, SMPTE 292M, SMPTE 296M, SMPTE 424M, SMPTE 425M

**SDI Video Rates**

- SDI video connections are switchable between standard definition and high definition, and user selectable level A and B for 3G-SDI via setup utility.

**SDI Color Precision:** 4:2:2

**SDI Color Space:** YUV

**SDI Auto Switching:** Automatically detects SD, HD and 3G-SDI

**HDMI Video Standards**

- 525i59.94 NTSC, 625i50 PAL
- 720p50, 720p59.94, 720p60
- 1080p23.98, 1080p24, 1080p25, 1080p29.97, 1080p30, 1080p47.95, 1080p48, 1080p50, 1080p59.94, 1080p60
- 1080i50, 1080i59.94, 1080i60

HDMI Color Precision: 4:2:2

HDMI Color Space: YUV

**Copy Protection:** HDMI input is unable to capture from copy protected HDMI sources. Always confirm copyright ownership before capture or distribution of content.

**Camera Control:** Bidirectional signal conversion supports Blackmagic Camera Control and Tally.

**Software Control:** Software Control: Mac OSX™ and Windows™ software via USB; Internal Software Upgrade: Via USB.

**Operating Systems:** Mac 10.15 Catalina; Mac 11.1 Big Sur or later; Windows 10, 64-bit.

**Settings Control:** Via software utility.

**Power Requirements:** Power Consumption: 2 W; Operational Voltage

**Range:** 4.4 to 5.25V DC

**Environmental Specifications:**


- Operating temperature: 0° to 40° C (32° to 104° F)
- Storage temperature: -20° to 60° C (-4° to 140° F)
- Relative Humidity: 0% to 90% non-condensing

**Spetsifikatsioon SDI 3G to HDMI konverter:**

This model has been specifically designed for professional monitoring. It includes a 17 point 3D LUT for color calibrating any monitor, projector or television. You can even output the 3D LUT on the SDI loop output! Plus it supports DCI formats and film rates including 1080p24, 1080p47.95 and 1080p48.

**Connections:**

- SDI Video Inputs: 1 x SD, HD or 3G-SDI.
- SDI Video Outputs: 1 x SDI loop out.
- HDMI Outputs: HDMI Type A out.
- Multi Rate Support: Auto detection of SD or HD.



• Updates, Configurations and Power: USB Type-C.

**Standards:** SD Video Standards; 525i59.94 NTSC, 625i50 PAL

HD Video Standards

• 720p50, 720p59.94, 720p60

• 1080p23.98, 1080p24, 1080p25, 1080p29.97, 1080p30, 1080p47.95, 1080p48, 1080p50, 1080p59.94, 1080p60

• 1080PsF25, 1080PsF29.97, 1080PsF30

• 1080i50, 1080i59.94, 1080i60

2K Video Standards

• 2Kp23.98 DCI, 2Kp24 DCI, 2Kp25 DCI, 2Kp29.97 DCI, 2Kp30 DCI, 2Kp47.95 DCI, 2Kp48 DCI, 2Kp50 DCI, 2Kp59.94 DCI, 2Kp60 DCI

• 2KPsF25 DCI, 2KPsF29.97 DCI, 2KPsF30 DCI

SDI Compliance: SMPTE 259M, SMPTE 292M, SMPTE 296M, SMPTE 424M, SMPTE 425M

SDI Video Rates: SDI video connections are switchable between standard definition, 720p 1080i, 1080p and DCI high definition.

SDI Color Precision: 4:2:2

SDI Color Space: YUV

SDI Auto Switching: Automatically detects SD, HD and level A or B for 3G-SDI.

**HDMI Video Standards:**

• 525i59.94 NTSC, 625i50 PAL

• 720p50, 720p59.94, 720p60

• 1080p23.98, 1080p24, 1080p25, 1080p29.97, 1080p30, 1080p47.95, 1080p48, 1080p50, 1080p59.94, 1080p60

• 1080i50, 1080i59.94, 1080i60

HDMI Color Precision: 4:2:2. A 17 point LUT can be loaded via the software utility for calibrating or improving monitor color.

**HDMI Color Space:** YUV

**Software:** Software Control: Mac™ and Windows™ software upgrade via USB.; Internal Software Upgrade: Via USB.

**Operating Systems:**

• Mac 10.15 Catalina,

• Mac 11.1 Big Sur or later.

• Windows 10, 64-bit.

• Settings Control: Via software utility.

**Power Requirements:** Power Consumption: 1.6 W; Operational Voltage

**Range:** 4.4V to 5.25V DC

**Environmental Specifications:**

• Operating temperature: 0° to 40° C (32° to 104° F)

• Storage temperature: -20° to 60° C (-4° to 140° F)

• Relative Humidity: 0% to 90% non-condensing

## **[HDMI Audio Extractor Splitter 4K@60Hz](#)**

Rent price:

**10.00 EUR/day + VAT 20%**

**HDMI Audio Extractor Splitter Adapter Support 4K@60Hz Full HD 3D ARC**

**This HDMI audio extractor converter could output both 4K ultra HD video and stereo surround sound. With ARC function, you could enjoy best audiovisual effects freely.**

**HDMI TO HDMI + AUDIO + ARC: Besides extend 4K ultra HD video, this HDMI converter also enables you to enjoy high performance stereo surround sound, fabulous audio-visual enjoyment at home.**

**Features:**


- One HDMI input converted to HDMI + Audio (SPDIF+L/R+ARC) outputs.
- 3 audio modes optional: PASS / 2.1CH / 5.1CH.
- Support 4K x 2K @60Hz, support 3D, support Blue-ray 20/50/60fs / HD-DVD / XUYCC.
- Digital audio format, as dts-hd/dolby-true hd/LPCM7.1/DTS/dolby-ac371s.
- Support signal retiming.
- No lose of quality.
- Install in a minute.

**Product Description:**

- Input: 1HDMI 2160P/60Hz
- Output: HDMI+Audio(SPDIF+L/R+ARC)
- 3 Audio Modes Optional: PASS / 2.1CH / 5.1CH
- Support Video Format: 24/30/36 bit deep color
- Max bandwidth: 1536MHz
- Max baud rate: 18Gbps
- Max working current: 350mA
- Power Adapter Format: output: DC5V/1A
- Material: Aluminum Alloy
- Color: Gold/Grey/Silver/Black

**Dimensions:** (L x W x H): 69x59x23mm

**Weight:** 180g



**Battery Charger GP PowerBank Travel**

Rent price:  
7.00 EUR/day  
+ VAT 20%

**Charger GP PowerBank travel GPPB03GS, connected to the AC 100-240 V network using a cord without an adapter. It is controlled by a specialized microprocessor.**

**Specification:**

- Has a connector for connecting to the vehicle's on-board network 12V
- Allows you to charge 2 or 4 AAA or AA size batteries
- There are 2 independent charge channels
- Safe charging duration control
- Battery health monitoring



- LED indicator of charge.
- AC100-240V 50 / 60Hz 8W or 12V.-. 650mA
- 1or2 x AA, 1.6V .-. 1025mA
- 3 x AA, 1.6V .-. 683mA
- 4 x AA, 1.6V .-. 512mA
- 1 or 2 x AAA 1.6V .-. 425mA



## Camera Stand Heavy Duty

**3 Sections stand for portable camera and camcorder.**

### **Features:**

- Material: steel & magnesium
- Weight: 6,6kg
- Load capacity: 30kg
- Available colours: black
- Leg spacing: 1200mm
- Height adjustment: 1500mm - 3150mm
- Pipe diameter: 28mm



Rent price:  
**8.00 EUR/day + VAT 20%**

## Video cables

**Different video adapters – 3.00 -5.00 eur + km**

### **HDMI –HDMI cables:**

HDMI cable 1m, 2m, 5m - **5 eur + km**

HDMI cable 10m - **10 eur + km**

HDMI cable 15m, 20m - **15 eur + km**

### **VGA-VGA cables:**

VGA cable 1m,2m, 5m - **3 eur + km**

VGA cable 10m,15m - **10 eur + km**

### **3G SDI BNC cable:**

3G SDI BNC cable 30m - **15 eur + km**

3G SDI BNC cable 50m - **20 eur + km**

### **Cat 5/5e/6:**

Cat 5/5e/6 1m,2m - **3 eur + km**

Cat 5/5e/6 20m - **10 eur + km**

Cat 5/5e/6 40m - **20 eur + km**



Rent price:  
**3.00 EUR/day**  
**+ VAT 20%**

## Projector NEC VT660K 2000lum

Rent price:  
**35.00 EUR/day**  
**+ VAT 20%**

**The NEC VT660K Projector is a XGA Portable Projector. This lamp based projector is capable of displaying 2,000 Lumens at its brightest setting with a native resolution of 1024x768 . The internal 3LCD technology is an innovative**

**3-chip design that sets itself apart by delivering vibrant, true-to-life images with better color brightness and a wider color gamut.**

### Features:

- White Brightness: 2000lum
- Resolution: 1024x768
- Aspect Ratio:4:3 (XGA)
- Color Processing: 8-bit
- Video Modes: 720p, 1080i, 576p,480p,480i
- Data Modes: MAX 1600x1200
- Lamp Type: 200W NSH bulb
- Lamp life: 2000 hr/3000 hours (Eco)
- Lamp Model: VT60LP
- Included Lens: no
- Throw Distance: 1.4m – 9.2
- Image size: 102cm-762cm
- Digital Keystone: Vertical only
- Audible Noise: 37 db
- Internal Speakers: 1.0 Watts Mono

**Dimensions:** 9cm x 31cm x 25cm (HxWxD)

**Weight:** 3kg

## [Neewer 660 PRO RGB LED \(2 RGB Led panels + 2 stands + 2 soft box + 4 Sony batteries NP-F960\)](#)

**Professional RGB video light creates an adjustable color light for different types of shots. Special effects offer more options for video, photography, advertising, movies and sporting events.**

Equipped with light which can be controlled by smart mobile device (Android 4.3 or IOS 11.1 or above), you can adjust hue, saturation, color temperature and the brightness by downloading "NEEWER" APP in the app stores (such as Apple Store / Google play, etc). You can set the channel (1-8) though APP and design by its memory function (2 sets of parameters can be saved). With preset three sets of scene modes (siren, fireworks, lightning), which can be freely switched to provide rich scene effects.

This compact softbox diffuser is widely used for diffusing harsh flash/strobe lights and reducing unexpected shadow on the object you are shooting to achieve more natural and balanced look.

Comes with durable carry bag to protect your light from any possible damage.

### Specification:

- 660 PRO RGB LED Video Light:
- Material: Metal
- Model: 660 PRO RGB
- LED Beads Quantity: 320 RGB bulbs,170 Cool color beads and 170 Warm color beads





Rent price:  
**70.00 EUR/day**  
+ VAT 20 %



- CRI: 97+
- Color: RGB+Bi-COLOR (cool color+warm color)
- LUX: 7000 LUX/0.5M, 2200 LUX/1M
- Color temperature: 3200-5600K (±100K)
- Input Voltage: DC12-15V
- Power: 50W
- Size: 23.2x20x5centimeters/ 9.14x7.89x1.97 inches
- Light Stand
- Maximum Height: 6.5 feet/2 meters
- Minimum Height: 3 feet/92 centimeters
- Material: Metal
- Tube Diameter: 25-22-19mm
- Max Load Capacity: 17.5 pounds/ 8 kilograms
- 660 LED Panel Softbox:
- Dimension: 16x6.7 inches/41x17 centimeters

### Package Contents:

- 2 x 660 PRO RGB LED Video Light
- 2 x White Diffuser
- 2 x Power Adapter
- 2 x Power Cable
- 2 x Light Stand
- 2 x 660 LED Panel Softbox
- 1 x Carrying Bag
- Note: Camera, Battery and Cellphone Not Included



## [Studio Cube Umbrella Softbox 135W \(2 softbox + 2 \\*135w bulb + 2 tripod + bag\)](#)

Rent price:  
30.00 EUR/day + VAT 20%

The photography lighting kit provides optimum illumination with 5500K color temperature for you. Ideal for your outdoor photography or indoor uses.

### Features:

- 135W super bright light bulbs provides optimum illumination with 5500K color temperature.
- Extendable high quality light stands, 3 sections, max 2M length, can perfectly suit your needs.
- The light stands come with 3in1 design, can mount bulbs, umbrella, or softbox.
- 50 \* 70cm softbox with bulb holder which is easy to dismount.
- The softboxes come with foldable cube frame, convenient for storage.
- With durable carrying case, convenient for outdoor using.



### Specifications:

### **Light Stand**

- Material: Aluminum Alloy
- Adjustable Length: 60cm to 200cm
- Item Size: 60\*5\*5cm
- Item Weight: 786g

### **Bulb**

- Watts: 135W
- CRI: 80+
- Light Color: White
- Color Temperature: 5500K ±100
- Voltage Range: 100~140V
- Item Size: 25.5\*8\*8cm
- Item Weight: 208g

### **Softbox**

- Plug: euro
- Soft Box Size: 50\*70cm
- Side Length: 51cm
- Item Weight: 534g

**Package Size:** 21.5 \* 21 \* 71cm

**Package Weight:** 4900g

### **Package List:**

- 2 \* Bulb
- 2 \* Light Stand
- 2 \* Softbox
- 1 \* Carrying Bag

**Dimensions:** Package Size: 21.5 \* 21 \* 71cm


**Weight:** Package Weight: 4900g

## **[Vonyx Megaphone 65W recording USB/SD Li-Ion battery](#)**

**Powerful megaphone with USB port and SD slot, lithium battery, MP3 control panel, built-in 65W amplifier and detachable anti-feedback microphone with coiled lead. Siren function, volume control and adjustable shoulder strap. Distance 1.0 - 1.2km depending on operating conditions.**

### **Features:**

- USB port and SD slot
- MP3 control panel
- Record and siren function
- Detachable anti-howl microphone
- Lithium battery with built in charger
- Strong ABS construction with rubber edge
- AUX input



Rent price:  
**16.00 EUR/day**  
+ VAT 20%



- Max. Power: 65W
- Range: ~ 1.0 1.2km (depending on terrain)
- Battery: 1500mAh Li-Ion

**Dimensions:** 230 x 345mm

**Weight:** 1.3 kg



## [Single channel Cable Protector](#)

**Cable Protector, protects and covers cables up to 11mm outer diameter under all types of traffic both pedestrian and vehicular traffic. Drive Over Cable Covers are ideal for outdoor events, exhibitions, site-electrics, industrial plants and factory floors.**

Features:

- Cable Covers can be joined by Interlocking male: female connectors
- Drive Over Cable Protectors offer longevity of use providing exceptional value
- Lengths are UV stabilised, for use between -40°C and +50°C, so are perfect for indoor or outdoor applications.
- Colour : Black
- Material: High-grade polyurethane

**Dimensions:** 1000mm\*150mm\*15mm

**Weight:** 1.5kg

Rent price:  
**3.00 EUR/day + VAT 20%**





## [Hdmi-Vga converter](#)

Rent price:  
**8.00 EUR/day**  
+ VAT 20%

**HDMI to VGA converter adapter Typ A - VGA (D-Sub) connector.**

### **Description:**

Converts an HDMI signal into a VGA signal

Converts video and audio signals from HDMI to VGA

Connect your modern playback devices with older VGA monitors or projectors

No software or driver installation required

No power supply unit required

The DIGITUS DA-70461 converts digital HDMI signals into analog VGA signals.

Modern playback devices, such as notebooks, Blu-ray players, DVD players, game consoles, etc., can be connected with older VGA monitors or projectors.



### **Technical Details:**

- Input: HDMI
- Output: VGA
- Converts video and audio signals from HDMI to VGA
- Use modern devices with older analog VGA monitors
- No software or driver installation required
- VGA resolution: 10 bit resolution with up to 165 MHz pixel rate (1,080 pixels and UXGA)
- Compatible with HDMI 1.4a
- Color: Black

**Dimensions:** 180 x 45 x 15 mm (L x W x H)

**Weight:** 30 g

## [Sandisk Extreme Portable SSD 1TB \(V2\)](#)

Rent price:  
**15.00 EUR/day**  
+ VAT 20%

**Take your data with you using the SanDisk 1TB Extreme Portable SSD V2. Designed for performance under adverse conditions, this durable 1TB SSD**

features read and write speeds up to 1050 and 1000 MB/s, respectively. IP55 dust and water resistance ensures physical safety of your data, while 256-bit AES hardware encryption ensures your privacy. A carabiner clip allows for easy attachment to your belt or bag. Bus powered, the SanDisk Extreme Portable SSD utilises a USB Type-C connection. A USB Type-C to C cable is included, along with a USB Type-C to Type-A adapter.



### Key Features:

#### Tough Enough to Take with You

With up to 6' of drop protection and IP55 water and dust resistance, the SanDisk Extreme Portable SSD ensures your data is ready when you need it. Furthermore, a durable silicon shell offers added protection to the drive's exterior.

#### Put a Lock on Your Files

Help keep private content private with the included password protection, featuring 256-bit AES hardware encryption.

### Specifications:

- Storage Capacity: 1 TB
- Connection Interface 1 x USB 3.2 / USB 3.1 Gen 2 (USB Type-C)
- Maximum Read Speed: 1050 MB/s
- Maximum Write Speed: 1000 MB/s
- Encryption: 256-Bit AES

#### Internal Drive

- Type: Solid-State Drive

#### External Enclosure:

- Power Source: USB Bus Power
- Environmental Resistance: Drop, Water
- IP Rating: IP55
- Dimensions (L x W x H): 10.2 x 5.3 x 1.0 cm